

# FORD MOTOR COMPANY

Executive Order: A-010-2120

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				- Mil-	TEST GRO	UP IN	FORM	MATION					
MODE	I T	EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2019	KF	MXD06.26CH			MDV4				EL VEHICLE FFV)	85%	ETHANOL, GASOLINE		
	USEFUL	LIFE (miles)		VEF	IICLE EMISS	ION C	ATEG	ORY	INTERIM / IN	TERM	MEDIATE IN-USE STD		
EXI	I/ORVR	EVAP			FTP		SF	ГР	FTP		SFTP		
15	50000	15000	0	LEV3	ULEV200 LEV3 ULEV US06, SC03 TEST CY0		03, FTP	11		*			
SPE	CIAL FE	ATURES & EX	CHAUS		ON CONTRO	L		OBD S	TATUS	EN	IGINE DISPLACEMENT (L)		
1		2TWC, 2WR	-HO2S	, 2HO2S,	SFI			FULL	*	7 🗆			
*		_	*				P	ARTIAL	ALL MODELS		6.2		
*	*							TIAL WITH FINES	*				
		E	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	INFORMATIO	V			
EVAP / ORVR FAMILY EVAPORATIV					DATIVE STILL CATERIODS I			EVAP EMISSION STD VEHICLE CLASS		s	PECIAL FEATURES		
	KFMXF0265NBS			LEV 2				MDV4			*		
					EMISSION C	REDIT	INFO	RMATION					
COEDIT EOD EYTENDED					REDIT FOR NON-PZEV ZERO-EVAP NMOG CF			G CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS			
N N									N		N		
				NMOG	AND FLEET	ΓAVE	RAGE	INFORMA	TION				
NMOG RAF	DAE DAE RATIO		HO/NMHC RATIO ASOLINE)	ATIO LDT (3751 LVW-8500 GV			STD NMOG+NOX FLEET STD GVW) MDV (8501-10000 GVWR (g/mi)						
*	*	1.10		*		*			*		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



#### FORD MOTOR COMPANY

Executive Order: A-010-2120

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of June 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



FORD MOTOR COMPANY

Executive Order: A-U1U-2120

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **ATTACHMENT**

# **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

EXHAU	ST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)
	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon

monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

#### **FUEL TYPE**

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*.	*	*	*	*	*	*	*	*	*
FTP@UL	E85-EPA (GASOLINE- TIER3 E10)	0.1192 (0.1162)	0.200 (0.200)	2.12 (3.21)	4.2 (4.2)	* (*)	* (*)	1.2 (0.9)	6 (6)	0.0004 (0.0004 )	0.008
50°F @4K	E85-EPA	0.198	0.500	0.8	4.2	*	*	3.8	16		

	FILE TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	E85-EPA (GASOLINE-TIER3 E10)	0.1699 (0.1449)	0.200 (0.200)			
20°F @ 50K	*		163+60	*	*	

## SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03		COMPOSITE		
	FUEL TYPE	_	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	. *	CERT	*	*		*	*			
@ 4n		STD	*	*		*	*			
		CERT	* .	*	*	*	*	0.1813	7.96	1.1
@ UL	E85-EPA	STD	*	*	*	*	*	0.800	22.0	10
		BIN						*		
		CERT	*	*	*	*	*	0.1370	17.40	3.1
@ UL	GASOLINE- TIER3 E10	STD	*	. *	*	*	*	0.800	22.0	10
		BIN			6.7		-	*	¥13.	

#### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY		WHOLE VEHICLE EVAPORA					NG			
	FUEL TYPE	3DHS	S (g/test)	@ UL	2DI	HS (g/test) (	RL (g/mi) @ UL			
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
KFMXF0265NBS	E10-EPA	0.346	1.00	*	0.398	1.25	*	0.000	ง.บ5	

# ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	UL	FUEL TYPE	3DHS R (g/test		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
REMYFO265NBS	F10-EPA	*	*	*	*	*	*	*	*	*			



2WD FFV F350 INCOMPLETE

4WD FFV

FORD

FORD MOTOR COMPANY

Executive Order: A-010-2120

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE	LEAK DIAMETER STAND	ARD AND CERTIFICATION LEVE	L (INCHES)	
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD	
*		* **	*	

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER; equivalent AER; PHEV; plug-in hybrid electric vehicle

#### 2019 MODEL YEAR: VEHICLE MODELS INFORMATION **EVAPORATIVE EXH** OBD VEH CLASS ENGINE (L) TRANS TYPE MAKE MODEL FAMILY **ECS** F350 INCOMPLETE 1 FORD MDV4 6.2 SA6 KFMXF0265NBS P

6.2

SA6

KFMXF0265NBS

1

P

MDV4