

FORD MOTOR COMPANY

Executive Order: A-010-2121

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORM	MATION	***				
MODE	1 1	EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2019	KF	MXD06.27CH			MDV5				EL VEHICLE FFV)	85%	35% ETHANOL, GASOLINE		
	USEFUL	LIFE (miles)		VEHICLE EMISSION CATEGO				ORY	INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXH/ORVR EVAP			,	FTP				TP FTP			SFTP		
150000 150000		0	LEV3	ULEV270	LEV3 (HOT UC (LA92 FTP TES		.435 , sc03,	*		*			
SPE	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1		2TWC, 2WR	-HO25	s, 2HO2S,	SFI			FULL	*	1 🗆			
*	* *							ARTIAL	ALL MODELS	1	6.2		
* *								TIAL WITH	*				
		E	VAPO	PRATIVE &	REFUELING	(EVA	P/OR\	/R) FAMIL	INFORMATION	١			
EVA	AP / ORV	APORATIVE	STD CATE	GORY	,		SSION STD E CLASS		SPECIAL FEATURES				
KFMXF0265NAS				LEV 2				MDV5			*		
		· · · · · · · · · · · · · · · · · · ·			EMISSION CI	REDIT	INFO	RMATION					
	REDIT FO	X FLEET AVE OR EXTENDED RRANTY	NMOG CREDIT FOR NON-PZE ZERO-EVAP				NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
		N		N					N		N		
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMH RATIO (GASOLINE	HO/NMHC RATIO ASOLINE)	RATIO LDT (3751 LVW-8500 G			TD NMOG+NOX FLEET STI VW) MDV (8501-10000 GVWF (g/mi)						
*	* * 1.10 * *								* *				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



FORD MOTOR COMPANY

Executive Order: A-010-2121

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

1111

day of June 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



KFMKF0265NAS

E10-EPA

FORD MOTOR COMPANY

Executive Order: A-010-2121

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

								A	ITAC	LIIAI	F141		•						
	EXHA											DS AND					ELS		
		EXH		_			-					LEVELS							
	FUE	L TY		mono adjus ORV	oxide; I stment R [g H	NOx fact C/ga	c oxide tor; 2D allon d	es of nitr HS/3DH ispense	ogen; H0 IS [g HC/ d]: on-bo	CHO: test]: ard re	formal 2/3 da efueling	hydrocari dehyde; P ys diurnal- y vapor rec est proced	M: particu hot-soak covery; g:	late r ; RL [gram	matter; F g HC/mi ; mg: mi	RAF: r]: runi lligrar	eactiving lo	ity oss;	
							IMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		1	HCH mg/n			PM (g/mi)		
				CE	RT	S	TD	CERT	STE		CERT	STD	CER	Т	STD	CE	RT	STD	
FTP@5	ok	*		1			*	*	*		*	*	*		*			*	
FTP@L	E85-EPA		NE-	0.2			270 270)	2.2 (2.9)	4.2		* (*)	(*)	2 (1)		6 (6)	0.001		0.010	
50°F @	4K E8	5-EP	A	0.4	199	0.	675	1.0	4.2		*	*	16		20	Yes			
							TVD	=			I	IMOG+NO	Ox (g/mi)			CO (g/mi)		
					FUEL TYPE					CERT		STD	STD		CERT		STD		
HWFE	T @ 50K						*					*	*						
HWFET @ UL				(G			-EPA -TIEF	R3 E10)				.188	0.270 (0.270)						
20°F	@ 50K						*								*			*	
			,	SFTF	EXH	AUS	TEM	ISSION	STANDA	RDS	AND	CERTIFIC	ATION LI	EVEL	S				
				US06								SC03				COMPOSITE			
	FUEL T		YPE		NMOG+NOx (g/mi)		CÓ PM (g/mi) (mg/mi)			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)			CO g/mi)	PM (mg/mi)		
@ 4K			CER	Т	*		*			* * .									
@ 41	•		STD	*		*			1	*	*			+		-			
			CER	-	*		*	* *		*		*	0.237			3.6	4		
@ UL		ASOLINE- IER3 E10 ST		*		*	*			*	*		0.550		6.0	7			
			BIN	_											*	111			
A ! !!	705 -	E85-EPA S		_	*			*	*		-	*	*	-	0.251	_	6.0	7	
@ UL	E85-E			_	-				-			-	-		+		3.0	,	
		\A/L	BIN		CLEE	VAI	DOD A	TIVE E	MISSION	ATS	NDAR	DS AND C	EDTIEIC	ATIO	NIEVE	1 5			
		WVF	IOLE	/ENI	CLE E	VA						IVE TEST		AIIO	NLEVE	LS	-		
EVAPORATIVE FAMILY		F	FUEL TYPE						/test) @ UL			2DHS (g/test)				RL (g/mi) @		UL	
					CERT S		STD FEL		CE	ERT STO		FEI	L CEF		RT	STD			
KFMXF0265NAS			E10-1	EPA 0.35 1				00 * 0		0.	40	10 1.25 *			0.00 0.		0.05		
(ORVR / F	UEL	ONLY	/ CA	NISTE	R B	LEED	EVAPO	RATIVE	EMI	SSION	STANDA	RDS AND	CE	RTIFICA	TION	LEVE	LS	
										F	UEL O	NLY EVA	P & CAN	STE	RBLEE	D			
	ORATIVI MILY		ORVR (g/gallon) @									HS RIG TEST g/test) @ UL		HS RIG TEST g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
		FL	FUEL TYPE C			RT STD				CI	ERT	STD	CERT		STD	CEI	₹T	STD	



FORD MOTOR COMPANY

Executive Order: A-010-2121

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE	LEAK DIAMETER STANDA	ARD AND CERTIFICATION L	EVEL (INCHES)		
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD		
*	*	*	*		

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GWVR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor, WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor, NOXS: NOx sensor, PMS: PM sensor, RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR; pulsed AIR; SFI/MFI; sequential/multiport fuel injection; DFI/IFI; direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER; equivalent AER; PHEV; plug-in hybrid electric vehicle

	2019 MODEL Y	EAR: VE	HICLE M	ODELS INF	ORMATION		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	ОВП
FORD	F350 INCOMPLETE 2WD FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	P
FORD	F350 INCOMPLETE 4WD FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	P