

FORD MOTOR COMPANY

Executive Order: A-010-2122

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROUP	INFORMA	TION							
MODE		EST GROUP		VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE				
2019	KF	MXD06.27CX		MDV5				EL VEHICLE FFV)	85	5% ETHANOL, GASOLINE				
	USEFUL	LIFE (miles)		VEH	ICLE EMISSIO	N CATEGO	RY	INTERIM / IN	TER	MEDIATE IN-USE STD				
EXH/ORVR EVAP				FTP SF			TP FTP			SFTP				
120000 150000				LEV	V2 ULEV *					*				
SPE	CIAL FE	ATURES & EX	HAUS		ON CONTROL		OBD S	TATUS	E	NGINE DISPLACEMENT				
1		2TWC, 2WR-	HO2S	, 2HO2S,	SFI	F	FULL ALL MODELS							
*	-		*			PAI	RTIAL	*	6.2					
*			*				AL WITH NES	_ *)						
		. E	APO	RATIVE &	REFUELING (E	VAP/ORVI	R) FAMILY	INFORMATION	1					
EVA	P / ORV	R FAMILY	EVA	PORATIVI	E STD CATEGO	ORY E		SSION STD E CLASS	5	SPECIAL FEATURES				
KFMXF0265NAS				LEV 2			MDV5			*				
					EMISSION CRE	DIT INFOR	MATION							
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			REDIT FOR NON ZERO-EVAP	N-PZEV	NMOG C	REDIT FOR DOI	R	OPTIONAL EXH. STD FOR WORK TRUCKS				
		N	1		N			N		N				
			1	NMOC	AND FLEET A	VERAGE I	NFORMA	TION						
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO (GASOLINE)	RATIO LDT (3751 LVW-			V-8500 GVV	ET STD NMOG+NOX FLEET STI 500 GVW) MDV (8501-10000 GVWF mi) (g/mi)							
*	*	1.04						*		*				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



FORD MOTOR COMPANY

Executive Order: A-010-2122

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Holel

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



FUEL TYPE CERT

STD

FORD MOTOR COMPANY

Executive Order: A-010-2122 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EVUALIST AND EVADODATIVE EMISSION STANDADDS AND CE	DITIEICATION LEVELO
EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CE	KIIFICATION LEVELS

	EXHA	UST	ANI	D EVAP	ORATIV	E EMISS	SION S	TANE	ARD	SANI	CERT	IFIC	ATION	LEVELS	>				
		EXHA	UST	EMISSIO	N STAND	ARDS ANI	CERT	IFICAT	ION L	EVELS	(FTP, HW	/FET,	50°F, 20	°F)					
	FUE	L TYP		monoxide; adjustmen ORVR [g l	NOx: oxid t factor; 2I HC/gallon	OG: non-CI des of nitro DHS/3DHS dispensed es Fahren	gen; HC [g HC/I]: on-boa	CHO: fo test]: 2/ ard refu	malde 3 days eling v	ehyde; P diurnal apor re	M: particu +hot-soak covery; g:	late r ; RL [gram	matter; R/ g HC/mi]: ; mg: mill	AF: reactive running ligram; mi:	vity oss;				
									OG mi)		(mi)			Ox mi)		HCH (mg/n			M mi)
				CERT	STD	CERT	STD	CI	ERT	STD	CER	T	STD	CERT	STD				
FTP@50K	(*		*	*	*	*		*				*	*	*				
FTP@UL	(GAS	5-EPA OLINE ER 2 EADED	-	0.1348 (0.0635)	0.167 (0.167)	5.12 (5.90)	7.3		.16	0.4	(*)	(*)		* (*)	0.06				
50°F @4K	E8	5-EPA		0.1410	410 0.334 1.54 7.3 0.02		0.4	.4 5		42									
				FUEL TYPE						g/mi)	mi)		CO (g/mi)						
				PUELTIPE					CERT		STD		CERT		STD				
HWFET (@ 50K				*				*		*								
HWFET @ UL (GASOLINE - T			E85-EPA				0.14 (0.32)		0.8										
20°F @	50K				*								*		*				
				SFTP EXH	AUST EN	ISSION S	TANDA	RDS A	ND CE	RTIFIC	ATION L	EVEL	S						
						US06				SC03			COI	MPOSITE					
F	UEL T	UEL TYPE		NMHC+NOx (g/mi)		CO (g/mi)			NMHC+NOx (g/mi)		CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/m				
@ 4K	*	CE		CERT		RT *		•			*		*	*					
@ 41.	ST		STD			*			4										
		* ST		T		*	*		4		*		*	*	*				
@ UL	*				•	*	*		1		*		*	*	*				
													*						
		WHO	DLE !	VEHICLE	EVAPORA	TIVE EMI	SSION	STAND	ARDS	S AND C	ERTIFIC	ATIO	N LEVEL	S					
					W	HOLE VE	HICLE E	EVAPO	RATIV	E TEST	ING		DI	/-/!\ O					
FAMILY FU		JEL 1	TYPE	/test) @ UL			2DHS (g/test) (@ UL		KL	. (g/mi) @	g/mi) @ UL						
				- 0	ERT	T STD		CERT	ERT STD		FEL		CER	Т	STD				
KFMXF0	265NAS	E	10-	-EPA 0.589 1		00 +		0.53	.538 1.25		*		0.00	0	0.05				
OR	VR / FI	JEL O	NLY	/ CANIST	ER BLEE	EVAPOR	RATIVE	EMISS	ION S	TANDA	RDS AND	CEF	RTIFICAT	ION LEVI	ELS				
									_		P & CAN								
EVAPORATIVE FAMILY		-	ORVR (g/gallon) @ UL			FUEL TYPE			3DHS RIG TEST (g/test) @ UL		2DHS RIG TI (g/test) @ l								

CERT

STD

CERT

STD

*

CERT

STD



FORD MOTOR COMPANY Executive Order: A-010-2122

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE	LEAK DIAMETER STAND	ARD AND CERTIFICATION I	LEVEL (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
*		*	*

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in nybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
FORD	E350 CUTAWAY FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	F
FORD	E350 STRIP CHASSIS FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	F
FORD	E450 CUTAWAY FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	F
FORD	E450 STRIP CHASSIS FFV	MDV5	6.2	SA6	KFMXF0265NAS	1	F