

FORD MOTOR COMPANY

Executive Order: A-010-2136-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION					
MOD		EST GROUP	GROUP VEHICLE CLASS(ES)					FUEL CATEGORY			FUEL TYPE		
201	9 KI	MXD06.761B	MDV4					DEDICATED SINGLE FUEL VEHICLE			DIESEL		
	USEFU	L LIFE (miles)	VEHICLE EMISSION CATEGORY				GORY	INTERIM / IN	TERM	RMEDIATE IN-USE STD			
EXH/ORVR EVAP				FTP SF			TP FTP			SFTP			
120000 *			LEV	72 ULEV *				*		*			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L	,	OBD S	TATUS	ENG	ENGINE DISPLACEMENT (L)		
TC, DFI, CAC, EGR, EGRC, OC, DPF, SCRC, NOXS(2), RDQS							FULL		*				
*	*							ARTIAL	*		6.7		
*	* *							TIAL WITH FINES	ALL MODELS		. 10		
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVAP / ORVR FAMILY EVAPORATIVE STD C					E STD CATE	GORY			SSION STD E CLASS	SP	SPECIAL FEATURES		
*				*				*			*		
					EMISSION C	REDIT	INFO	RMATION					
	REDIT FO	OX FLEET AVE OR EXTENDED RRANTY	NMOG CREDIT FOR NON-PZEV ZERO-EVAP				NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
N					N			N		N			
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	NIM()(=/NIMH(=)				NMOG+NOX FLEET ST LDT (3751 LVW-8500 GV + MDPV (g/mi)						NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	*	* * *					*			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FORD MOTOR COMPANY

Executive Order: A-010-2136-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
'Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have eight (8) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of two hundred seventy five dollars (\$275) per vehicle for the third through eighth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby supersedes Executive Order A-010-2136 dated June 28, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _

Allen Lyons, Chief

Emissions Certification and Compliance Division

day of October 2019.



*

*

FORD MOTOR COMPANY

Executive Order: A-010-2136-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

*

						AT	TAC	НМ	ENT							
	EXHA	UST AN	D EVAI	PORA	TIVE	EMISS	SION	STAN	NDAR	OS AND	CER	TIFIC	ATION	LEVE	LS	
	E	EXHAUST	EMISSI	ON ST	ANDA	RDS AN	D CER	TIFIC	ATION L	EVELS (FTP, H	WFET	, 50°F, 20)°F)		
FU		_ TYPE	monoxid adjustme ORVR [g	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP												
985 415 145 315	See .	m, A		NMHC (g/mi)			O /mi)		NOx (g/mi)		HCH (mg/n			PM (g/mi		
- A. 母:			CERT			CERT			CERT STD		CERT		STD	CERT		STD
FTP@5	οκ	*	*	1	*	*	*		*	*	*		*	*	1	*
FTP@L	JL DIES	EL-EPA	0.043	0.3	143	0.2	6.4	4	0.2	0.2	6.0		16	0.01		0.06
50°F @	4K	*	*	,	*	*	*		*	*		t	*	A Fig.		M ton
- Englishman section 4 contribution			FUEL TYPE						NOx (g/mi)				CO (g/mi)			
							CERT		STD		CERT			STD		
HWFE	HWFET @ 50K						*		*	*		Ki i kidayiya i in esili				
HWFE	HWFET @ UL		DIESEL-EPA						0.1		0.	0.4		新海兰港		
20°F @ 50K				*					1 SAN 27-		1. 1885 171. 184	ANA THE AN	*		* .	
			SFTP EX	HAUS	TEM	ISSION S	TANDA	ARDS	AND C	ERTIFIC	ATION	LEVEL	_S			
ale den d				US06				SC03					POSITE			
	FUEL TY	PE		NMHC+NOx (g/mi)		NO. 842		M /mi)	NMHC+NOx (g/mi)		CO (g/mi)			(g/r		PM (mg/mi)
@ 4K	*	CER	T	*		* company		d 	* .		*	414		era		profit in comme
@ 		STI	5	*		*		4	*		*		20 May 1 - 1971			
		CER	т	*		*	* *		*		*	*		*		*
@ UL	*	STI)	*.		*	,	*		*		*		*		*
	ВІ		3 1 200	The state of the second of the			e in a state of the second				4.3		*	s and a series of a series of the		e podstavista i
		WHOLE	VEHICLE	EVAF								CATIC	N LEVE	LS		
EVAPORATIVE FAMILY			-	WHOLE VEHICLE EVAP					ORATI	/E TEST	NG	RL (g/mi) @ UL				
		FUEL TYPE		3DHS (g/test) @ U		JL		2DHS (g/test)		@ UL		112 (g/iii) @ 02			OL	
				CERT	RT STD		FEL	CE	RT	STD F		EL	CER	RT S		STD
* *			* *		*		* *		*		*					
	RVR / FU	EL ONLY	/ CANIS	TER B	LEED	EVAPO	RATIVE								EVE	LS
EVAPORATIVE FAMILY		OBV	2 (alaəlla	on\@\					JEL ONLY EVAP & CA			ANISTER BLEED HS RIG TEST BLEED CANISTER				
		URV	K (g/gaiic	gallon) @ UL		FUEL TYPE			3DHS RIG TEST (g/test) @ UL		(g/test) @				ST (g/test) @ 4K	
		FUEL T	YPE CE	ERT STD				CE	RT STD		CERT :		STD	CERT		STD
	*	*		*	*	*			*	*	*		*	*		*
		EFFECT	IVE LEA	K DIA	MET	ER STA	NDAR	RD AN	ID CER	TIFICA	TION L	EVEL	(INCHE	ES)		
EVAPORATIVE FAMILY LEAK FAMIL				LY			CER	Γ		STD						



FORD MOTOR COMPANY

Executive Order: A-010-2136-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	F250 2WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F250 4WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F250 PICKUP 2WD DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F250 PICKUP 4WD DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 2WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 2WD DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 4WD BED DELETE DIESEL	MDV4	6.7	SA6	*	1	\$
FORD	F350 4WD DIESEL	MDV4	6.7	SA6	**	1	\$