

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0805-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	IFORMA	TION				
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)			FUEL C	ATEGORY	FUEL TYPE		
2019	KN	ISXT02.0PVA		LDT2				SINGLE FUEL HICLE	GASOLINE		
	USEFUI	LIFE (miles)	VEH	ICLE EMISS	SION C	ATEGO	RY	INTERIM / INT	ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP		FTP			SFTP FTF		SFTP		
15	0000	150000	LEV3	ULEV70 LEV 3 COMPO			OSITE	NMOG+NOX	+		
SPE	CIAL FE	EATURES & EXI	HAUST EMISSIC	ON CONTRO	DL		OBD S	TATUS	ENGINE DISPLACEMENT		
1	TWC (2	), HO2S, WR-	HO2S, SFI, D	FI, CAC,	rc ·	FULL +					
			+			PARTIAL +			2.0		
*			*				AL WITH	ALL MODELS			
	Le troit no	EV	APORATIVE &	REFUELING	(EVA	P/ORVR	) FAMILY	INFORMATION			
EVA	P/ORV	R FAMILY	EVAPORATIVE	STD CATE	GORY	E		SSION STD E CLASS	SPECIAL FEATURES		
· K	NSXR01	LO8PBB	L	EV 2	•		LD	T2	+		
R	NSXR01	23PBA	Li	EV 2		LDT2			*		
				EMISSION C	REDIT	INFOR	MATION				
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY  NMOG CREDIT FOR NOT ZERO-EVAP						ZEV	NMOG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS		
N N								N	N		
			NMOG	AND FLEE	T AVE	RAGE IN	FORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	1 0('111111111127611			LDT	+NOX FLEET ST (3751 LVW-8500 R) + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
+	+	1.10	*	(	0.072			0.083	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0805-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

### BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models have been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$50 per vehicle for the third and fourth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order cancels and supersedes Executive Order A-015-0805 dated December 20, 2017.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_day of Ju

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



CA PHASE 2

**NISSAN MOTOR** COMPANY, LTD.

Executive Order: A-015-0805-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **ATTACHMENT**

# **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

		EXHA	UST E	MISSI	IATS NC	NDARDS	AND CE	RTIFICA	TION	LEVELS	(FTP, HW	FET,	50°F, 20°	F)	
	FUE	L TYP	m a O	onoxide djustme RVR [g	e; NOx: o ent factor HC/gall	oxides of a ; 2DHS/3I on dispen	nitrogen; DHS [g H sed]: on-l	HCHO: C/test]: board re	formalo 2/3 day fueling	dehyde; P vs diurnal vapor re	M: particu +hot-soak covery; g:	late n ; RL [	n-CH4 H0 natter; RA g HC/mi]: ; mg: milliq plemental	F: reactive running to gram; mi:	ity oss;
					G+NOx g/mi)		CO (g/mi)		NOx (g/mi)		HC (mg			PM (g/mi)	
				CERT	STE	CEI	RT S	TD	CERT	STD	CER	Т	STD	CERT	STD
FTP@50	OK	*		*	*	*		*	*	*	*		*	*	*
FTP@U	L LEV	GASOLINE-		0.023	0.07	0.	1 1	.7	*	*	. *		4	*	0.01
50°F @4	GASOLINE- 0°F@4K LEV3 E10 PREM			0.024	0.14	0.	2 1	.7	*	*	*		16	5	
					FUEL 1	TYPE					Ox (g/mi)			O (g/mi)	
									CERT STD			CERT		STD	
HWFE1	@ 50K				*					*.	*				
HWFE	T@UL			GASOL	INE-LEV	3 E10 P	PREM		. 0.	006	0.070			1,382	
20°F (	@ 50K	co	LD CO	E10 1	PREMIUN	GASOLI	NE (TI	ER3)		701	-		1.0		12.5
			S	FTP E)	CHAUST	EMISSIO	N STAN	DARDS	AND C	ERTIFIC	ATION L	EVEL	S		•
				US06						SC03	1		COMPOSITE		
	FUEL T	UEL TYPE			NMOG+NOx (g/mi)			PM (mg/mi)		NMOG+NOx (g/mi)		NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/mi
@ 4K		*			*	*				*	*		1418		0
@ 4r					*	*				*	*				1
				RT *		*	* *		*		*		.024	0.3	*
@ UL	LEV3	ASOLINE- LEV3 E10 PREM			* *.			*	*		*	0.090		4.2	*
				N			S-231 (A-24					0.090		220	
		WH	OLE V	EHICLE	EVAPO	RATIVE	EMISSIC	N STA	NDARE	S AND	CERTIFIC	ATIO	N LEVELS	S	
						WHOLE	VEHICL	E EVAP	ORAT	IVE TEST	TING				
FAMILY FUEL		UEL T	TYPE 3DHS (g			g/test) @ UL		2DHS (g/test)		@ UL		RL (g/mi) @ UL		UL	
				CERT	STD	FEL	CE	RT	· STD	FEI		CERT		STD	
KNSXR	0108PB	-	SOLIN		0.34	0.65	*	0.	32	0.85	*		0.000		0.05
KNSKR0123PBA GASO			SOLIN	NE -	0.31	0.65	*	0.	27	0.85	*		0.000		0.05



NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0805-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	) UL	FUEL TYPE	3DHS R (g/test	IG TEST (	2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
KNSXR0108PBB	GASOLINE - TIER 2 UNLEADED	0.06 0.20		*	*	<i>n</i> -4 <b>*</b>	*	*	*	*		
KNSXR0123PBA	GASOLINE - TIER 2 UNLEADED	0.09	0.20	*	*	*	*	*	*	*		
	EFFECTIVE I	EAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INCH	HES)			
EVAPORATIVE FAMILY		LEAK FAMIL		CERT			STD					
*			*		*			*				

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: \_DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

### 2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
INFINITI	QX50	LDT2	2.0	SCV7	KNSKR0108PBB	1	\$
INFINITI	QX50	LDT2	2.0	SCV7	KNSXR0123PBA	1	\$
INFINITI	QX50 AWD	LDT2	2.0	SCV7	KNSXR0108PBB	1	\$
INFINITI	QX50 AWD	LDT2	2.0	SCV7	KNSKR0123PBA	1	\$