

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0807-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	FORMA	TION				
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)				ATEGORY	FUEL TYPE		
2019	KNSKV03.7NAB			PC DEDIC				SINGLE FUEL	GASOLINE		
	USEFUL	LIFE (miles)	VEH	ICLE EMIS	SION	CATEGORY INTERIM / INT			ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP		FTP S			SFTP FTP		SFTP		
15	0000	150000	LEV3	ULEV125 LEV 3 COMPO		OSITE	*	*			
SPE	CIAL FE	EATURES & EXI	HAUST EMISSION	ON CONTRO	DL		OBD S	TATUS	ENGINE DISPLACEMENT		
1		2TWC(2), 2HO	2S, 2WR-HO2S	, SFI		FU	FULL				
*			*		-	PAR	TIAL	SOME MODELS	3.7		
*			*				RTIAL WITH SOME MODELS		4		
1.		EV	APORATIVE &	REFUELING	G (EVA	P/ORVR	) FAMILY	INFORMATION	resident to the second		
EVA	P / ORV	R FAMILY	EVAPORATIVE	STD CATE	GORY	E		SSION STD E CLASS	SPECIAL FEATURES		
F	NSXR01	.20MBA	L	EV 2		PC			*		
				EMISSION C	REDIT	INFOR	MATION				
	EDIT FO	OX FLEET AVE. OR EXTENDED RRANTY		EDIT FOR I		ZEV	NMOG CI	REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
N N								N	N		
			NMOG	AND FLEE	TAVE	RAGE IN	FORMA	TION	ince teles - i sole		
NMOG CH4 RAF NMOG/NMHC RATIO			HCHO/NMHC RATIO	PC+1 DT (0-3750 )					MDV (10,001-14,000		
*	*	1.10	*		0.072			0.083	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0807-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

### BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles produced from February 5, 2018 to August 2, 2018 has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-015-0807 dated January 26, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 24th day of December 2019.

Kim Phyor

Allen Lyons, Chief
Emissions Certification and Compliance Division



**NISSAN MOTOR** COMPANY, LTD.

Executive Order: A-015-0807-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **ATTACHMENT**

	EXHA					The Residence of the Control of the					IFICATION		3				
	FUEL TYPE		Ci m ac O	H4: methonoxide; djustmen RVR [g l	nane; NM0 NOx: oxid t factor; 2 HC/gallon	OG: non-Cl des of nitro DHS/3DHS dispensed	H4 organic g gen; HCHO: [g HC/test]: ]: on-board r	as; HC: hy formalder 2/3 days of efueling va	drocar nyde; F diurnal apor re	rbon; NMI PM: partic l+hot-soal covery; g	VFET, 50°F, 2 HC: non-CH4 ulate matter; F k; RL [g HC/m : gram; mg: m P: supplement	HC; CO: ca RAF: reactiviti]: running l illigram; mi	vity oss;				
						NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)			HCHO (mg/mi)		PM (g/mi)		
				CERT	STD	CERT	STD	CERT	STD	CEF	RT STD	CERT	STD				
FTP@50	K	*		*	*	*	*	*	*	*	*	*	*				
FTP@U	L LE	OLIN V3 E1 PREM		0.033	0.125	0.4	2.1	*	*	*	4	*	0.01				
50°F @4	K LE	OLIN V3 E1 PREM		0.065	65 0.250	0.3	2.1	* *		*	16						
40,80						_		NMC	OG+N	Ox (g/mi)		CO (g/mi	)				
FUEL TYP					PE	-7:		Т	STD	CER	T	STD					
HWFET @ 50K					*			*		*							
HWFET	T@UL		(	GASOLINE-LEV3 E10 PREM					2	0.12	5						
20°F (	@ 50K	CC	LD CO	CO E10 PREMIUM GASOLINE (TIER3)							0.5	0.5					
			SF	TP EXH	AUST EN	AISSION S	TANDARDS	AND CE	RTIFIC	ATION L	EVELS						
1000		UEL TYPE		US06			SC03			CC	MPOSITE	MPOSITE					
	FUEL T				G+NOx mi)	CO (g/mi)	PM (mg/mi)	NMOG+ (g/m		CO (g/mi)	NMOG+NO: (g/mi)	x CO (g/mi)	PM (mg/mi				
@ 4K	*		CERT	1		*		*		*							
9			STD	1		*	LOW THE SELECTION SE	*		*	108.	113					
			CERT	1	•	*	*	*		*	0.032	0.5	*				
	GASOLI	NE-															

				US06				COM		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*	1200		
		CERT	*	*	*	*	*	0.032	0.5	*
@ UL	GASOLINE- LEV3 E10 PREM	STD	*	*			*	0.090	4.2	*
		BIN			en la calab	HATELE ELLESSE	Now Section	0.110	Mar labely	2500

	WHOLE VEHICL	E EVAPO	DRATIVE E	MISSION	STANDAR	DS AND CE	RTIFICATIO	N LEVELS	
			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) (	@ UL	2DI	HS (g/test) (	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
KNSXR0120MBA	GASOLINE - CA PHASE 2	0.30	0.50	*	0.30	0.65	*	0.001	0.05



NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0807-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	jallon) @	) UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
KNSXR0120MBA	GASOLINE - TIER 2 UNLEADED	2 0.01 0.2			•	*	•	*	*	*		
	EFFECTIVE I	EAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	IES)			
EVAPORATIVE FAMILY		LEAK FAMIL		Y CERT			STD					
*	1000		*				10150 81	<b>10.</b> 80 80 80 80 80 80 80 80 80 80 80 80 80				

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel: E10: "10%" ethanol ("90%"gasoline) fuel: A: automatic (with lockup): M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

#### 2019 MODEL YEAR: VEHICLE MODELS INFORMATION **EVAPORATIVE EXH** MODEL VEH CLASS ENGINE (L) TRANS TYPE OBD MAKE **ECS** FAMILY INFINITI Q70 AWD PC 3.7 SA7 KNSXR0120MBA 1 \$ INFINITI Q70 AWD PC 3.7 SA7 KNSXR0120MBA 1 P