

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0824

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2, and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP II	NFOR	MATION					
MOD	I TI	TEST GROUP VEHICLE CLASS(ES						FUEL C	ATEGORY		FUEL TYPE		
201	9 KN	SXV01.6P4A			PC		DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							CATE	GORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EX	H/ORVR	EVAP		FTP S			FTP FTP			SFTP			
1	50000	15000	LEV3	ULEV70	LEV	3 C	COMPOSITE NMOG+NOX AND		D PM	PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	D STATUS		ENGINE DISPLACEMENT (L)		
1	TWC(2), HO2S, WR-HO2S, SFI							FULL	*				
*	*							PARTIAL	ALL MODELS	]	1.6		
*			1	*			PAF	ARTIAL WITH * FINES					
		E	VAP	ORATIVE &	REFUELING	(EVA	AP/OR	VR) FAMIL	INFORMATION	١			
EV	AP / ORV	R FAMILY	EV	APORATIVE	STD CATE	GORY	RY EVAP EMISSION STD VEHICLE CLASS			s	SPECIAL FEATURES		
	KNSXR00	87PCA	1	LEV 3 OPTI	ON2 WITH	FEL	PC				*		
					MISSION C	REDI	TINF	ORMATION					
1	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY  NMOG CREDIT FOR NON- ZERO-EVAP						ZEV	NMOG C	G CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS		
	N N						N				И		
				NMOG	AND FLEET	AVE	RAG	E INFORMA	TION				
NMO(	INMOG/NIMEC					0-375		N) LDT	NMOG+NOX FLEET ST LDT (3751 LVW-8500 GVWR) + MDPV (g/mi		MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.072	72 0.083				*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0824

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE-TIER3 E10

KNSXR0087PCA

0.06

0.20

**NISSAN MOTOR** COMPANY, LTD.

Executive Order: A-015-0824 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

0.010

0.020

## **ATTACHMENT**

EXHAUST AND	EVAPORATIV	E EMISSION S	TANDARDS ANI	CERTIFICATION LEVE	LS

	EXHA	UST	AND	EVAPO	RATI	VE E	EMIS	SIONS	IAT	NDAR	DS AND	CERT	FIC	ATION	LEVE	LS					
		EXH	AUST E	MISSION	STAN	DAR	DS A	ND CERT	TIFIC/	ATION	LEVELS	(FTP, HW	FET,	50°F, 2	0°F)						
	FUE	L TY	adj OF	noxide; ustment VR [g H	NOx: o factor; C/gallo	xides 2DHS in disp	of nit S/3DH pense	rogen; Ho HS [g HC/ ed]: on-bo	CHO: test]: ard re	formal 2/3 da fueling	dehyde; P ys diurnal y vapor re	bon; NMF M: particu +hot-soak covery; g: ure; SFTF	ilate i ; RL   gram	matter; F [g HC/m n; mg: m	RAF: read i]: runnin illigram; i	ctivit g los	y ss;				
								NMOG-			(	CO g/mi)			NOx g/mi)		HCH mg/r			PM (g/m	
			(	ERT	STD	-	CERT	STE		CERT	STD	CER	T	STD	CERT		STD				
FTP@5	0K	*		*	*		*	. *		*	*	*		*	*		*				
FTP@l	11 1	V3 E	1 0	.033	0.07	0	0.5	1.7		*	*			4	0.000	.0004 0.0					
50°F @	4K	*		* *			*			*	* *			*							
				F	UEL T	YPE				_	MOG+NO				CO (g/	_					
										C	CERT		STD		RT		STD				
HWFE	r @ 50K				*					_	*	*									
HWFE	T@UL			GASOL	INE-L	EV3	E10			0	.016	0.070									
20°F	@ 50K	CC	OLD CO	E10 RE	ULAR	GAS	OLIN	E (TIER	3)	6		6 -1		0.	8	1	0.0				
			SF	TP EXH	UST	EMIS	SION	STANDA	RDS	AND	CERTIFIC	ATION LI	VEL	S							
						US	06				SC03			C	OMPOSI	TE					
	FUEL T	FUEL TYPE		NMOG+NOx (g/mi)			CO PM (g/mi) (mg/			NMOG+N (g/mi)		Ox CO (g/mi)		NMOG+NOx (g/mi)		o ni)	PM (mg/mi				
@ 4K	*		CERT	RT *			•				*	*									
			STD	*			*				*	*									
			CERT	T *			* 4			*		*	0.025		1.	7	*				
@ UL		SOLINE- V3 E10 STD		*		*		6		*		*	0.090		4.:	2	*				
			BIN										0.090								
		WH	IOLE VE	HICLE E								ERTIFIC	ATIO	N LEVE	LS						
EVA D	OD 4 TIV	_		WHOLE VEHICLE EVAP					PORATIVE TESTING				RL (g/mi) @ UL								
EVAPORATIVE FAMILY		F	FUEL TYPE		3DHS (g/test) @ UL					2DHS (g/te											
		-			RT	RT STD		FEL	FEL CE		STD	FEL		CE	RT	STI					
KNSKR0087PCA		A	LEV3 E1	10	0.264 0.		300 0.300		0.2	0.266 0.3		0.30	0.300		0.000 0.05		.05				
(	ORVR / F	UEL (	ONLY / C	ANISTE	R BLE	EDE	VAP	DRATIVE	EMI	SSION	STANDA	RDS AND	CE	RTIFICA	TION LE	VE	LS				
												P & CAN									
	ORATIVI MILY		ORVR (g	/gallon)	@ UL		FUEL TYPE			3DHS RIG TEST (g/test) @ UL		2DHS (g/te									
		FU	JEL TYPI	CER	ST	D			CE	ERT STD		CERT		STD CERT ST			STD				

GASOLINE-

LEV3 E10



NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0824

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIV	E LEAK DIAMETER STAN	DARD AND CERTIFICATION LEV	VEL (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
KNSKR0087PCA	KNSKR0087PCA-02E	*	0.02

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GWWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GWWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV: SULEV: super ULEV: ZEV: zero-emission vehicle: TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor, WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor, NOXS: NOx sensor, PMS: PM sensor, RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel, (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV; selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2	2019 MODEL	YEAR: VE	HICLE M	ODELS INF	ORMATION		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	ОВО
NISSAN	VERSA	PC	1.6	CV1	KNSKR0087PCA	1	P