

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0837-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MODI YEA		EST GROUP		VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE			
201	9 KN	SXV01.6RNA			PC			DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFUL	LIFE (miles)		VEH	VEHICLE EMISSION CATEGOR				INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXI	H/ORVR	EVAP		FTP SFT			TP	FTP		SFTP			
1	50000	150000	LEV3	SULEV30	0 LEV 3 COMPOSIT			NMOG+NOX AN	ID PM	M PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	EN	ENGINE DISPLACEMEN (L)		
1	1 TWC(2), HO2S, WR-HO2S, SFI								*	25 25 10	,		
2	2 TWC(2), WR-HO2S, HO2S, SFI PARTIAL									1.6			
* * PARTIAL WITH * FINES													
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY								SSION STD E CLASS	SF	SPECIAL FEATURES		
	KNSXR00	87PCA	L	EV 3 OPTI	ION2 WITH	2 WITH FEL			PC -		*		
				, [EMISSION C	REDIT	INFO	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON-F						ZEV	I NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
	и и							и и					
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TION		_		
NMOG RAF	NMOG CH4 NMOG/NMHC HCHO/NMHC					X FLE 0-375 y/mi)		/W) LDT (3751 LVW-8500 MDV (10,00			MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	* 1.10 * 0.072								0.083 *				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0837-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-015-0837 dated October 2, 2018.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of February 2019.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0837-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

	EXHA	UST	AND	EVA	POR	ATIVE	EMI	SSION	1AT	NDAR	DS AND	CERTI	FIC	ATION	LEV	ELS	-						
		EXH	AUST EI	/IISS	ION S	TANDA	RDS A	ND CER	TIFIC	ATION	LEVELS (FTP, HW	FET,	50°F, 2	0°F)								
	FUE	L TY	mo adj OF	noxid ustm VR [de; No ent fa g HC/	Dx: oxid ctor; 2D gallon c	es of ni HS/3D lispens	trogen; H HS [g HC ed]: on-bo	CHO: /test]: oard re	formal 2/3 da efueling	: hydrocarl dehyde; P ys diurnal- g vapor rec est procedu	M: particu hot-soak; covery; g:	late r RL [gram	natter; f g HC/m ; mg: m	RAF: re i]: runr illigran	eactive ning long n; mi:	rity oss:						
											OG+N (g/mi)			CO (g/mi)			NOx g/mi)		HCH(Pl (g/r	
				ERT	•	STD	CER	T STI	5	CERT	STD CEI		T STD		CERT		STD						
FTP@5)K *			*		*	*	*		*	*	*		* *			*						
FTP@L	GASOLINE- LEV3 E10		1 0	.018	3 0	.030	0.3	1.0		*	*	*		4	0.0002		0.003						
50°F @4	0°F @4K GASOLINE- LEV3 E10			.028	3 0	.060	0.3	1.0	0	*	*	*		8									
	MAN MAN			FUEL TYPE							NMOG+NOx (g			-	CO (g/mi)								
				FUEL TYP			'E		С	ERT	STD		CERT		STD								
HWFE	T @ 50K					*					*	*	i.										
HWFE	T@UL			GA:	SOLI	NE-LEV	3 E10			0	.005	0.030	5760679										
20°F@50K COLD CO E10						LAR GA	R GASOLINE (TIER3)					0.			7 10.0								
			SF	TP E	XHAL	JST EM	ISSION	STANDA	ARDS	AND (CERTIFIC	ATION LE	VEL	S									
				US06						SC03				COMPOSITE			_						
	FUEL TY	FUEL TYPE		NMOG+NOx (g/mi)					M /mi)	1	G+NOx g/mi)	CO (g/mi)				CO /mi)	PM (mg/mi)						
@ 4K	*	* CERT		RT		*		*			*		*										
<u> </u>				D			* .				*	*	100年A220年第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十										
		ASOLINE- LEV3 E10 BI		₹T *		*		* 4		*		*	0.013		0.8		*						
@ UL						*			*	1	10		*		0	0.090		1.2	*				
						独静 3	ra a				建铁线	有效性 质	- 10	.040									
		WH	OLE VE	HICL	E EV						DS AND C		OITA	N LEVE	LS								
EVA D						WH	HOLE \	/EHICLE	EVAF	PORAT	IVE TEST	ING		_	N //	-:\ @							
	ORATIVE MILY	F	FUEL TYPE		3DHS (g/test) @ UL					2DHS (g/test)		@ UL		RL (g/mi)		nı) @	<i>₩</i> UL						
		1				CERT S		FEL	CE	RT	STD	FEL		CERT			STD						
KNGYRUUN/DCA I		ASOLIN LEV3 E1		0.264 0.		.300 0.300 0		0.2	266 0.300		0.30	0.300 0.		0.05		0.05							
C	RVR / FL	IEL (ONLY / C	ANIS	STER	BLEED	EVAP	ORATIVE	EMIS	SSION	STANDA	RDS AND	CEF	RTIFICA	TION	LEVE	LS						
			OD) (D (ER BLEED											
	ORATIVE MILY	E ORVR (g/g		R (g/gallon) @ UL		FUEL TYPE		3DHS RI (g/test)			2DHS RIG T (g/test) @					ANISTER est) @ 4K							
	 •	FU	EL TYP	YPE CERT		STD	- TOLL TIPE		_	RT	STD	CERT		STD	CERT		STD						
KNSXR0087PCA			SOLINE ER3 E1	1 0	.06	0.20	200	OLINE- 73 E10		*	*	*	*		0.0	0.010 0							



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0837-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
KNSKR0087PCA	KNSKR0087PCA-02E	and the larger of the larger	0.02						

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
NISSAN	KICKS	PC	1.6	CV1	KNSXR0087PCA	1	P
NISSAN	KICKS	PC	1.6	CV1	KNSXR0087PCA	2	P