

# JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0050

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 5

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION					
MODE	- I T	EST GROUP		VEHIC	LE CLASS(E	S)		FUEL C	ATEGORY		FUEL TYPE		
2019	K	KJLXJ03.0FSP		LDT2, PC				DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFUL LIFE (miles) VEHICLE EMISSIC						ATE	GORY	INTERIM / IN	TER	MEDIATE IN-USE STD		
EXH	I/ORVR	EVAP	EVAP FTP				SF	TP	FTP		SFTP		
15	50000	150000	)	LEV3	SULEV30			SULEV ALONE	РМ		PM		
SPE	CIAL F	EATURES & EX	HAU		ON CONTRO	L		OBD S	TATUS	E	NGINE DISPLACEMENT		
1	2TWC	, 2WR-HO2S,	2H02	S(2), DF	I, SC, CAC			FULL	ALL MODELS				
*	*					Р	ARTIAL	*		3.0			
*			*					TIAL WITH FINES	*	1			
		Е	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Y INFORMATIO	N			
EVA	P/OR	/R FAMILY	EVA	PORATIVE	STD CATE	GORY	DRY EVAP EMISSION STD VEHICLE CLASS			s	SPECIAL FEATURES		
1	KJLXR0	160P1Z		LEV 3	OPTION2		PC				*		
1	KJLXR0	140P1Z		LEV 3	OPTION2			LI	OT2		*		
				E	MISSION C	REDI	INFO	RMATION					
	EDIT F	OX FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-P	N-PZEV NMOG CREDIT FOR DO		REDIT FOR DO	R OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TION				
NMOG RAF				0-375				0	NMOG+NOX FLEET STE MDV (10,001-14,000 GVWR) (g/mi)				
*	*	1.10		ρ. Ω2	Ω	.072			0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



#### JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0050

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 5

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of April 2018.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

M1 1

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



**FUEL TYPE** 

#### JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0050

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 5

# **ATTACHMENT**

## **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			S+NOx mi)	(g/i	O mi)	N( (g/	Ox mi)	HC (mg			M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT '	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10	0.023	0.030	0.4	1.0	*	*	0	4	0.002	0.003
50°F @4K	GASOLINE-	0.059	0.060	0.4	1.0	*	*	1	8		

	FILE TYPE	NMOG+N	lOx (g/mi)	CO (	g/mi)
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-LEV3 E10	. 0.008	0.030		
20°F @ 50K	GASOLINE-LEV3 E10			1.3	10.0

#### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	CON	POSITE	
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			1
		CERT	0.033	0.5	0	0.009	0.6	*	*	*
@ UL	GASOLINE- LEV3 E10	STD	0.050	9.6	6	0.020	3.2	*	*	*
		BIN						*		1

#### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY	FUEL TYPE		WHOLE \						
		3DHS (g/test) @ UL			2DHS (g/test) @ UL			RL (g/m	i) @ UL
.,,		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
KJLXR0140P1Z	GASOLINE- LEV3 E10	0.227	0.400	*	*	0.400	*	0.00	0.05
KJLXR0160P1Z	GASOLINE- LEV3 E10	0.238	0.300	*	*	0.300	*	0.00	0.05



#### JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0050

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 5

-				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS R (g/test	IG TEST ) @ UL		IG TEST	BLEED CANISTER TEST (g/test) @ 48				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
KJLXR0140P1Z	GASOLINE - TIER 2 UNLEADED	0.01	0.20	GASOLINE- LEV3 E10	*		*	•	0.018	0.020			
KJLXR0160P1Z	GASOLINE - TIER 2 UNLEADED	0.01	0.20	GASOLINE- LEV3 E10	*			*					
	EFFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	HES)				
EVAPORATIVE FAMILY LEAK FAMIL		K FAMIL	Υ	CERT									
KJLXR0160P1Z		KJLXR0160P1Z-001			*				0.02				
KJLXR0140	P1Z	KJLXR0	140P1Z	-001	* 0.02								

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL; family emission limit: GWWR: gross vehicle weight rating: LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

# 2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBC
JAGUAR	F-PACE	LDT2	3.0	SA8	KJLXR0140P1Z	1	F
JAGUAR	F-PACE R	LDT2	3.0	SA8	KJLXR0140P1Z	1	F
JAGUAR	F-TYPE CONVERTIBLE	PC	3.0	M6, SA8	KJLXR0160P1Z	1	F
JAGUAR	F-TYPE COUPE	PC	3.0	M6, SA8	KJLXR0160P1Z	1	F
JAGUAR	F-TYPE S AWD CONVERTIBLE	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	F-TYPE S AWD COUPE	PC .	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	F-TYPE S CONVERTIBLE	PC	3.0	M6, SA8	KJLXR0160P1Z	1	F
JAGUAR	F-TYPE S COUPE	PC	3.0	M6, SA8	KJLXR0160P1Z	1	F
JAGUAR	. XE	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XE AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XE S	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XE S AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F



## JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0050

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 5 of 5

# 2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JAGUAR	XF	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XF AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XF S	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XF S AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XF SPORTBRAKE S AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	ХJ	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XJ AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XJL	PC	3.0	SA8	KJLXR0160P1Z	1	F
JAGUAR	XJL AWD	PC	3.0	SA8	KJLXR0160P1Z	1	F
LAND ROVER	RANGE ROVER VELAR	LDT2	3.0	SA8	KJLXR0140P1Z	1	F