

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP IN	FOR	MATION	· · · · · · · · · · · · · · · · · · ·				
MOD YEA		TES	ST GROUP	VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE			
2019 KKMXV02.0BF5					PC					SINGLE FUE HICLE	GASOLINE			
	USEF	ULI	_IFE (miles)		VEF	EHICLE EMISSION CATEGOR				INTERIM / I	NTE	ERMEDIATE IN-USE STD		
EXH/ORVR EVAP					FTP				FTP FTP			SFTP		
150000 150000					LEV3	ULEV70 LEV 3 COMPOS			MPOSITE	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							L		OBD S	STATUS		ENGINE DISPLACEMENT (L)		
1 DFI, WR-HO2S, HO2S, WU-TWC, TWC									FULL	*				
+	* *							Р	ARTIAL	SOME MODEL	s	2.0		
*	* *								TIAL WITH FINES	SOME MODEL	s			
			E	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL)N			
EV	AP / OF	RVR	FAMILY	EVA	PORATIVE	E STD CATE	GORY	,	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	KKMXR	011	OBFG		LEV 3	OPTION2			I	?C		HCT		
						EMISSION CI	REDIT	INFO	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						ON-P	ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
	N N									N	N			
					NMOG	AND FLEET	T AVE	RAGE		TION				
NMOG CH4 FTP RAF RAF NMOG/NMHC RATIO RATIO (g/mi)					0-375					NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	*		1.10		*	0	.072			0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models with Smart Cruise Control (SCC) has been determined to have three deficiencies. The listed vehicle models with SCC are approved subject to the manufacturer paying a fine of \$25 per vehicle for the third deficiency for each vehicle in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of May 2018.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

Æ	A		RESOL	ORCE	RN	JIA		KIA M CORPC	OTORS RATIO					r Cars, Li	edium-Du	298 Frucks and ty Vehicles ige 3 of 4	
							A	ТТАС	HME	NT							
	EXHA	UST	AND	EVA	POR	ATIVE	EMIS	SION	STAN	DAR	DS AN	DCERT	IFIC	ATION	LEVEL	S	
		EXH	AUST EI	MISSI	ON S	TANDA	RDS A	ND CER	TIFICA	TION	LEVELS	(FTP, HW	FET,	50°F, 20)°F)		
	FUE	FUEL TYPE		monoxide; NOx: oxide adjustment factor; 2DI ORVR [g HC/gallon di 1000 miles; F: degree				G: non-CH4 organic gas es of nitrogen; HCHO: fo DHS/3DHS [g HC/test]: 2/ lispensed]: on-board refu es Fahrenheit; FTP: fede			dehyde; F ys diurnal y vapor re	M: particu +hot-soak covery; g:	late RL gram	matter; R [g HC/mi] n; mg: mi	AF: reacti : running ligram; m	vity loss;	
)G+NOx g/mi)		CO (g/mi)			NOx g/mi)		HCH (mg/r		
			C	ERT	-	STD	CERT	-	DC	ERT	1			STD	CERT	STD	
FTP@50k	P@50K *			*		*	*	*		*	*			*	*	*	
FTP@UL	@UL GASOLINE- TIER3 E10		10 0	.024	0	.070	0.4	1.	7	*	*	* *		4	*	0.01	
50°F @4P		GASOLINE- LEV3 E10		.030	0	.140	0.4	1.	7	*	*	*		16	200		
	1						-			P	MOG+N	Ox (g/mi)			CO (g/m	i)	
FUEL TYPE								С	ERT STD		CERT		т	STD			
HWFET @ 50K *									* *				-				
HWFET @ UL GASOLINE-TIER3						R3 E10			0	.014	0.070)					
20°F @ 50K COLD CO E10 REGULAR GAS					SOLINE	LINE (TIER3)					1.0		10.0				
			SF	TP E	XHAU	STEM	ISSION	STAND	ARDS	ND (CERTIFIC	ATION L	EVEL	S			
						ι	US06			SC03			COMPOSITE				
F	FUEL TYP		PE NMOG+N0 (g/mi)		Ox	CO (g/mi)	PM (mg/mi)		NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi) (CO (g/mi)	PM (mg/mi		
@ 4K	*	* CERT			ERT *		*	*			*	*					
		-	STD		*		*				*	*					
		CERT			*		*		*	*		0.031	0.5	*			
		SASOLINE- SIER3 E10 ST			*		*		•		*	*	1	0.090	4.2	*	
		BIN										0.070					
		WH	OLE VE	HICL	E EVA					-		CERTIFIC	ATIO	N LEVE	S		
EVADO	DATING				-	W	HOLE VI	EHICLE	EVAPO	ORAT	IVE TEST	ring			(almi)		
EVAPORATIVE FAMILY			UEL TY				/test) @ UL		050	2DHS (g/test		-		CERT		mi) @ UL	
		GASOLINE-		E-			STD FEL		CERT		STD		FEL			STD	
KKMXR0110BFG		1	LEV3 EI	V3 E10 0.250 0					0.18			*	*		1	0.05	
OF	RVR / FL	JEL C	ONLY / C	ANIS	TER	BLEED	EVAPO	RATIVE				RDS AND	-			ELS	
										-		P & CAN				ANICTES	
EVAPO	RATIVE IILY	E ORVR (g/gall			anon) @ UL					OHS RIG TEST g/test) @ UL			2DHS RIG T (g/test) @			D CANISTER (g/test) @ 4K	
100		FUEL TYPE			CERT				CEF				CERT		CERT	STD	
100		FU	EL ITP				GASOLINE- LEV3 E10							STD			

CALIN AIR RESO	FORNIA URCES BOARD	KIA MOTORS CORPORATION	Executive Order: A-314-0298 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4				
EFFECTIV	E LEAK DIAMETER S	TANDARD AND CERT	IFICATION LEVEL (INCHES)				
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD				
KKMXR0110BFG	KKMXR0110BFG-PS1	0.000	0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2:] LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
KIA	SOUL	PC	2.0	SA6	KKMXR0110BFG	1	P
KIA	SOUL (W/SCC)	PC	2.0	SA6	KKMXR0110BFG	1	\$