

KIA MOTORS CORPORATION

Executive Order: A-314-0299

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		******				TEST GRO	UP IN	NFOR	MATION						
MOD		EST GROUP			VEHICLE CLASS(ES)				FUEL CATEGORY				FUEL TYPE		
201	2019 KKMXV02.0BF3 PC										ED SINGLE FUEL		GASOLINE		
	USEFUL	LIFE (miles)			VEHICLE EMISSION CATEGORY					П	INTERIM / IN	MEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP			SF	FTP FTP				SFTP		
1	50000	15000		LEV3	SULEV30 LEV 3 COMPOS			MPOSITE		*		*			
SP	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	ST	TATUS	EN	ENGINE DISPLACEMENT (L)		
1 DFI, WR-HO2S, HO2S, WU-TWC, TWC									FULL	LL *					
*	* *								ARTIAL	SOME MODELS 2.0			2.0		
*	* *								TIAL WITH	I SOME MODELS I					
		E	VA	POR	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Y.	INFORMATION	1			
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR								EVAP EMISSION STD VEHICLE CLASS SPECIAL			PECIAL FEATURES			
KKMXR0110BFG LEV 3 OF						OPTION2		PC					HCT		
						MISSION C	REDIT	[INF	ORMATION	l					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON ZERO-EVAP							ZEV	NIMOG CDEDIT EOD DOD			OPTIONAL EXH. STD FOR WORK TRUCKS			
	n n							И					N		
	NMOG AND FLEET AVERAGE INFORMATION														
NMO0 RAF	NMOG CH4 RAF NMOG/NMHC RATIO					NMOG+NOX FLEET S' PC+LDT (0-3750 LVV (g/mi))	MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10			*	О	.072				0.083		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.



KIA MOTORS CORPORATION

Executive Order: A-314-0299

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models with Smart Cruise Control (SCC) has been determined to have three deficiencies. The listed vehicle models with SCC are approved subject to the manufacturer paying a fine of \$25 per vehicle for the third deficiency for each vehicle in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2019 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this __

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



ORVR (g/gallon) @ UL

GASOLINE-

TIER3 E10

CERT

0.02

STD

0.20

EVAPORATIVE

FAMILY

KKMXR0110BFG

KIA MOTORS CORPORATION Executive Order: A-314-0299

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

	E	ХНА	UST	ANI	D EVA	PORAT	IVE	EMIS	SION	STAN	IDARE	S AND	CERT	FIC	ATION	LEV	ELS	
			EXH/	AUST	EMISSI	ON STA	NDAF	RDS AN	ID CER	TIFICA	TION L	EVELS	(FTP, HW	FET	, 50°F, 20	°F)		
	FUEL TYPE			1	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
						OG+NOx (g/mi)		CO (g/mi)				Ox 'mi)	HCH (mg/n		- 1		PM (g/mi)	
					CERT	STI)	CERT STD		CERT	STD	CER	Т	STD	CERT		STD	
FTP@5	οĸ		*		*	*		*	*		*	*	* *		* *		'	*
FTP@l	UL GASOLINE- TIER3 E10			- 1	0.017	0.0	30	0.2	1.	0	*	*	* *		4 *		,	0.01
50°F @4K GASOLINE- LEV3 E10				0.020	0.0	50	0.3	1.	0	*	*	*		8				
						FUEL	TYPE					NMOG+NOx (g/mi)			CO (g/mi)			
					1000 1110						CE	ERT STD			CERT			STD
HWFET @ 50K					*					,	* *							
HWFE	Т@	UL			GAS	OLINE-	CIERS	3 E10			0.0	012	0.030					
20°F	@ 5	0K	со	LD C	CO E10 REGULAR GASOLINE (TIER3)										0.7		1	.0.0
					SFTP E	KHAUST			STAND	ARDS	AND C		ATION LE	VEL				
								US06			SC03					MPOSITE		
	FUEL TY			1 1)G+NOx g/mi)		CO (g/mi)	PM (mg/mi)		NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)		1	CO J/mi)	PM (mg/mi)
@ 4K		*		CER	RT *			*	*		*		*					
				STD	D *			*				*				1		
CE					*			*		*	*		*	0.018		(0.7	*
(m)		ASOLINE-		STD	D *			*	. *			*	*	0.090		4.2		*
		BI		BIN											0.030			
			WH	OLE \	/EHICL	E EVAP	DRAT	IVE EN	IISSION	STAI	NDARD	S AND C	ERTIFIC	ATIO	N LEVEL	.S		
EVAPORATIVE FUE				UEL 1				WHOLE VEHICLE EVAP			2DHS (g/test)					RL (g/mi) @ UL		UL
F F	FAMIL		LY		CEF			TD	FEL	CE	RT STD		FEL		CERT		STD	
KKMXF	KKMXR0110E		GASCILINE LEV3 E10			0.250		300	*			0.300	*			_		
	DRV	/R / FL				TER BL	EED	EVAPO	RATIV	E EMIS	SIONS	TANDA	RDS AND	CE	RTIFICAT	ION	LEVE	LS
			T										P & CAN					

3DHS RIG TEST

(g/test) @ UL

STD

CERT

FUEL TYPE

GASOLINE-

LEV3 E10

2DHS RIG TEST

(g/test) @ UL

STD

CERT

BLEED CANISTER

TEST (g/test) @ 4K

STD

0.020

CERT

0.002



KIA MOTORS CORPORATION

Executive Order: A-314-0299

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIV	E LEAK DIAMETER STANDA	ARD AND CERTIFICATION L	EVEL (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
KKMXR0110BFG	KKMXR0110BFG-PS1	0.000	0.02

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GWWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER; equivalent AER; PHEV; plug-in hybrid electric vehicle

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
KIA	SOUL	PC	2.0	SA6	KKMXR0110BFG	1	P
KIA	SOUL (W/SCC)	PC .	2.0	SA6	KKMXR0110BFG	1	\$