

GENERAL MOTORS LLC.

Executive Order: A-006-2189

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP II	NFORM	ATION				
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)				ATEGORY	FUEL TYPE		
2020	LG	MXT02.8357		LDT3				SINGLE FUEL HICLE	DIESEL		
	USEFUL	LIFE (miles)	VEH	IICLE EMIS	SION	CATEG	ORY	INTERIM / INT	ERMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP			P	FTP	SFTP		
150000 *			LEV3	ULEV125 LEV 3 CO		MPOSITE	*				
SPE	CIAL FE		HAUST EMISSIC	ON CONTRO	OL		OBD ST	ratus .	ENGINE DISPLACEMENT		
1	CAC, T		OC+DPF, SCRC), PMS, RDQS	PF, SCRC, EGR, EGRC, PMS, RDQS			ULL				
*			*			PA	RTIAL	*	2.8		
*			*			PARTIAL WITH FINES		ALL MODELS			
J*:		esonalis de EV	/APORATIVE &	REFUELING	G (EVA	AP/ORV	R) FAMILY	INFORMATION			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							EVAP EMIS	SSION STD CLASS	SPECIAL FEATURES		
	*			* 1515577			ak DEN A	Medelet acc	oran estate en berji		
				EMISSION (CREDIT	T INFO	RMATION	alaria errata a en 14 e	was commenced to be because the second		
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY		EDIT FOR NON-PZEV ZERO-EVAP			NMOG CI	REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N		N	N de la			N	N		
	,		NMOG	AND FLEE	T AVE	RAGE	INFORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	P('+1 1) 1 /0-3 /50 1					MDV (10,001-14,000		
*	*	es. ² - 3 ★ 13	* * * * * * * * * * * * * * * * * * * *		0.065	The soil	an Bruss	0.074	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2189

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle model is conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicle has been determined to have five (5) deficiencies. The listed vehicle model is approved subject to the manufacturer paying a fine of one hundred twenty five dollars (\$125) per vehicle for the third through fifth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

the Conclusive for colonia Models and a comparative handly, larging Connect and a consist Connect Systems Figure

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

MILES ESTIMATOR OF SECURITY

Service LITTERS

Allen Lyons, Chief

Zemissions Compliance, Automotive Regulations and Science Division



EVAPORATIVE FAMILY

*

GENERAL MOTORS LLC.

Executive Order: A-006-2189

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

	EXHA	UST	AND	EVAI	POR	ATIVI		SION			DS AND	CERTI	FIC	ATION	LEVEL	S	
												(FTP, HW					
	FUEL TYPE		C m ac O	H4: me onoxid djustme RVR [g	ethane e; NO ent fa g HC/	e; NMC Ox: oxid ctor; 20 gallon o	G: non-0 es of nitr OHS/3DH dispense	CH4 orga rogen; H IS [g HC d]: on-bo	anic g ICHO: (test]: oard re	as; HC: formalo 2/3 day efueling	hydrocar dehyde; P ys diurnal vapor red	bon; NMH M: particu +hot-soak; covery; g: ure; SFTP	C: no late r RL [gram	on-CH4 I matter; R g HC/mi ; mg: mi	HC; CO: c RAF: reacti]: running lligram; m	vity loss;	
					NMHC+NOx (g/mi)		CO (g/mi)			NOx (g/mi)		HCH((mg/n		[발하다] - Herrich Herrich Lawrence		PM /mi)	
			CER		ja i	STD	CERT	STI	D .	CERT	STD	CERT	STD		CERT	STD	
FTP@5	0K	*		*		*	*	*		*	*			*	*	*	
FTP@L	JL DIE	SEL-E	EPA .	0.051	0	.125	0.0	2.	1	*	*	* * * * * * * * * * * * * * * * * * * *		4	0.000	0.003	
50°F @	4K	*		*		*	*	*		*	*	*		*			
			rue rei		?eio		- 315.60			, N	IMHC+NC	x (g/mi)	2013	e de grada	CO (g/m	i)	
				FUEL TYPE						CERT S		STD	CER		T STD		
HWFE	Г@ 50К		7 5	*****							*		*				
HWFET @ UL					DIE	SEL-E	PA .		0.081		0.125						
20°F	20°F @ 50K				*									* *		*	
			SI	TP EX	(HAL	JST EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATION LE	VEL	S			
							JS06				SC03			CC	MPOSITE		
	FUEL T	YPE		NMHC+NOx (g/mi)		CO PM (g/mi) (mg/n			NMHC+NOx (g/mi)		CO (g/mi)			CO (g/mi)	PM (mg/mi)		
@ 4K	*	* CEF			*		*			*		*					
					*		*			*		*					
					*		* 0.		. 6	*		*	0.080		0.04	*	
@ UL DIESEL		L-EPA STD		*		*	* 6		*		*	0.083		4.2	*		
		BIN											C	.180			
	-	WH	OLE VE	HICLE	E EV	APORA	TIVE EN	MISSION	STA	NDARD	S AND C	ERTIFICA	ATIO	N LEVE	LS		
						W	HOLE VI	EHICLE	EVA	PORAT	IVE TEST	ING					
EVAPORATIVE FAMILY		F	FUEL TYPE			3DHS (g/test) @ UL				2DHS (g/test		@ UL		RL (g/mi) @ I) UL	
					CERT ST		STD.			ERT STD		FEL		CERT		STD	
*			*				* *			* *		*		* *			
	RVR / F	UEL (ONLY /	CANIS	TER	BLEED	EVAPO	DRATIVI				RDS AND				ELS	
	EVAPORATIVE		ORVR (g/gallon) @ UL				31			UEL ONLY EVAI DHS RIG TEST		2DHS RIG T		TEST BLEED CANIST			
FAMILY				TVDE 0557 057			FUEL TYPE _		-	(g/test) @ UL		(g/test) @				y/test) @ 4K	
	*	FU	EL TYF	PE CERT STD		*		CI	ERT *	STD *	CERT *	+	STD *	CERT *	STD *		
	-						L								*	*	

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)

CERT

*

STD

LEAK FAMILY

*



U.E.Langarija

M. 操行运行。1987

GENERAL MOTORS LLC. Executive Order: A-006-2189

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	
CHEVROLET	COLORADO ZR2 4WD	LDT3	2.8	A 6	*	1	\$	

ELINES AUTADRICESO DAS REMANDA DE PURBONA ENTARPRESEDENTES PER PER SE PER SE PER PER PER PER PER PER PER PER P