

Executive Order: A-003-0702 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GRO	OUP IN	FORMAT	TION					
MODE		EST GROUP	VEHIC	VEHICLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2020	L	MBXD03.0HD4		MDV5				SINGLE FUEL HICLE		DIESEL		
	USEFU	L LIFE (miles)	VEI	HICLE EMISS	SION C	ATEGOR	RY	INTERIM / INT	ERME	DIATE IN-USE STD		
EXH/ORVR EVAP				FTP			SFTP FTP			SFTP		
150000 *		LEV3	SULEV230 (HOT143 (LA92), FTP TEST		OT1435	UC 003,	NMHC+NOX AND		PM			
SPE	CIAL F		(HAUST EMISSI STEMS	ON CONTRO	L	7	OBD S	TATUS	ENG	GINE DISPLACEMENT		
1	DFI,TC,CAC,EGR,EGRC,OC+DPF,SCRC,NOXS(2),WR- HO2S,PMS,RDQS,FFH						LL	*				
*	*						PARTIAL *			3.0		
*	*						L WITH ES	ALL MODELS				
		E	VAPORATIVE &	REFUELING	(EVA	P/ORVR)	FAMILY	INFORMATION				
EVA	P / OR	/R FAMILY	EVAPORATIV	E STD CATE	GORY			SSION STD CLASS	SPE	ECIAL FEATURES		
	*			*		*			*			
				EMISSION C	REDIT	INFORM	ATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						NMOG CREDIT FOR DOR				OPTIONAL EXH. STD FOR WORK TRUCKS		
N N						N				N		
			NMOC	AND FLEE	T AVE	RAGE IN	FORMA	TION				
NMOG RAF	CH4 RAF	CH4 NMOG/NMHC HCHO/NMHC LDT (37			.VW-85			NMOG+NOX FLEET STD MDV (8501-10000 GVWR) (g/mi)		NMOG+NOX FLEET STI MDV (10,001-14,000 GVWR) (g/ml)		
*	*	*	0.018		*			0.228		0.349		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-003-0702

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models have been determined to have twelve (12) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of three hundred dollars (\$300) per vehicle for the third through the twelfth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

BE IT FURTHER RESOLVED:

The fuel-fired heater incorporated in the listed vehicle models must not operate at ambient temperatures above 40°F (13 CCR Section 1961.2(a)(13) [Emission Standard for a Fuel-Fired Heater]).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ZND day of March 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division



Executive Order: A-003-0702

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

		EYU	AUSTE	MISSIO	NSTA	NDARDS	ANDC	FRTIFIC	ATION	EVEL S	(FTP HW	FET, 50°F	20°F)		3	
	FUE	L TY	C m ac O	H4: metl onoxide djustmer RVR (a	hane; Nox: nt factor	MOG: no oxides of r; 2DHS/3	on-CH4 on nitrogen BDHS [g	organic (; HCHC HC/test	gas; HC: h : formalde l: 2/3 days refueling	nydrocar ehyde; F s diurnal vapor re	bon; NMh M: particu +hot-soak covery; g:	IC: non-Chalate matter ; RL [g HC: gram; mg: P: suppleme	I4 HC; C r; RAF: r /mi]: run milligrar	eactiv ning lo m; mi:	rity oss;	
				NMHC-			CO (g/mi)		NOx (g/mi)			HCHO (mg/mi)		PM (g/mi)		
				CERT	ST	D CE	RT	STD	CERT	STD	CER	T STD	CE	RT	STD	
TP@5	0K	*		*	*	,	*	*	*	*	*	*		*	*	
FTP@L	L DIE	EL-	EPA	0.149	0.2	30 0.	.1	4.2	*	*	0	6	0.	006	0.010	
0°F @	4K	*		*	*	,	*	*	*	*	*	*			LL K	
				FUEL TYPE					NMHC+NOx (g/m			NA P		CO (g/mi)		
	the Males								CERT		STD	С	CERT		STD	
HWFET @ 50K				*						k	*					
HWFET @ UL				1	DIESE	L-EPA	A		0.0	0.048		0.230				
20°F @ 50K					*								*		*	
		-	SI	FTP EXI	HAUST	EMISSIC	ON STAI	NDARD	S AND CI	ERTIFIC	ATION L	EVELS				
12.6		FUEL TYPE		US06					SC03			COMPOSITE				
	FUEL T			NMHC+NOx (g/mi)			CO PM (g/mi) (mg/m			NMHC+NOx (g/mi)		NMHC+N (g/mi)	December 1	CO g/mi)	PM (mg/mi	
@ 4K	*	*			*	*				*	*					
			STD		*	*			,	*	*					
		CE			*			*		k	*	0.095	5	0.0	5	
@ UL			STD		*	*		*	,	*	*	0.350)	4.0	7	
			BIN									*	ME.			
		WH	OLE VI	HICLE	EVAP	ORATIVE	EMISSI	ON ST	ANDARD	S AND	CERTIFIC	ATION LE	VELS			
						WHOLE	VEHIC	LE EVA	PORATI	VE TEST	TING					
EVAPORATIVE FAMILY		FUEL TYPE		PE	3DHS (g/test) @ U				2DHS	2DHS (g/test)			RL (g/r		ni) @ UL	
					CERT STD		FEL	С	ERT	RT STD			ERT	STD		
*			*		*		*		*	*	*		* *		*	
(RVR / F	UEL	ONLY /	CANIST	ER BL	EED EVA	PORAT	IVE EM	ISSION S	TANDA	RDS AND	CERTIFIC	CATION	LEVI	ELS	
		T							FUEL ON	LY EVA	P & CAN	ISTER BLE	EED			
EVAPORATIVE FAMILY			ORVR (g/ga				JEL TYP			OHS RIG TEST (g/test) @ UL		RIG TEST st) @ UL	BLEED CANISTER TEST (g/test) @ 4K			
		FU	FUEL TYPE C		RT S	TD			ERT	ERT STD		STD	CE	RT	STD	
*			*	* *		*	*		*			*	1	*		
		EFI	FECTIV	E LEA	K DIA	METER	STAND	ARD A	ND CER	TIFICA	TION LE	VEL (INC	HES)			
FIVA	PORATIV	EFA	MILY	L	EAK F	AMILY			CERT	T			STD			
EVA	Oloville															



Executive Order: A-003-0702

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR; exhaust gas recirculation; HP/LP EGR; High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefled natural gas; LPG: liquefled petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD
FREIGHTLINER	SPRINTER 3500 XD 4X4	MDV5	3.0	A7	*	1	\$
MERCEDES-BENZ	SPRINTER 3500 XD 4X4	MDV5	3.0	A7	*	1	\$