

### GENERAL MOTORS LLC.

Executive Order: A-006-2213 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

120	MODEL YEAR TEST GROUP				VEHICLE CLASS(ES)				ATEGORY		FUEL TYPE		
2020 LGMXD06.6385				MDV5				DEDICATED SINGLE FUEL VEHICLE			DIESEL		
USEFUL LIFE (miles)				VEHICLE EMISSION CATEGOR				ORY	INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP S			SFT	FTP FTP			SFTP		
150000 *		aller programme	LEV3	HILEV270 (HOT14		OT14:	ULEV 435 UC , SC03, I CYCLE)		ĸ	*			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1 CAC, TC, DFI, OC, OC+DPF, EGR, EGRC, SCRC, NOXS(2), PMS, RDQS FULL *													
* *							PA	PARTIAL *			6.6		
* *								RTIAL WITH ALL MODELS					
		E\	/APOR	ATIVE &	REFUELING	(EVA	P/OR\	/R) FAMILY	(INFORMATION	1			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORICAL					GORY	RY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES				
*				*					*	(4)	*		
					EMISSION CI	REDIT	INFO	RMATION					
	REDIT FO	X FLEET AVE. R EXTENDED RANTY	MOG CREDIT FOR NON-PZEV ZERO-EVAP				NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
N N								N		N			
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	RAF   NMOG/NMHC   RATIO   LDT (3/51 LVW-8500 GVW) MDV (8501-10000 GVWR)  MDV (				MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)								
* * * * *						*		0.228			0.349		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2213

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BF IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have seven (7) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of two hundred twenty five dollars (\$225) per vehicle for the third through seventh deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 4th

Allen Lyons, Chief

Emissions Compliance, Automotive Regulations and Science Division



GENERAL MOTORS LLC.

Executive Order: A-006-2213 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **ATTACHMENT**

	EXHA		_											CATION		ELS		
	FUEL T		n a C	CH4: m nonoxio djustm DRVR [	ethande; NC de; NC dent fa	e; NM0 0x: oxio ctor; 2 gallon	DG: non- des of nit DHS/3DH dispense	CH4 org rogen; H HS [g HC	anic ga ICHO: C/test]: oard re	as; HC: formald 2/3 day	hydrocai lehyde; F s diurnal vapor re	bon; NN M: parti +hot-so: covery;	/IHC: r culate ak; RL g: grai	Γ, <b>50°F, 2</b> non-CH4 matter; I . [g HC/m m; mg: m ipplemen	HC; C RAF: r ii]: runi iilligrar	eactiv ning lon; n; mi:	ity oss;	
					NMHC+NOx (g/mi)		CO (g/mi)			NOx (g/mi)			HCHC (mg/m		- CO		PM g/mi)	
				CERT	•	STD	CERT	ST	D	CERT	STD	CE	RT	STD	CE	RT	STD	
TP@5	0K	к *		*		*	*	*		*	*	* *		*	*		*	
FTP@L	JL DIE	SEL-I	EPA	0.186	3 0	.270	0.19	4.	2	* .	*		k	6	0.0007		0.010	
50°F @	4K	*		*		*	*	*		*	*		*				the Landa Pie	
				FUEL TYPE						N	NMHC+NOx (g/m				CO (g/mi)			
						FUEL TIPE				CERT		ST			CERT		STD	
HWFE	T @ 50K			*							*	*	*				1000	
HWFET @ UL				DIESEL-			PA .		0.	0.202		0.270						
20°F @ 50K						*									*		*	
			S	FTP E	XHAU	JST EN	IISSION	STAND	ARDS	AND C	ERTIFIC	ATION	LEVE	LS			3	
	_	UEL TYPE					US06	S06		SC03				COMPOSITE				
	FUEL 1			NMHC+NOx (g/mi)			CO (g/mi)		PM (mg/mi)		NMHC+NOx (g/mi)		CO NN (g/mi)		MHC+NOx (g/mi) (g		PM (mg/mi	
@ 4K	*	*			*		*	*		*		*						
			STD		*		*			*		*	74-37-5 9-33-35 15-35-35					
		С		•	*		*		*	*		*		0.2257	0	.12	0.6	
@ UL	DIESEL	IESEL-EPA ST			*		*		*	*		*	0.550		-	5.0	7	
				9 7 A C ST	16 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -									*		-		
		WH	IOLE V	EHICL	E EV	APOR	ATIVE E	MISSION	N STAI	NDARD	S AND	CERTIFI	CATIO	ON LEVE	LS			
						W	HOLE V	EHICLE	EVAP	ORATI	VE TEST	TING						
EVAPORATIVE FAMILY		E F	FUEL TY		3DHS (g		g/test) @ UL			2DHS	2DHS (g/test) @			RL (g/r		mi) @ UL		
				CERT		RT	STD	FEL	CE	RT	STD	F	EL	CE	RT		STD	
*			*		*		*	* *			* *			* *				
- (	DRVR / F	UEL	ONLY /	CANIS	STER	BLEE	D EVAP	DRATIV	E EMIS	SSION	STANDA	RDS A	ND CE	RTIFICA	TION	LEVE	LS	
									FU	JEL ON	ILY EVA	P & CA	NISTE	R BLEE	D		-	
EVAPORATIVE FAMILY		E	ORVR (g		g/gallon) @ UL		FUEL TYPE			HS RIG TEST g/test) @ UL		2DHS RIG (g/test) @				ED CANISTER Γ (g/test) @ 4Κ		
		FUEL		PE CERT ST		STD			CE	RT STD		CERT		STD (		CERT S		
*			*	* *				*				*		* *			*	
		EFF	ECTI	/E LE	AK D	IAME	TER ST	ANDAF	RD AN	D CEF	RTIFICA	TION	EVE	L (INCH	ES)			
EVAPORATIVE FAMILY LEAK FAMIL					ILY	CERT					STD							
*					*				*					*				



GENERAL MOTORS LLC. Executive Order: A-006-2213 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

## 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
CHEVROLET	SILVERADO 2500 HD 2WD	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 2500 HD 2WD CAB CHAS	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 2500 HD 4WD	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 2500 HD 4WD CAB CHAS	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 3500 HD 2WD	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 3500 HD 4WD	MDV5	6.6	A10	*	1	\$
CHEVROLET	SILVERADO 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	*	1	\$
GMC	SIERRA 2500 HD 2WD	MDV5	6.6	A10	*	1	\$
GMC	GMC SIERRA 2500 HD 2WD CAB CHAS		6.6	A10	*	1	\$
GMC	SIERRA 2500 HD 4WD	MDV5	6.6	A10	*	1	\$
GMC	SIERRA 2500 HD 4WD CAB CHAS	MDV5	6.6	A10	*	1	\$
GMC	SIERRA 3500 HD 2WD	MDV5	6.6	A10	*	1	\$
GMC	SIERRA 3500 HD 2WD CAB CHAS	MDV5	6.6	A10	*	1	\$
GMC	GMC SIERRA 3500 HD		6.6	A10	*	1	\$
GMC	SIERRA 3500 HD 4WD CAB CHAS	MDV5	6.6	A10	*	1	\$