

### DAIMLER AG

Executive Order: A-003-0680

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION												
MOD	TEST GOODS VEHICLE MASSIES						FUEL CATEGORY			FUEL TYPE		
202	0 <b>LME</b>	3XJ03.0U2A		PC			DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSI						ON CATEGORY INTERIM / INT			TERM	ERMEDIATE IN-USE STD		
EXH/ORVR EVAP				FTP SFTP			FTP	FTP		SFTP		
150000 150000				LEV3 ULEV70	3 ULEV70 LEV 3 COM		OMPOSITE	SITE PM		PM		
SP	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						OBD STATUS			ENGINE DISPLACEMENT (L)		
1	DFI,	2TC, CAC,	2WR-H	O2S, 2HO2S, 2T	WC		FULL *			7 7 7 8 8		
*					PARTIAL	ALL MODELS	3.0					
*				PA	PARTIAL WITH * FINES							
<u> </u>	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION											
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY						EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
LMBXR0155LNC LEV 3 OPTION				/ 3 OPTION2 WI	ON2 WITH FEL			PC		*		
				EMISSIO	N CR	EDIT INF	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY  NMOG CREDIT FOR NON-I ZERO-EVAP						NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
	N N							N		N		
NMOG AND FLEET AVERAGE INFORMATION												
NMO0 RAF	NIMOR/NIMER				-3750 LV			0	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10	0	.018	0.	0.065 0.074				*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



DAIMLER AG

Executive Order: A-003-0680

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

# BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

# BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of July 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 26

Allen Lyons, Chief

Emissions Certification and Compliance Division



PREM

DAIMLER AG

Executive Order: A-003-0680

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **ATTACHMENT**

						ΑI	IACF	IMENI								
E	XHAU	ST A	ND EV	APORA	TIVE E	MISS	ION S	TANDAR	DS AN	D CERT	FICA	TION	LEVE	_S		
	E	CHAUS	ST EMIS	SION STA	NDARD	S AND	CERTI	FICATION	LEVELS	(FTP, HW	FET, 5	0°F, 20	)°F)			
	FUEL TYPE		mono adjus ORVI	methane; N xide; NOx: tment facto R [g HC/gal miles; F: de	oxides or; 2DHS llon dispe	of nitrog /3DHS ensed1	gen; HC [g HC/te : on-boa	HO: formal est]: 2/3 da rd refueling	dehyde; F ys diurnal g vapor re	PM: particu l+hot-soak covery; g:	ilate ma ; RL [g gram;	atter; R HC/mij mg: mil	AF: read ]: running Iligram; r	ctivity g loss;		
						MOG+NOx (g/mi)	•	CO (g/mi)			NOx (g/mi)		HCHO (mg/mi			
			CEI	RT ST	D C	ERT	STD	CERT	STD	CER	т :	STD	CERT	STD		
TP@50K	*		*	*		*	*	*	*	*		*	*	*		
FTP@UL	GASOLINE- @UL TIER3 E10 PREM		0.0	39 0.0	70	0.3	1.7	*	*	0.4		4	0.001	0.003		
50°F @4K	*		*	*		*	*	*	*	*		*		ge and a substitution of		
286/2									NMOG+NOx (g/mi)			CO (g/mi)				
				FUEL TYPE					CERT STD			CERT S		STD		
HWFET @	9 50K			*					* *			The second section of the second seco				
HWFET @ UL			GAS	GASOLINE-TIER3 E10 PREM					0.017 0.070							
20°F @	50K	COLD	CO E1	0 PREMIU	M GASO	LINE	(TIER3	,			10%	0.5	5	10.0		
			SFTP	EXHAUST	T EMISS	ION S	TANDA	RDS AND	CERTIFIC	CATION L	EVELS		241			
				US06					SC03			COMPOSITE				
F ,	FUEL TYPE		N	MOG+NOx (g/mi)		:O mi)	PM (mg/r		OG+NOx g/mi)	CO (g/mi)		G+NO: /mi)	x CC (g/m			
@ 4K	*	* CE		*		*		7.5	*	*			1000年			
	ST		TD	*		*			*	*						
	GASOLINE-		OLIVI		* 2.8		3	*		0.060		0.	6 *			
			TD	*		*	6		*	*	0.	083	4.:	2 *		
		E	BIN					1. 1 6.74			0.	070				
		WHOL	E VEHI	CLE EVAP	ORATIV	E EMI	SSION	STANDAR	DS AND	CERTIFIC	ATION	LEVE	LS			
					WHO	LE VE	HICLE E	VAPORA	TIVE TES	TING		-	N / ! !\	0.111		
EVAPOR FAM	-  -		L TYPE					2DHS (g/test) (		, <u> </u>		RL (g/mi) (				
LMBXR01	55LNC	LEV	OLINE- 73 E10 PREM	LINE- 3 E10 0.262 0			.275	*	0.300	0.2°		0.00		0.05		
OR	VR / FUE			NISTER BI	LEED EV	VAPOR	RATIVE	EMISSION	STANDA	ARDS ANI	D CER	TIFICA	TION L	EVELS		
								FUEL (	NI V EV	AP & CAN	ISTER	BLEE	D			

#### EVAPORATIVE **2DHS RIG TEST BLEED CANISTER** ORVR (g/gallon) @ UL **3DHS RIG TEST** (g/test) @ UL (g/test) @ UL TEST (g/test) @ 4K **FAMILY FUEL TYPE FUEL TYPE** CERT STD CERT STD CERT STD CERT STD GASOLINE-GASOLINE-0.020 0.014 LMBXR0155LNC TIER3 E10 0.03 0.20 LEV3 E10

PREM



DAIMLER AG

Executive Order: A-003-0680

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
LMBXR0155LNC	LMBXR0155LNC-LNC	*	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

# 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES BENZ	E 450 (CONVERTIBLE)	PC	3.0	А9	LMBXR0155LNC	1	P
MERCEDES BENZ	E 450 (COUPE)	PC	3.0	A9	LMBXR0155LNC	1	P
MERCEDES BENZ	E 450 4MATIC	PC	3.0	A9	LMBXR0155LNC	1	P
MERCEDES BENZ	E 450 4MATIC (CONVERTIBLE)	PC	3.0	А9	LMBXR0155LNC	1	P
MERCEDES BENZ	E 450 4MATIC (COUPE)	PC	3.0	A9	LMBXR0155LNC	1	P
MERCEDES BENZ	E 450 4MATIC (STATION WAGON)	PC	3.0	A9	LMBXR0155LNC	1	P