

GENERAL MOTORS LLC.

Executive Order: A-006-2202

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION						
MODE! YEAR	- I TE	ST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE			
2020	LG	MXV02.0031		PC				DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
Ų	JSEFUL	LIFE (miles)		VEH	IICLE EMISS	ION C	ATE	GORY	INTERIM / IN	NTERMEDIATE IN-USE ST				
EXH	ORVR	EVAP			FTP		SF	TP	FTP		SFTP			
15	0000	150000)	LEV3	ULEV70	LEV	3 CC	MPOSITE	*			*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS					L		OBD S	TATUS		ENG	GINE DISPLACEMENT (L)			
1	DI	FI, CAC, TC	WR-	HO2S, TW	C, HO2S			FULL	*	15540				
*	* *							ARTIAL	ALL MODELS			2.0		
*	* *							TIAL WITH FINES	*					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	EVA	PORATIVE	STD CATE	GORY		EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES		
L	GMXR01	1030C		L	EV 2		PC				HCT			
L	GMXR01	3030B	L	EV 3 OPTI	ON2 WITH	FEL		PC			HCT			
				ı	EMISSION CI	REDIT	INFO	RMATION						
	EDIT FO	X FLEET AVE. PR EXTENDED PRANTY		1 1010 [] [] []	EDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG C	REDIT FOR DO	R	OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N			=	N			N		
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TION					
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO		4O/NMHC					W) LDT (3751 LVW-8500		MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		. *	0	.065			0.074			*		
See the	Attach	ment for Veh	icle M	lodels Eve	anorative Fa	mily	Engi	ne Displace	ment Emissic	n	Con	trol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2202

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of May 2019.

Allen Lyons, Chief

Emissions Compliance, Automotive Regulations and Science Division



GENERAL MOTORS LLC. Executive Order: A-006-2202

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

Action of the second		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
	1	CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	* *	*	*	*
FTP@UL	GASOLINE- TIER3 E10	0.032	0.070	0.6	1.7	*	*	*	4	*	0.01
50°F @4K	* .	*	*	*	*	*	*	*	*	网络松牌	

	FUEL TYPE	NMOG+N	NOx (g/mi)	CO (g/mi)		
10000	FUELTIPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*		e Prijskerskerske Generalskerske	
HWFET @ UL	GASOLINE-TIER3 E10	0.013	0.070		i araban diki	
20°F @ 50K	COLD CO E10 REGULAR GASOLINE (TIER3)			2.4	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			* *	US06		SC03	3	COMPOSITE			
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	*	CERT	*	*	t Napalatikan	*	. *		der om d		
		STD	*	*		*	*				
		CERT	*	*	*	*	*	0.025	1.3	*	
@ UL	GASOLINE- TIER3 E10	STD	**	*	*	* ′	*	0.083	4.2	*	
	•	BIN	Production of the second	NIE .	with the property			0.080		All the second	

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY			WHOLE \						
	FUEL TYPE	3DH	S (g/test) @	D UL	2DI	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LGMXR011030C	GASOLINE- TIER3 E10	0.25	0.50	. *	0.14	0.65	*	0.00	0.05
LGMXR013030B	GASOLINE- TIER3 E10	0.262	0.300	0.300	0.214	0.300	0.300	0.00	0.05



GENERAL MOTORS LLC. Executive Order: A-006-2202 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

ORVR / FUI	EL ONLY / CA	ANISTER	BLEED	EVAPOR	RATIVE	EMISSION	STANDA	RDS AND	CERTIFIC	ATION LEV	ELS		
					FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS R (g/test	IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTE TEST (g/test) @ 4			
	FUEL TYPE	CERT	STD	-		CERT	STD	CERT	STD	CERT	STD		
LGMXR011030C	GASOLINE- TIER3 E10	1 0 07	0.20	*		*	*	*	*	*	* .		
LGMXR013030B	GASOLINE- TIER3 E10	1 0 01	0.20	GASOLINE- TIER3 E10		*	*	*	*	0.017	0.020		
	FFECTIVE	LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION LE	VEL (INCH	IES)			
EVAPORATIVE FAMILY LEAK FAM			K FAMII	Y CERT					STD				
LGMXR0130	LGMXR0	13030B	-LK1	* 0.02									

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
BUICK	REGAL	PC	2.0	SA9	LGMXR011030C	1	P
BUICK	REGAL AWD	PC	2.0	SA8	LGMXR011030C	1	P
BUICK	REGAL TOUR X AWD	PC	2.0	SA8	LGMXR011030C	1	P
CHEVROLET	CAMARO	PC	2.0	M6,SA8	LGMXR013030B	1	P
CHEVROLET	MALIBU	PC	2.0	A9	LGMXR011030C	1	P