

Executive Order: A-008-0498-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 5

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORM	MATION		
MODE YEAR	- 1 - 11	EST GROUP		VEHICI	LE CLASS(ES)			FUEL C	ATEGORY	FUEL TYPE
2020	LB	MXJ02.0B4X		L	DT2, PC		I		SINGLE FUEL HICLE	GASOLINE
- 1	USEFUL	LIFE (miles)		VEH	ICLE EMIS	SION C	ATEG	ORY	INTERIM / INT	ERMEDIATE IN-USE STD
EXH	/ORVR	EVAP	11		FTP		SF	ГР	FTP	SFTP
15	0000	150000		LEV3	SULEV30	LEV	3 CO	MPOSITE	*	PM
SPE	CIAL FE	ATURES & EX	HAU		ON CONTRO	OL		OBD S	TATUS	ENGINE DISPLACEMENT
1	WU-TW	C, TWC, WR-H	102S	, HO2S, D	FI, TC, C	AC		FULL	*	
*			*				P	ARTIAL	SOME MODELS	2.0
*	V		*					TIAL WITH	SOME MODELS	
		E	VAPO	ORATIVE &	REFUELING	G (EVA	P/OR	VR) FAMILY	INFORMATION	
EVA	P / ORV	R FAMILY	EV	APORATIVE	STD CATE	GORY	21 - 21 -		SSION STD E CLASS	SPECIAL FEATURES
I	BMXR01	50G30	I	EV 3 OPTI	ON2 WITH	FEL		E	PC See	sado Con I x o de estado.
I	BMXR01	30F3X	I	EV 3 OPTI	ON2 WITH	FEL		I	PC	*
I	BMXR01	30F45	I	LEV 3 OPTION2 WITH FEL			PC		*	
				E	MISSION C	REDIT	INFO	RMATION		
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR I		ΈV	NMOG C	REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS
		N		25	N				N	N
				NMOG	AND FLEE	T AVE	RAGE	INFORMA	TION	
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO	НС	CHO/NMHC RATIO	NMOG+NO PC+LDT			/) LDT	+NOX FLEET ST (3751 LVW-8500 R) + MDPV (g/mi	
*	*	1.10		*		0.065			0.074	*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-008-0498-2
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 5

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty-five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby supersedes Executive Order A-008-0498-1 dated July 19, 2019.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Allen Lyons, Chief

Emissions Certification and Compliance Division

day of September 2019.



Executive Order: A-008-0498-2
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 5

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/	s+NOx mi)	C (g/i	O mi)	NC (g/i	100	HC (mg			M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	. *	*	*	*	*	* :	* 121	* * * * *	*	* *	*
FTP@UL	GASOLINE- TIER3 E10	0.020	0.030	0.3	1.0	*	**************************************	*	4	0.000	0.003
50°F @4K	GASOLINE- TIER3 E10	0.019	0.060	0.3	1.0	*	*	*	. 8		

	FUEL TYPE	NMOG+N	IOx (g/mi)	CO	(g/mi)
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	* * * * * * * * * * * * * * * * * * * *	*	*		
HWFET @ UL	GASOLINE-TIER3 E10	0.008	0.030		
20°F @ 50K	COLD CO E10 REGULAR GASOLINE (TIER3)		1000 中国的电影 1000 年 1000 日	0.2	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06	was Mi	SC03	3	COM	IPOSITE	
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
	. 1 - 13	STD	*	*	外报信师	*	*	电路线电路		KNIERVA
11		CERT	*	*	1	*	*	0.014	0.4	*
@ UL	GASOLINE- TIER3 E10	STD	*	*	6		*	0.083	4.2	*
1 · · · ·	a server in the ex-	BIN						0.050		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

		. 2 :	WHOLE	VEHICLE	EVAPORA	TIVE TESTII	NG	RL (g/r CERT 0.01 0.01	
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) ((g/test) @ UL		HS (g/test) (@ UL	RL (g/mi) @ UL	
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LBMXR0130F3X	GASOLINE- TIER3 E10	0.252	0.300	0.300	0.165	0.300	0.300	0.01	0.05
LBMXR0130F45	GASOLINE- TIER3 E10	0.198	0.300	0.275	0.204	0.300	0.275	0.01	0.05
LBMXR0150G30	GASOLINE- TIER3 E10	0.195	0.300	0.300	0.226	0.300	0.300	0.01	0.05



Executive Order: A-008-0498-2
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 5

ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	STANDA	RDS AND	CERTIFICA	ATION LEV	ELS			
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY LBMXR0150G30 LBMXR0130F3X LBMXR0130F45	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTE TEST (g/test) @ 4				
	FUEL TYPE	CERT	STD	· · · · · · · · · · · · · · · · · · ·	CERT	STD	CERT	STD	CERT	STD			
LBMXR0150G30	GASOLINE- TIER3 E10	0.04	0.20	GASOLINE- TIER3 E10	*	* * * * * *	*	*	0.004	0.020			
LBMXR0130F3X	GASOLINE- TIER3 E10	0.13	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.003	0.020			
LBMXR0130F45	GASOLINE- TIER3 E10	0.04	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.020	0.020			
	FFECTIVE	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	IES)				
EVAPORATIVE	FAMILY	LEA	K FAMIL	Υ.	CEI	RT.			STD				
LBMXR0130	F45	LBMXR0	130F45	-001	0.0)1			0.02				
LBMXR0150	G30	LBMXR0	150G30	-001	0.0	00	- 1 g &		0.02				
LBMXR0130	F3X	LBMXR0	130F3X	-001	0.0)1			0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
BMW	2281 XDRIVE GRAND	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	2301 CONVERTIBLE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	230I COUPE	PC	2.0	M6,SA8	LBMXR0130F3X	1	P
BMW	2301 XDRIVE CONVERTIBLE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	2301 XDRIVE COUPE	PC	2.0	SA8	LBMXR0130F3X	-1	P
BMW	3301	PC	2.0	SA8	LBMXR0150G30	1	\$
BMW	3301 XDRIVE	PC	2.0	SA8	LBMXR0150G30	1	\$
BMW	3301 XDRIVE GRAN TURISMO	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	430I CONVERTIBLE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	430I COUPE	PC	2.0	M6,SA8	LBMXR0130F3X	1	P
BMW	4301 GRAN COUPE	PC	2.0	M6,SA8	LBMXR0130F3X	1	P

Executive Order: A-008-0498-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 5 of 5

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
BMW	4301 XDRIVE CONVERTIBLE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	4301 XDRIVE COUPE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	4301 XDRIVE GRAN COUPE	PC	2.0	SA8	LBMXR0130F3X	1	P
BMW	5301	PC	2.0	SA8	LBMXR0150G30	1	\$
BMW	5301 XDRIVE	PC	2.0	SA8	LBMXR0150G30	1	\$
BMW	X1 SDRIVE28I	PC	2.0	SA8	LBMXR0130F45	1	P
BMW	X1 XDRIVE28I	PC	2.0	SA8	LBMXR0130F45	1	P
BMW	X2 SDRIVE28I	PC	2.0	SA8	LBMXR0130F45	1	P
BMW	X2 XDRIVE28I	PC	2.0	SA8	LBMXR0130F45	1	P
BMW	X3 SDRIVE30I	LDT2	2.0	SA8	LBMXR0150G30	1	\$
BMW	X3 XDRIVE30I	LDT2	2.0	SA8	LBMXR0150G30	1	\$
BMW	X4 XDRIVE30I	LDT2	2.0	SA8	LBMXR0150G30	1	\$
BMW	Z4 SDRIVE30I	PC	2.0	SA8	LBMXR0150G30	1	\$
MINI	COOPER S CLUBMAN	PC	2.0	AMS7,M6	LBMXR0130F45	1	P
MINI	COOPER S CLUBMAN ALL4	PC	2.0	SA8	LBMXR0130F45	1	P
MINI	COOPER S COUNTRYMAN	PC	2.0	AMS7	LBMXR0130F45	1	P
MINI	COOPER S COUNTRYMAN ALL4	PC	2.0	SA8	LBMXR0130F45	1	P
TOYOTA	SUPRA 2.0	PC	2.0	SA8	LBMXR0150G30	1	P