

Executive Order: A-009-1468 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		- "			TEST GRO	UP II	NFOR	MATION					
MOD! YEA		EST GROUP	VEHIC	CLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE			
202) L	CRXT03.05PW		ī.t	r2, LDT4 DED				SINGLE FUEL HICLE		DIESEL		
	L LIFE (miles)		VEH	IICLE EMISS	LE EMISSION CATEGORY INTERIM					INTERMEDIATE IN-USE STD			
EXI	I/ORVR	EVAP	FTP SF1				TP	FTP		SFTP			
1	50000	*		LEV3	3 LEV160 LEV 3 COMPO			OMPOSITE	PM		PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD S	TATUS	E	ENGINE DISPLACEMENT (L)		
TC, CAC, DFI, HP-EGR, LP-EGR, EGRC, OC+DPF, NOXS(2), PMS, RDQS, SCRC, WR-HO2S								FULL	:*				
*		· ·-				F	PARTIAL	*	7	3.0			
*						PAF	TIAL WITH	ALL MODELS					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVA	VP / ORV	/R FAMILY	PORATIVI	E STD CATE	GORY	ORY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES				
*					*				*		*		
		,,		.1	EMISSION CI	REDIT	r INF	ORMATION	'				
Coent cod extennell						EDIT FOR NON-PZEV ERO-EVAP			REDIT FOR DO	R	OPTIONAL EXH. STD		
·	и								И		и		
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	TO THE PROPERTY OF THE PROPERT				PC+1 D1 (0-3750 I VW			V) LDT	+NOX FLEET S (3751 LVW-850 R) + MDPV (g/m	וו	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	*.		*:	0	.065		0.074			·*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-009-1468

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed Jeep models have five (5) deficiencies and the OBD system of the listed Ram models have ten (10) deficiencies. These vehicle models are approved subject to the manufacturer paying a fine of \$150 per vehicle for the third through fifth deficiencies for the listed Jeep models and a fine of \$300 for the third through tenth deficiencies for the listed Ram models in the test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Allen Lyons, Chief

Emissions Certification and Compliance Division

day of October 2019.



Executive Order: A-009-1468 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

	E	XHAL	JST	AND	EVA	PORA	TIVE	EMIS	SION	STAN	IDARD	S AN	D CER	TIFIC	CATION	LEV	ELS		
		E	XHA	UST	EMISSI	ATS NC	NDA	RDS AN	ID CER	TIFICA	ATION L	EVELS	(FTP, H	WFE	Γ, 50°F, 2	0°F)			
		FUEL TYPE		n a C 1	CH4: methane; NMOG: non-CH4 organic gas; HC; hydrocarbon; NMHC: non-CH4 HC; CO; carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP											ity oss;			
					NMHC+NOx (g/ml)			CO (g/mi)			N- (g/		HCH (mg/t			PM (g/mi)			
25 M/2 					CERT			CERT	ST	D	CERT STD		CE	CERT		CERT		STD	
FTP@5	oK	*			* *			*	*		*	*	_	*	*	*		*	
FTP@l	JL.	DIESEL-EPA		PA	0.1039	0.1	60	0.33	4.:		*	*			4	0.0	015	0.003	
50°F @			*		* 1			*	*		* *		<u> </u>		*	<u> </u>			
112 1 2	ar - Brill galacry		(Alexandra)		FUEL TYPE						NMHC+NOx (g/		. ,		-		(g/mi)		
											CERT			STD *		CERT		STD	
HWFE	Γ@	50K			*						<u>'</u>	*							
HWFE	HWFET @ UL					DIESE	L-EF	A.			0.0	0.0579		60.					
20°F @ 50K					1	t					444			*	*		*		
		- I		S	FTP EX	(HAUS)	EM	SSION	STAND.	ARDS	AND C	ERTIFIC	ATION	LEVE	LS				
44.50		FUEL TYPE		4.5		US06					SC03				COMPOSITE				
	FU				NMHC+NOx			co	P	M	NMHC+NOx		CO	1 ***			CO	PM	
					(9	(g/mi)		(g/mi)	(mg	(mg/mi)		(g/mi)		(g/mi)		(g/mi) (g		(mg/mi	
@.41¢		*		CERT		*		*	'		,	*	.*						
@ 4K				STD		*.		*				*							
		<u></u>		CERT	•	*		*	1	. 5	*		* .		0.0778	0	.21	*	
@ UL	DI			STD		*		*		6	,	*	*		0.083	1	1.2	.*	
			BII												0.140]"			
			WН	OLE V	EHICLE	EVAP				_				CATI	ON LEVE	LS		<u>. </u>	
							WH	IOLE VI	EHICLE	EVAP	ORATI	VE TES	TING		┩ _				
FAMILY FUEL			UEL T	YPE	3DH	/test) @ UL			2DHS) @ UL	@ UL		RL (g/mi) (W OE				
FAMIL				CÉR		STD		FEL	CE	RT STD		F	EL	CER		1	STD		
	*	-		*		*		*	*	,		*	 	*	*			*	
	ORV	R / FU	EL 0	NLY /	CANIS	TER BL	EED	EVAPO	RATIV	EEMI	SSION	STANDA	RDS A	ND C	RTIFICA	TION	LEVE	LS	
															ER BLEE				
EVAPORATIVE FAMILY		۱ ۱	ORVR	(g/galle	on) @ UL		market in the sime			HS RIG TEST			2DHS RIG (g/test) @				ED CANISTER 「(g/test) @ 4K		
F.A	A MILL	FUELT		FI TV	PE CE	RT STD		FUEL	TYPE	· · · · — · · · ·		g/test) @ UL RT STD		CERT		STD CER		STD	
	*		*		* *			 	*	+ -	* *		*	*		* *		*	
•		i	EFF	ECTIV	/E LE/	K DIA	MET	ER ST	ANDAF	NA OS	ID CER	RTIFIC/	TION	EVE	L (INCH	ES)	l.		
EVAPORATIVE FAMILY LEAK FAMI								<u>-,</u>	CERT				STD						
*						*					4 ·				<u></u>				
					ŧ				_!					L					



Executive Order: A-009-1468

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS; emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW; adjusted LVW; LEV: low emission vehicle: ULEV: ultra LEV; SULEV; super ULEV; ZEV: zero-emission vehicle; TZEV; transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC: HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor, WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor, NOXS: NOx sensor, PMS: PM sensor, RDQS: reductant quality sensor, NH3S: ammonia sensor, EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel, (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV; continuously variable transmission; SCV; selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty; N = no credits. Y = credits. S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JEEP	WRANGLER UNLIMITED 4X4	LDT2	3,0	A8	*	1	\$
RAM	1500 4X2	LDT4	3.0	A8	*	1	\$
RAM	1500 4X4	LDT4	3.0	A8	*	1	\$