

FCA US LLC.

Executive Order: A-009-1470

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FOR	NOITAN					
MODE	TEST GROUP VEHICLE CLASSIEST							FUEL C	ATEGORY		FUEL TYPE		
2020	rc	RXT02.05P0	LDT2 DE			DEDICATED SINGLE FUEL VEHICLE			GASOLINE				
USEFUL LIFE (miles) VEHICLE EMISSION								ORY	INTERIM / IN	TE	ERMEDIATE IN-USE STD		
	/ORVR	EVAP		FTP SF			SFTP FTP			SFTP			
15	0000	150000)	LEV3	3 ULEV70 LEV 3		3 COMPOSITE		*		*		
SPE	CIAL FE	ATURES & EX	HAU		N CONTR	OL		OBD S	TATUS		ENGINE DISPLACEMENT (L)		
1 7	C, CAC	, DFI, EGR,	EGF	RC, HO2S,	TWC, WR-I	102S	FULL *						
*						P	PARTIAL ALL MODELS			2.0			
*	± 1							TIAL WITH	*				
		E	VAP	ORATIVE &	REFUELIN	G (EVA	P/OR	VR) FAMILY	INFORMATIO	V			
EVA	P / ORV	R FAMILY	EV	APORATIVE	STD CATE	GORY			SSION STD E CLASS		SPECIAL FEATURES		
	LCRXR01	18PP0		LEV 3 OPTI	ON2 WITH FEL			LDT2			*		
					MISSION	CREDIT	INFO	RMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR		PZEV NMOG CREDIT FOR DOR			R	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEE	TAVE	RAGE	INFORMA	TION				
NMOG CH4 RAF NMOG/NMHC RATIO			HC	CHO/NMHC RATIO	PC+LDT (0-3750 L\ (g/mi)			하다. 그래 얼마나 아는 그들은 아이를 하지 않아 되었다. 그렇게 하는 것은 것은 것은 것이 없는 것을 했다.		0	NMOG+NOX FLEET STE MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	1	*		0.065			0.074	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FCA US LLC.

Executive Order: A-009-1470

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 1014 day of July 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division



GASOLINE-LEV3 E10

0.026 0.20

LCRXR0118PP0

FCA US LLC.

Executive Order: A-009-1470

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.0144

0.020

ATTACHMENT

								IIAC										
	EXHA										RDS AND					_S		
		EXH									LEVELS							
	FU	FUEL TYP		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 H monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RA adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: mill 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplementa							AF: read : running ligram; r	ctivity g loss;						
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		OG+NOx CO (g/mi) (g/mi)			NOx (g/mi)		HCHO (mg/mi)								
				CERT		STD	CERT ST)	CERT STD		CERT		STD	CERT	STD		
FTP@5	0K	* *		* *		*	*		*	*	*		*	*	*			
FTP@l		OLIN V3 E	1 (.045	8 0	.070	0.19	9 1.7	7	*	*	*		4	*	0.01		
50°F @	4K	*		*		*	*	*		*	*	*		*	Evalue.	in the same		
					FUI	EL TYP	E			_	NMOG+N		_		CO (g/r			
										C	ERT	STD	_	CER	T	STD		
HWFE.	Г @ 50K					*					*	*						
HWFE	T@UL			GA	SOLI	NE-LEV	3 E10			0.	.0030	0.070		0000				
20°F	@ 50K		GAS	OLIN	E-COI	TD CO	LOW O	CTANE						0.68	3	12.5		
			SI	TP E	XHAL	JST EM	ISSION	STANDA	ARDS	AND	CERTIFIC	ATION LE	VEL	S				
						ι	JS06			SC03				COMPOSITE				
71°	FUEL 1	YPE				G+NOx g/mi)		CO PI (g/mi) (mg/		100000000000000000000000000000000000000	OG+NOx g/mi)	CO (g/mi)		NMOG+NOx (g/mi)		PM ii) (mg/mi		
@ 4K	*		CERT		*		*	* ************************************		*		*						
		ST			*		*			* *								
		CERT ASOLINE- EV3 E10 STD BIN			*		*	,	•		*	* 0.		0.0264		1 *		
@ UL							*		*	,	•		*	*		.083	4.2	2 *
										516			(.070				
		WH	IOLE VI	HICL	E EV	APORA	TIVE E	MISSION	STAN	NDAR	DS AND C	ERTIFIC	ATIO	N LEVEL	.S			
						Wi	HOLE \	/EHICLE	EVAP	ORAT	TIVE TEST	ING		В	(almi)	all		
	ORATIV MILY	FUEL TYPE		'PE	≣ 3DHS (g/		test) @ UL			2DHS (g/test)		@ UL		RL (g/mi) @ UL				
						T S	TD FEL		CERT		STD	FEL	_ CEI		T	STD		
LCRXR0118PP0		n ı	GASOLII LEV3 E		10 25031 0 400 10 3751				0.2	2623 0.400 0.37			5 0.008 0.05					
(RVR / F	UEL	ONLY /	CANI	STER	BLEED	EVAP	ORATIVE			STANDA					VELS		
									-		NLY EVA							
	ORATIV MILY	E	ORVR	g/gal	lon) @) UL	1 1 2			DHS RIG TEST g/test) @ UL		2DHS (g/tes				/test) @ 4K		
		FL	JEL TYP	EC	ERT	STD			CE	RT	STD	CERT	1	STD	CERT	STD		

GASOLINE-LEV3 E10



FCA US LLC.

Executive Order: A-009-1470
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
LCRXR0118PP0	LCRXR0118PP0-LF1	*	0.02						

ti not applicable; #: pounds; UL; useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV; heavy-duty vehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family lemission limit; GWWR; gross vehicle weight rating; LVW; loaded vehicle weight; ALVW; adjusted LVW; LEV; low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV, ZEV: zero-emission vehicle; TZEV; transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF; PM filter for spark-ignited engine; HO2S/O2S heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor, NH3S: ammonia sensor, EGR: exhaust gas recirculation; EGRC; EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC; turbo/super charger; CAC; charge air cooler; FFH; fuel fired heater; F/P/\$; full/partial/partial with fines on-board diagnostic, DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M; manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV; selectable continuously variable transmission; AM; automated manual transmission; AMS; automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL	YEAR:	VEHICL	E MODEL	S INF	FORMA	NOITA

MAKE	MODEL.	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	ОВР
JEEP	CHEROKEE 4X4	LDT2	2.0	A9	LCRXR0118PP0	1	P
JEEP	CHEROKEE 4X4 ACTIVE DRIVE II	LDT2	2.0	A 9	LCRXR0118PP0	1.	P
JEEP	CHEROKEE FWD	LDT2	2.0	A9	LCRXR0118PP0	1	P
JEEP	CHEROKEE TRAILHAWK 4X4	LDT2	2.0	.A9	LCRXR0118PP0	1	P