

FCA USILLO

Executive Order A-009-1481 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2, and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		•			TEST GR	OUP IN	FORM	IATION			
MODE YEAR	- 1	EST GROUP		VEHIC	HICLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE
2020	LC	RXT03.65P5		LD	T3, LDT4		E		SINGLE FUEL HICLE		GASOLINE
ı	JSEFUL	. LIFE (miles)	-1	VEH	ICLE EMISS	SION C	ATEG	ORY	INTERIM/IN	TER	MEDIATE IN-USE STD
EXH	/ORVR	EVAF			FTP	1	SFT	P	FTP		SFTP
15	0000	15000	Q.	LEV3	SULEV30	LEV	3 CO	MPOSITE	*		PM
SPE	CIAL FE	ATURES & E	(HAL STE		ON CONTRO)L		OBD S	TATUS	E	NGINE DISPLACEMEN (L)
1	i	EGR, EGRC,	2H02	S(2), SFI	, 2TWC			FULL	*:	5	
*	* *						P/	ARTIAL	ALL MODELS	7:1	3.6
*			ż	h		3.13%		TIAL WITH	*		
		E	VAP	ORATIVE &	REFUELING	G (EVA	PIOR	/R) FAMILY	/ INFORMATIO	V.	
EVA	P / ORV	R FAMILY	EV	APORATIVE	STD CATE	GORY	,		SSION STD	S	SPECIAL FEATURES
L	CRXR02	04RP0	3	LEV 3 OPTI	ON2 WITH	DN2 WITH FEL LDT3			T3	*.	
L	CRXR01	40RP0	3	LEV 3 OPTION2 WITH FEL			ΓĎ	Т3		*	
				Ē	MISSION C	REDIT	INFO	RMATION	····		<u> </u>
	EDIT FO	X FLEET AVE OR EXTENDED RRANTY			EDIT FOR N		ZEV	NMOG CREDIT FOR DO		R OPTIONAL EXH. STD FOR WORK TRUCKS	
		N			'n	•			N		N
				NMOG	AND FLEE	TAVE	RAGE	INFORMA	TION		
IMOG RAF			(0-375	-3750 LVW) LDT (3751 L		+NOX FLEET S (3751 LVW-850(R) + MDPV (g/m					
*	*	1.10	\top	*	(0.065			0.074		*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961,2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FCA US LLC.

Executive Order: A-009-1481 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of August 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division



FCA USILLO,

Executive Order: A-009-1481

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

D EVAPOR	TIVE EMISSION STANDARDS	ND CERTIFICATION	LEVELS

EXHAUS	T EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)
	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon
	monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity

adjustment factor, 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/i		_	o mi)	N((g/	Oxi mi <u>)</u>	HC (mg	HO /mi)	•	M ml):
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	+	···· *
FTP@UL	GASOLINE- LEV3 E10	0.0225	0.030	0.25	1.0	*.	*	*	4/	0.0002	0,003
50°F @4K	GASOLINE- LEV3 E10	0.0544	0.060	0.17	1.0	*	*	*	8		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-LEV3 E10	0.0059	0.030		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			1.23	12.5

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SCO	3	CON	APOSITE .	
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/ml)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
<u> </u>		STD	*	*		.*	≯			
		CERT	*	*	1.0	*	*	0.0281	0.58	*
@ UL	GASOLINE- LEV3 E10	STD	*	*	6	*	*	0.083	4.2	*
		BIN						0.040	7.7888 13.7888	

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY			WHOLE	VEHICLE	EVAPORA	TIVE TESTI	NG		
	FUEL TYPE	3DHS (g/test) @ UL			2DHS (g/test) @ UL			RL (g/mi) @ UL	
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LCRXR0140RP0	GASOLINE- LEV3 E10	0.3521	0.500	0.450	0.3530	0,500	0.450	0.000	0.05
LCRXR0204RP0	GASOLINE- LEV3 E10	0.3387	0.500	0.500	0.3615	0.500	0.500	0.002	.0.05



FCA US LLC.

Executive Order: A-009-1481

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	ISTANDA	RDS AND	CERTIFIC	ATION LEV	ELS			
			ï	FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY LCRXR0204RP0 LCRXR0140RP0 EVAPORATIVE	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
LCRXR0204RP0	GASOLINE- LEV3 E10	0.023	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.0129	0.020			
LCRXR0140RP0	GASOLINE- LEV3 E10	0.045	0.20	GASOLINE- LEV3 E10	*	*	*	.*	0.0074	0.020			
	EFFECTIVE	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	HES)				
EVAPORATIVE	FAMILY	LEA	K FAMIL	_Y	CE	RT			STD				
LCRXR0204	IRPO	LCRXR0	204RF0	-1.F1	· ·				0.02				
LCRXR014(RP0	LCRXR0	140RP0	-LF1	j		0,02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-B500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW, LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor, NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR; exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI; direct/indirect fuel injection; TC/SC; turbo/super charger; CAC; charge air cooler; FFH; fuel fired heater; F/P/S; full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC) SRC coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHRYSLER	PACIFICA AWD	LDT3	3.6	A9	LCRXR0140RP0	1	Þ
DODGE	DURANGO AWD	LDT4	3.6	A8	LCRXR0204RP0	1	P
DODGE	DURANGO RWD	LDT3	3.6	A8	LCRXR0204RP0	1	P
JEEP	GRAND CHEROKEE 4x2	LDT3	3.6	AÐ	LCRXR0204RP0	1	P.
JEEP	GRAND CHEROKEE	LDT3	3.6	A 8	LCRXR0204RP0	1	P