

Executive Order: A-016-0468

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	NFORM	MATION				
MODE		EST GROUP	VEH	VEHICLE CLASS(ES)				ATEGORY	FUEL TYPE		
2020	LI	KXT02.2GEA		LDT2 D				SINGLE FUEL	DIESEL		
	USEFUL	LIFE (miles)	V	EHICLE EMIS	SION	ATEG	ORY	INTERIM / INT	ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP		FTP SF			FTP FTP		SFTP		
150000 *			LE	V3 LEV160	LEV	V 3 COMPOSITE		*	PM		
SPE	CIAL FE	ATURES & EX	HAUST EMISS	SION CONTR	OL		OBD S	TATUS	ENGINE DISPLACEMENT		
WU-OC+NAC, NH3OC, SCRC, DPF, CAC, TC, DFI, EGRC, WR-HO2S, NOXS(2), PMS, EGR, RDQS							FULL				
*			*		PARTIAL		ALL MODELS	2.2			
*		A	*			PARTIAL WITH FINES					
		EV	APORATIVE	& REFUELIN	G (EVA	PIOR	VR) FAMILY	INFORMATION			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY							EVAP EMIS	SSION STD E CLASS	SPECIAL FEATURES		
	*			*					*		
				EMISSION	CREDI	TINFO	RMATION				
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY	NMOG		EDIT FOR NON-PZEV ZERO-EVAP			REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
N N						N			N		
			NM	OG AND FLEE	ET AVE	RAGE	INFORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMH RATIO	DCTI DT /0-3760 I			) LDT	+NOX FLEET ST (3751 LVW-8500 R) + MDPV (g/mi)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	*	*	* 0.065				0.074	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-016-0468

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 29 d

Allen Lyons, Chief

**Emissions Certification and Compliance Division** 

day of January 2020.



Executive Order: A-016-0468

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

### **ATTACHMENT**

							^	IIAC	LIIAI	C14 !								
	EXHA							***************************************						CATION		/ELS		
		EXH			-							-		T, 50°F, 2				
	FUE	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP														
				NMHC+NOx (g/mi)		CO (g/mi)		37	NOx (g/mi)			HCH (mg/n			PM (g/ml)			
			CI		CERT S		CER	ST	D	CERT	STD	CE	RT	STD	CE	RT	STD	
TP@5	TP@50K 1		*			*	*	*		*	*		*	*		*	0.003	
FTP@L			EPA	0.130		0.160	0.5	4.			*		#	4	0.	000		
0°F @	4K	*		* *		*	*	* *		*	*		*	*		計議		
					FUEL TYPE					NMHC+NO			x (g/mi) STD		CO (g/			
											CERT		D	CERT		ST		
HWFET @ 50K				*						*		*	*					
HWFET @ UL				DIESEL-EP				A		0.086		0.1	0.160					
20°F @ 50K				*												*		
			S	FTP	EXHA	UST EN	IISSION	STAND	ARDS	AND C	ERTIFIC	ATION	LEVE	LS				
		1/20		US06							SC03			СО		MPOSITE		
	FUEL TY		PE		NMHC+NOx (g/mi)		CO (g/mi)			NMHC+NOx (g/mi)		CO (g/mi)		NMHC+NOx (g/mi)		CO g/mi)	PM (mg/mi	
@ 4K		*			*		*	•		*		*						
W 4K				_	*		*			*		*						
		CEI				*	* 0		*		*		0.145		0.5	*		
@ UL	DIESEL				*		*		6		*	*		0.083		4.2	*	
					7.75				Tong only					0.180				
		WH	OLE V	EHIC	LE EV								CATI	ON LEVE	LS			
						W	HOLE \	EHICLE	EVAF	PORATI	VE TES	TING						
EVAPORATIVE FAMILY			FUEL T	L TYPE 3DHS (g/				/test) @ UL			2DHS (g/test) (		@ UL		RL (g/	mi) @	UL	
FAMILI					CE	CERT S		TD FEL		ERT STD		F	FEL		CERT		STD	
*		$\top$	*	* *			*	*	,	* *		*		*		*		
(	ORVR / F	UEL (	ONLY /	CAN	ISTER	BLEE	DEVAP	ORATIV	E EMI	SSION	STANDA	ARDS A	ND C	ERTIFICA	ATION	LEVE	LS	
														ER BLEE				
EVAPORATIVE FAMILY		≣	ORVR (g/gallon) (			@ UL					HS RIG TEST g/test) @ UL		2DHS RIG T (g/test) @					
		FI	FUEL TYPE (		CERT STD		FUE	FUEL TYPE		ERT STD		-	CERT STD		CERT		STD	
*		+	* *			*	+	*			* *		+	*			*	
		EFF	FECTI\	/E L	EAK D	DIAME	TER ST	ANDAF	RD AN	ND CEF	RTIFICA	TION	EVE	L (INCH	IES)			
EVAPORATIVE FAMILY						LEAK FAMILY			CERT					STD				
	*					*				*				*				



Executive Order: A-016-0468

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

t not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits. S = credits for some/select models

### 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	OBD	
MAZDA	CX-5 2WD	LDT2	2.2	SA6	*	1	P	
MAZDA	CX-5 4WD	LDT2	2.2	SA6	*	1	P	