

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0856-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	FORMA	TION			
MODE	- I T	EST GROUP	VEHICI	LE CLASS(E	ES)		FUEL C	ATEGORY	bur.	FUEL TYPE
2020	LN	SXD05.6W9A		MDV4		DED		SINGLE FUEL HICLE		GASOLINE
- (	USEFUL	LIFE (miles)	VEH	ICLE EMIS	SION C	ATEGO	RY	INTERIM / INT	ERME	EDIATE IN-USE STD
EXH	/ORVR	EVAP	10 P	FTP		SFTP		FTP		SFTP
15	0000	150000	LEV3	SULEV170	USO	ULEV 6, SC03	, FTP	NMOG+NOX AND	PM	NMOG+NOX AND PM
SPE	CIAL FE	ATURES & EXI	AUST EMISSIC	ON CONTRO	DL		OBD S	TATUS	ENG	GINE DISPLACEMENT
1		2TWC(2), 2HO	2S, 2WR-HO2S	, DFI		FU	LL	SOME MODELS		
*	* *					PARTIAL		SOME MODELS	5.6	
*	* *					PARTIAL WITH FINES		•		
		EV	APORATIVE &	REFUELING	G (EVA	P/ORVR	) FAMILY	INFORMATION		
EVA	P/ORV	R FAMILY	EVAPORATIVE	STD CATE	GORY			SSION STD E CLASS	SP	ECIAL FEATURES
I	NSXF01	.74PBB	, L	EV 2			MC	)V4		*
10.00			1	EMISSION C	REDIT	INFORM	MATION			
	EDIT FO	OX FLEET AVE. OR EXTENDED RRANTY		REDIT FOR I		ZEV	NMOG C	REDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS
		N		N				N		N
			NMOG	AND FLEE	T AVE	RAGE IN	IFORMA	TION		
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	LDT (3751		500 GVW		+NOX FLEET ST 501-10000 GVWI (g/mi)		MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)
*	*	1.10	*		*		-	*		*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0856-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-015-0856 dated September 11, 2019.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of December 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0856-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

## **ATTACHMENT**

# **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

<b>EXHAUST EMISSION STANDARDS A</b>	ND CERTIFICATION LEVELS	(FTP, HWFE	T, 50°F, 20°F)
-------------------------------------	-------------------------	------------	----------------

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

## **FUEL TYPE**

9245900000000000000000000000000000000000		The second second second second				Contract the second		A series and the series of the			2 To the second second
		NMOG+NOx (g/mi)		대한 경우 10 전 10		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*		*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10	0.060	0.170	0.4	4.2	en router d Great Sher D	eseri 🛊 ilisi Aserias di e	trentant.	6	0.005	0.008
50°F @4K	*		*	* 25	*	100	*	PAC TENT	*		

		NMOG+N	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	ARTHUR CONTROL OF STREET, PROPERTY AND A SOCIAL PROPERTY.	25.6 C 1 Will 1623			
HWFET @ UL	GASOLINE-LEV3 E10	0.027	0.170		
20°F @ 50K	१८८४ मान्याम् अस्ति । उपायसः <b>स्</b> रायसः			*	*

#### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			US06			SC03		COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K		CERT		*			*			
@ 41.	10 10 10 10	STD	*	*			*			
		CERT	*	*	*	*	*	0.046	5.9	6
(0)	GASOLINE- LEV3 E10	STD	*	*	*	*	*	0.450	12.0	10
		BIN								

### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE	VEHICLE	EVAPORA	TIVE TESTI	NG			
EVAPORATIVE FAMILY	FUEL TYPE	3DHS (g/test) @ UL			2DHS (g/test) @ UL			RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
LNSXF0174PBB	GASOLINE- LEV3 E10	0.54	1.00	*	*	1.25	*	0.000	0.05	

## ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

,				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
LNSXF0174PBB	GASOLINE- TIER3 E10	0.06	0.20	*	*	*	*	*	*	*		



NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0856-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

EFFECTI\	/E LEAK DIAMETER STA	NDARD AND CERTIFICATION I	LEVEL (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD
AS OS AND	Table of the same of the	FATORIYANT SEEK BORESON ATTACK	er og er

this not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor: NH3S: ammonia sensor; EGR: exhaust gas recirculation: HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler: AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR: SFI/MFI: sequential/multiport fuel injection: DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

# 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	ECS	ОВО
NISSAN	NV2500 CARGO VAN	MDV4	5.6	SA7	LNSXF0174PBB	1	P
NISSAN	NV3500 CARGO VAN	MDV4	5.6	SA7	LNSXF0174PBB	1	P
NISSAN	NV3500 PASSENGER VAN	MDV4	5.6	SA7	LNSXF0174PBB	1	P
NISSAN	TITAN XD 4WD	MDV4	5.6	SA9	LNSXF0174PBB	1	F