

Executive Order: A-018-0219

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 5

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP II	NFOR	MATION						
MODE		EST GROUP		VEHIC	CLE CLASS(E				FUEL CATEGORY			FUEL TYPE		
2020	LV	VXJ02.0U70		LDT2	2, LDT3, PC	3				SINGLE FUEL HICLE	-PFI	GASOLINE		
	USEFUL	LIFE (miles)		VEI	HICLE EMISS	GORY		INTERIM / INT	ERM	EDIATE IN-USE STD				
EXH	I/ORVR	EVAP			FTP			SFTP FTP			SFTP			
15	0000	150000		LEV3	ULEV70	LEV	3 CC	OMPOSITE	1000	*		PM		
SPECIAL FEATURES & EXHAUST E SYSTEMS					ON CONTRO	L		OBD S	ST.	TATUS	ENGINE DISPLACEMENT			
1	1 TWC, WR-HO2S, HO2S, DFI, TC, CAC						-	FULL	I	ALL MODELS	1			
*	* *						Р	ARTIAL	T	*		2.0		
*			*				T 00 0 0000	TIAL WITH	1	*				
		E'	/APOI	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Υ	INFORMATION				
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						1		EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
I	LVVXR01	42E51		LEV 3	OPTION2			PC				*		
I	LVVXR01	42E61		LEV 3	OPTION2	OPTION2 PC			C		*			
I	LVVXR01	42E52	9	LEV 3	EV 3 OPTION2			LI	LDT2			*		
I	LVVXR01	42E62		LEV 3 OPTION2				, LDT2			*			
I	VVXR01	42EV4		LEV 3	LEV 3 OPTION2			LDT3			*			
					EMISSION C	REDIT	ΓINFO	RMATION		•				
	EDIT FO	X FLEET AVE. PR EXTENDED RANTY			REDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
	n n							N				N		
				NMO	AND FLEET	AVE	RAGE	INFORMA	Т	ION				
NMOĠ RAF	CH4 RAF	FTP NMOG/NMHC RATIO		O/NMHC RATIO	NMOG+NOX FLEET PC+LDT (0-3750 L (g/mi)			V) LDT	NMOG+NOX FLEET STI LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)					
*	*	1.10		* .	0	.065				0.074	*			
0 "	A 1								_					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-018-0219

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 5

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____day of J

Allen Lyons, Chief

Emissions Compliance, Automotive Regulations and Science Division



Executive Order: A-018-0219

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 5

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

FUEL TYPE

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

a (Archan) and Gra			S+NOx mi)	I .	CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		M mi)	
The operation		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*	*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- LEV3 E10 PREM	0.0232	0.070	0.70	1.7	0.012	*	*	4	0.002	0.003	
50°F @4K	GASOLINE- LEV3 E10 PREM	0.0240	0.140	0.53	1.7	*	*	*	16	12 (A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
HWFET @ UL		CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-LEV3 E10 PREM	0.0060	0.070	ACT TO PA	77, Sept. 1985	
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			0.91	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

pro over		1.7.1.1		US06		SC03	3	COM	IPOSITE	ГЕ	
7	FUEL TYPE	7.	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	*	CERT	*	*		*	*		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	92522	
		STD	*	*		*	*	11. 13.444	0.73		
		CERT	*	*	1.7	*	*	0.016	0.73	*	
@ UL	GASOLINE- LEV3 E10 PREM	STD	*	*	6	*	*	0.083	4.2	*	
1000		BIN				4.08	A SERVICE	0.090	4.21.61		



Executive Order: A-018-0219

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 5

	WHOLE VEH	IICLE EV							ION LEV	ELS		
EVADODATIVE			WI	HOLE \	/EHICLE	EVAPORA	POST VEL			RL (g/mi) (a UL	
EVAPORATIVE FAMILY	FUEL TYP	E :	3DHS (g/test) @ U			2DHS (g/test) @		@ UL		KE (g/iii) @ OE		
		CEI	CERT S		FEL	CERT	STD	FEL	CE	RT	STD	
LVVXR0142E51	GASOLINE LEV3 E10 PREM		0.2057 0.		*	0.2111	0.300	*	0.	000	0.05	
LVVXR0142E52	GASOLINE LEV3 E10 PREM	EV3 E10 0.2057		.400	*	0.2111	0.400	*	0.	000	0.05	
LVVXR0142E61	GASOLINE LEV3 E10 PREM		0.1799 0.		*	0.1710	0.300	*	0.	001	0.05	
LVVXR0142E62	GASOLINE LEV3 E1 PREM	The second secon		. 400	*	0.1710	0.400	*	0.	001	0.05	
LVVXR0142EV4	GASOLINE LEV3 E1 PREM	0 0.20		.500	*	0.1808	0.500	*		005	0.05	
ORVR / FU	EL ONLY / C	ANISTER	BLEED	EVAP	ORATIVI						/ELS	
									ISTER BLEED RIG TEST BLEED CANISTE			
EVAPORATIVE FAMILY	ORVR (g	/gallon) (Ion) @ UL		L TYPE		RIG TEST t) @ UL		DHS RIG TEST (g/test) @ UL		test) @ 4K	
	FUEL TYPE	CERT	STD	1 702	LITTE	CERT	STD	CERT	STD	CERT	STD	
LVVXR0142E51	GASOLINE- TIER3 E10 PREM		0.20	GASOLINE- LEV3 E10 PREM		*	*	*	*	0.0132	0.020	
LVVXR0142E52	GASOLINE- TIER3 E10 PREM		0.20	GASOLINE- LEV3 E10 PREM		*	*	*	*	0.0132	0.020	
LVVXR0142E61	GASOLINE- TIER3 E10 PREM	and the second	0.20	LEV	OLINE- /3 E10 PREM	*	*	*	*	0.0077	0.020	
LVVXR0142E62	GASOLINE- TIER3 E10 PREM		0.20	LEV	OLINE- 73 E10 PREM	*	*	*	*	0.0077	0.020	
LVVXR0142EV4	GASOLINE- TIER3 E10 PREM		0.20	LEV	OLINE- 73 E10 PREM	*	*	*	*	0.0116	0.020	
	EFFECTIVE	LEAK [DIAMET	ER S	TANDAF	RD AND CI	ERTIFICA	TION LEV	EL (INC	HES)	4	
EVAPORATIVE	FAMILY	LEA	K FAMI	LY		CE	RT			STD		
LVVXR0142EV4		LVVXR	142EV	1-001		0.	02		0.02			
LVVXR0142	2E51	LVVXR	142E51	L-001		0.	02			0.02		
LVVXR0142	2E52	LVVXR	142E52	2-001		0.	02		0.02			
LVVXR0142	2E61	LVVXR	142E6	L-001			*		0.02			
LVVXR0142	2E62	LVVXR	142E62	2-001			*	<u> </u>		0.02		



Executive Order: A-018-0219

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 5 of 5

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-Ū or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
VOLVO	S60 T5	PC	2.0	SA8	LVVXR0142E51	1	F
AOTAO	V60 T5	PC	2.0	SA8	LVVXR0142E51	1	F
VOLVO	V60CC T5 AWD	LDT2	2.0	SA8	LVVXR0142E52	1	F
VOLVO	V90 T5	PC	2.0	SA8	LVVXR0142E51	1	F
VOLVO	XC40 T4	PC	2.0	SA8	LVVXR0142E61	1	F
AOTAO	XC40 T4 AWD	LDT2	2.0	SA8	LVVXR0142E62	1	F
AOTAO	XC40 T5 AWD	LDT2	2.0	SA8	LVVXR0142E62	1	F
AOTAO	XC60 T5	PC	2.0	SA8	LVVXR0142E51	1	F
AOTAO	XC60 T5 AWD	LDT2	2.0	SA8	LVVXR0142E52	1	F
VOLVO	XC90 T5	LDT3	2.0	SA8	LVVXR0142EV4	1	F
AOTAO	XC90 T5 AWD	LDT3	2.0	SA8	LVVXR0142EV4	1	F