

DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT

Executive Order: A-019-0276

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODE		ST GROUP	VEHIC	_E CLASS(ES)		FUEL CATEGORY			FUEL TYPE				
2020	LP:	RXV02.9PH6		PC	PLUG-IN HYBRID ELECTRIC VEHICLE				GASOLINE					
	USEFUL	LIFE (miles)	100	VEH	ICLE EMIS	SION C	ATI	EGORY	14.030g	INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP			FTP		S	FTP	CONTROL	FTP		SFTP		
15	0000	150000	2	LEV3	ULEV70	LEV	3 (COMPOSITE	2245976	*		*		
SPE	CIAL FE	ATURES & EXI	IAUS [*]	T EMISSIO	ON CONTR	OL		OBD	S	STATUS		ENGINE DISPLACEMENT (L)		
1		2TWC, 2HO2S(2), DFI, TC, CAC								*		-		
*	*							PARTIAL		ALL MODELS	2.9			
*	*							ARTIAL WIT	Н	н *				
		EV	APOR	ATIVE &	REFUELIN	G (EVA	P/C	RVR) FAM	ILY	INFORMATION	N			
EVA	P / ORV	RFAMILY	EVAF	ORATIVE	STD CAT	EGORY	RY EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES			
I	LPRXR01	70RPH		LEV 3	OPTION2			PC				*		
				E	MISSION	CREDIT	IN	FORMATIO	N					
ALL	GRO	E FOR TEST OUP	A۱	/E. CRED	OX FLEET NMOG CREDIT EDIT FOR NON-PZEV ZEI WARRANTY EVAP			EV ZERO-	NMOG CREDIT FO		FOR	OPTIONAL EXH. STD FOR WORK TRUCKS		
*								И		И	N			
NMOG AND FLEET AVERAGE INFORMATION														
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	100 5 0 0000	O/NMHC ATIO	NMOG+NOX FLEE PC+LDT (0-3750 (g/mi)					(3751 LVW-8500	0	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	(0.01				0.074			*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT

Executive Order: A-019-0276

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _

Allen Lyons, Chief

Emissions Certification and Compliance Division

day of November 2019.



GASOLINE-TIER3 E10

PREM

LPRXR0170RPH

0.04

0.20

DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT Executive Order: A-019-0276

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS	A A I I	
EVITATION AND EVANDODATIVE ENGERIMAR STARIITADINS	: /\ NII I	

									THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	The second second second				LEVELS		
	ı	EXHA	UST EMI													
FUE		L TYF	mon adjus ORV 1000	oxide; N stment fa 'R [a HC	Ox: oxid actor; 2E /gallon d	es of nitr HS/3DH Iispensed	ogen; H0 S [g HC/ d]: on-bo	CHO: f test]: 2 ard ref	ormald 2/3 day fueling	ehyde; PN s diurnal+	/I: particul hot-soak; overy; g: (ate m RL [g gram;	atter; RA HC/mi]: mg: mill	C; CO: ca AF: reactiv running k igram; mi: I FTP	ity oss;	
			1	NMOG+I (g/mi		1	CO g/mi)			Ox /mi)	1	HCHC ng/m	1	PI (g/r		
			CE	RT	STD	CERT) (CERT STD CER		T STD		CERT	STD		
FTP@50	ok	*		*	*	*	*		*	*	*		*	*	*	
FTP@L	IL TIE	OLINI R3 E: REM		038	0.070	0.3	1.7		*	*	0	0		0.00	0.01	
50°F @4	4K	*		*	*	*	*		*	*	*		*			
				FI	JEL TYP	E				MOG+NO				CO (g/mi)		
					, C. L. I. I.				CE	CERT STD		201	CERT		STD	
HWFE	Г@ 50K				*	·				* *		61		Andrews	Military and description	
HWFE	T@UL		GAS	OLINE-	TIER3	E10 PR	EM		0.	0.006 0.070						
20°F	@ 50K	CO	LD CO E	10 PRE	MIUM G	ASOLINE	TIER	.3)					0.4 10.0			
			SFT	P EXHA	UST EN	ISSION	STANDA	RDS	AND C	ERTIFICA	TION LE	VELS	3			
						US06			SC03					OMPOSITE DX CO PM		
	FUEL T	/PE		NMOG+NOx (g/mi)		CO (g/mi)			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NO: (g/mi)		CO (g/mi)	PM (mg/mi)	
@ 4K	*		CERT	*		*				*	*					
W 711			STD	*		*	*		*		*	.V6 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
		CERT		*		*	* *		*		*	0.032		0.3	*	
@ UL	GASOLI TIER3 PREM	E10	STD	*		*	* *			*	*	0.083		4.2	*	
			BIN									0	.080	444		
		WH	OLE VEH	ICLE E	/APOR	TIVE EN	VISSION	STAN	DARE	S AND C	ERTIFICA	OITA	LEVEL	.s		
			-		W	HOLE V	EHICLE	EVAP	PORATIVE TESTING							
	ORATIVE	F	UEL TYP	E	3DHS (g/test) @	/test) @ UL			2DHS (g/test)			RL (g/mi) (@ UL	
•				CERT S		STD	FEL CE		RT STD		FEL		CERT		STD	
LPRXR0170RPH			ASOLINE IER3 E1 PREM	1	198 0	.300	*	* 0.133 0.30		0.300	* 0.		0.0	0 0.05		
	ORVR / FU	JEL (NISTE	R BLEE	DEVAPO	DRATIVE	EMIS	SSION	STANDAI	RDS AND	CER	TIFICA	TION LEV	ELS	
								FI	UEL OI	NLY EVAI	& CANI	STEF	BLEED)		
100000000000000000000000000000000000000	ORATIVE AMILY	:	ORVR (g/	gallon)	@ UL	FUEL				OHS RIG TEST (g/test) @ UL		RIG T			ANISTER est) @ 4K	
1 AMIL I		FUEL TYPE		CERT	STD			CE	RT	STD	CERT		STD	CERT	STD	



DR. ING H.C.F. PORSCHE AKTIENGESELLSCHAFT

Executive Order: A-019-0276

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
LPRXR0170RPH	LPRXR0170RPH-001	*	0.02						

t: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR; gross vehicle weight rating; LVW; loaded vehicle weight; ALVW; adjusted LVW; LEV; low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
1	PORSCHE	PANAMERA 4 E- HYBRID	PC	2.9	AMS8	LPRXR0170RPH	1	P
2	PORSCHE	PANAMERA 4 E- HYBRID EXECUTIVE	PC	2.9	AMS8	LPRXR0170RPH	1	P
3	PORSCHE	PANAMERA 4 E- HYBRID SPORT TURISMO	PC	2.9	AMS8	LPRXR0170RPH	1	P

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

1								
MODEL		UDDS AER	UDDS EAER	US06 AER	HIGHW	ZEV		
NUMBER	PHEV TYPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE	
2	. *	19.9	19.8	*	20.5	20.5	0.00	
1	*	19.9	19.8	*	20.5	20.5	0.00	
3	*	19.9	19.8	*	20.5	20.5	0.00	