

#### KIA MOTORS CORPORATION

Executive Order: A-314-0322

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	TEST GROUP INFORMATION												
MOD	_ 1 1	EST GROUP		VEHICLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE			
202	0 LF	KMXT02.0HG5 LDT2					,		SINGLE FUEL HICLE		GASOLINE		
	USEFUI	LIFE (miles)		VEH	IICLE EMISS	ION C	ATEC	ORY	INTERIM / IN	TERM	EDIATE IN-USE STD		
EX	H/ORVR	EVAP		ř.	FTP		SF	TP	FTP		SFTP		
1	50000	150000	)	LEV3	ULEV70	LEV	3 CC	MPOSITE	PM		PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS					L		OBD S	TATUS	EN	GINE DISPLACEMENT (L)			
1	WU-TW	C, TWC, WR-H	102S	, HO2S, T	C, CAC, DF	'I		FULL	ALL MODELS		. ,		
*	* *							ARTIAL	*		2.0		
*	* *						1	TIAL WITH FINES	*				
521	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EV	AP / ORV	R FAMILY	EV	APORATIVE	STD CATE	GORY	RY EVAP EMISSION STD VEHICLE CLASS SP			SPECIAL FEATURES			
	LKMXR0:	33HGG		LEV 3	OPTION2			LDT2			HCT		
				E	EMISSION C	REDIT	INFO	RMATION	Ny				
	REDIT FO	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP		PZEV NMOG CREDIT FOR DOR			~	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	ΓAVE	RAGI	INFORMA	TION				
NMOG RAF	NM()(2/NMH()   P()±11)1 (0-3/			0-375		V) LDT	NMOG+NOX FLEET STE LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	* 1.10 * 0.06				.065	0.074				*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



### KIA MOTORS CORPORATION

Executive Order: A-314-0322

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of December 2018.

#### BE IT FURTHER RESOLVED:

Vehicles certified under this Executive Order shall not be introduced into commerce before January 2, 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE-

TIER3 E10
GASOLINE-

FTP@UL

0.036

0.070

0.2

KIA MOTORS CORPORATION Executive Order: A-314-0322

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.000

0.003

## **ATTACHMENT**

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	EXHAUS	T EMISSIO	N STANDA	ARDS AND	CERTIFI	CATION L	EVELS (F	TP, HWFE	T, 50°F, 20	)°F)		
: 41354 : 42364	FUEL TYPE	monoxide; adjustmen ORVR [g l	NOx: oxid t factor; 2D HC/gallon o	les of nitro DHS/3DHS dispensed]	gen; HCH( [g HC/tes : on-board	O: formalde t]: 2/3 days refueling v	ehyde; PM s diurnal+h vapor reco	in; NMHC: : particulate ot-soak; RI very; g: gra e; SFTP: si	e matter; R _ [g HC/mij lm; mg: mil	AF: reactiv ]: running I lligram; mi:	/ity oss;	
			NMOG+NOx CC (g/mi) (g/m		_		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*	*	*	*	*	*	*	*	*	*	*	

50°F @4K	GASOL:		0.026	0.140	0.1	1.7	*	*	*	16		
				FUEL TYP	_	E10	NN	NMOG+NOx (g/mi)		CO (g/mi)		
				FUEL 11P	<b>-</b>		CE	RT	STD	CERT	STD	
HWFET @	9 50K		15.	*			*		*			
HWFET @	g UL		GASOI	INE-TIEF	R3 E10		0.0	17	0.070	44.74		
20°F @	50K	G <i>I</i>	ASOLINE-	COLD CO	LOW OCT	ANE .	3.01.5	14.285		0.3	12.5	

1.7

### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	*	*	2	*	*	0.032	0.3	*
@ UL	GASOLINE- TIER3 E10	STD	*	*	6	*	*	0.083	4.2	*
		BIN						0.070		

### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		WHOLE \						
EVAPORATIVE FAMILY		3DHS (g/test) @ UL			2DI	HS (g/test) (	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LKMXR0133HGG	GASOLINE- LEV3 E10	0.248	0.400	*	0.171	0.400	*	0.01	0.05

### ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS R (g/test		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
TAME!	FUEL TYPE	CERT	STD	TOLLTIFL	CERT	STD	CERT	STD	CERT	STD			
LKMXR0133HGG	GASOLINE- TIER3 E10	0.00	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.011	0.020			



#### KIA MOTORS CORPORATION

Executive Order: A-314-0322

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)								
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD					
LKMXR0133HGG	LKMXR0133HGG-QL1	0.00	0.02					

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle, NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

# 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
KIA	SPORTAGE AWD	LDT2	2.0	SA6	LKMXR0133HGG	1	F
KIA	SPORTAGE FWD	LDT2	2.0	SA6	LKMXR0133HGG	1	F