

MASERATI S.P.A.

Executive Order: A-078-0068

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	FORM	MATION					
MODE	1 1 1	ST GROUP	ST GROUP VEHICLE CLAS					FUEL C	ATEGORY		FUEL TYPE		
2020) LM	AXJ03.0DFI	LDT3, PC					DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ATEG	ORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EXH/ORVR EVAP			F	FTP S			FTP FTP			SFTP			
150000 150000			LEV3	LEV160 LEV 3 C			COMPOSITE *			*			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS						L		OBD \$	ATUS		NGINE DISPLACEMENT (L)		
1	2TWC, 2HO2S(2), DFI, 2TC, 2CAC							FULL	ALL MODELS				
*	*							ARTIAL	*		3.0		
*	*							RTIAL WITH *					
		E,	VAP	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	INFORMATION	1			
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						Y EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
	LMAXR01	10161		L	EV 2			I	PC		*		
				. E	MISSION C	REDIT	INFC	RMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						ZEV	NMOG C	OG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS		
	И							-	N	N			
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	CH4 RAF RAFIO RATIO RATIO RHCHO/NMHC RATIO RHCHO/NMHC RATIO RHCHO/NMHC RATIO RHCHO/NMHC RATIO RHCHO/NMHC RATIO RHCHO/NMHC RATIO				(0-3750	0 LVW) LDT		MOG+NOX FLEET STI LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)					
*	*	1.04		*	0.065			0.074	*				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



MASERATI S.P.A.

Executive Order: A-078-0068

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are certified conditionally on the manufacturer providing evaporative emissions data with E10 certification gasoline as required by Part III.F.2 of the California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles (Amended: September 2, 2015). This data must be submitted within 90 days from the effective date of this Conditional Executive Order and must indicate equivalency with E0 certification gasoline data as described in the manufacturer's request for Conditional Executive Order dated August 5, 2019.

Failure to provide the above data within the stipulated time, or failure of the data to be approved by the California Air Resources Board may be cause for the Executive Officer to rescind this conditional certification, in which case all vehicles covered under this conditional certification would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2014 day of August 2019.

Allen Wons, Chief

Emissions Certification and Compliance Division



GASOLINE -

TIER 2

UNLEADED

0.147

0.50

LMAXR0110161

MASERATI S.P.A.

Executive Order: A-078-0068 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

0.02

0.65

0.120

0.05

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			-			IDARDS A							50°F, 20°F		
	F	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP											
				NMOG+NOx (g/mi) CERT STD					NOx (g/mi) CERT STD			нсно		PM	
Artestal edit	344 113										(mg/n			(g/m	
											CERT			CERT	STD
FTP@50		*		*	*	*	*	_	*.	*	*		*	*	*
FTP@U		GASOLI TIER3 PREI	E10	0.07	0.16	50 1.4	4.	2	*	*	*		4	0.003	0.01
50°F @4		GASOLI LEV3	E10	0.11	0 0.32	20 1.8	3 4.	2	*	*	*		30		
		0.69								NMOG+NOx (g/mi)			CO (g/mi)		
					FUEL TYPE					CERT ST		CERT		STD	
HWFET @ 50K					*			* *		*					
					SOLINE-TIER3 E10 PREM					0.013 0.160) I			
20°F (@ 50	K	COLD (CO E10	PREMIUM	GASOLI	NE (TIE	R3)					2.3	1	.0.0
				SFTP E	XHAUST	EMISSIO	N STAND	ARDS	AND C	ERTIFIC	ATION LI	EVEL	.S		
			74 G		US06					SC03			COM	IPOSITE	
er e stefen de stig	FUE	L TYPI	E	NIV	IOG+NOx (g/mi)	CO (g/mi		PM g/mi)		G+NOx /mi)	CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi
0.414		*		RT *		*	*		*		*				
@ 4K						*					*			Table	
				RT			* *		*		*	* 0.07		1.5	*
	TIE	OLINE R3 E1 PREM	10000000	TD *		*		*	*		*	0.083		4.2	*
		FREM		N									0.150	1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 10	
		٧	VHOLE	VEHIC	LE EVAPO	DRATIVE	EMISSIO	N STAI	NDARE	S AND	CERTIFIC	ATIO	N LEVELS	3	
						WHOLE	VEHICLE	EVAF	ORAT	IVE TES	TING				
EVAPORATIVE		FUEL TYPE 3DHS (g/test) @ UL					2DHS (g/test) @ UL					RL (g/mi) @ UL			
F /	FAMILY				10		STD FEL CE		RT STD						



MASERATI S.P.A.

Executive Order: A-078-0068

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS											
		FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/ç	ORVR (g/gallon) @ UL			YPE		IG TEST) @ UL		RIG TEST t) @ UL		ANISTER est) @ 4K
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD
LMAXR0110161	GASOLINE - TIER 2 UNLEADED		0.20	*		*	*	*	*	*	*
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)											
EVAPORATIVE FAMILY LEAK FAMIL			Y CERT					STD			
* *			*					*			
DT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1											

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits. Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MASERATI	GHIBLI	PC ·	3.0	A8	LMAXR0110161	1	F
MASERATI	GHIBLI S	PC	3.0	A8	LMAXR0110161	1	F
MASERATI	GHIBLI S Q4	PC	3.0	A8	LMAXR0110161	1	F
MASERATI	LEVANTE	LDT3	3.0	A8	LMAXR0110161	1	F
MASERATI	LEVANTE S	LDT3	3.0	A8	LMAXR0110161	1	F
MASERATI	QUATTROPORTE S	PC	3.0	A8	LMAXR0110161	1	F.
MASERATI	QUATTROPORTE S Q4	PC	3.0	A8	LMAXR0110161	1	F