

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEI YEAR														
		EST GROUP		VEHIC	LE CLASS(E	S)		FUEL C	ATEGORY		FUEL TYPE			
2020	LK	MXV02.0BE5			PC	DEDICATED SINGLE FUEL VEHICLE				GASOLINE				
ι	JSEFUL	LIFE (miles)		VEH	ICLE EMISS	ION C	ATE	GORY	INTERIM / IN	TER	RMEDIATE IN-USE STD			
EXH	/ORVR	EVAP			FTP		SF	FTP FTP			SFTP			
15	0000	150000		LEV3	ULEV70	LEV	3 CC	OMPOSITE	PM	a	PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD STATUS			ENGINE DISPLACEMENT			
1	1 WU-TWU, TWC, WR-HO2S, HO2S, SFI							FULL	ALL MODELS	1				
*	*							ARTIAL	* ,	11	2.0			
*	* *							TIAL WITH	*		•			
		EV	APOR	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL		1				
EVA	P / ORVI	R FAMILY	EVAF	PORATIVE	E STD CATE	GORY	Y EVAP EMISSION STD VEHICLE CLASS			s	SPECIAL FEATURES			
L	KMXR01	10BEG		LEV 3	OPTION2			1	2C		HCT			
				E	EMISSION CI	REDIT	INFO	RMATION						
	EDIT FO	X FLEET AVE. R EXTENDED RANTY	1		EDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N			N N						
140				NMOG	AND FLEET	AVE	RAG	E INFORMA	TION					
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO (g/mi)											
*	*	1.10		*	0	.065			0.074		*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

Vehicles certified under this Executive Order shall not be introduced into commerce before January 2, 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of December 2018.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division



KIA MOTORS CORPORATION

Executive Order: A-314-0323 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL	TYPE

1 - C - C - C - C - C - C - C - C - C -													
			NMOG (g/i	i+NOx mi)	CO (g/mi)			NOx (g/mi)		HCHO (mg/mi)		M mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K		*	*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- TIER3 E10		0.035	0.070	0.3	1.7	*	*	*	4	0.001	0.003	
50°F @4K	GASOLINE- LEV3 E10		0.027	0.140	0.1	1.7	*	*	* *				
						NN	NMOG+NOx (g/mi)			CO (g/mi)			
				FUEL TYP	E		CE	CERT		CER	Т	STD	
HWFET @ 50K		*						*					
HWFET @ UL		GASOLINE-TIER3 E10						0.025 0.070		16			
20°F @	50K	COLD	DLD CO E10 REGULAR GASOLINE (TIER3)					the later		0.4	1	10.0	
			SFTP EXH	AUST EM	ISSION S	TANDARD	S AND CE	ERTIFICA		LS			

SETP EXHAUST EMISSION STANDARDS AND CERTIFICATION | EVELS

			5515	EXHAL	SIEM	12210N	ISTANDA	RUS ANI	CERTIFIC	ATION LE	VELS			
1.8					L	JS06			SC03		COMPOSITE			
•	FUEL TYPE		N	IMOG+NOx (g/mi)		CO PM (g/mi) (mg/mi)			lOG+NOx (g/mi)	CO (g/mi)	NMOG+NC (g/mi)	x CC (g/n		PM (mg/mi)
@4K *		С	ERT	*		*			*	*				
U		:	STD	*		*			*	*				
	@ UL GASOLINE- TIER3 E10		ERT	*	*		* 0		*		0.042	1.	7	*
@ UL			SID		*		* 6		*	*	0.083	4.	2	*
			BIN					1623			0.070			
		WHO	LE VEHI	CLE EV	APORA	TIVE E	MISSION	STANDA	RDS AND	CERTIFICA	TION LEVE	LS		
					WH	IOLE V	EHICLE	EVAPOR	TIVE TES	ΓING				
1000 C C C C C C C C C C C C C C C C C C	ORATIVE	FUEL TYPE		3	DHS (g/test) @ UL		20	OHS (g/test) @ UL		RL (g/mi)	(g/mi) @ UL		
				CER	CERT ST		FEL	CERT	STD	FEL	CE	RT		STD
LKMXI	LKMXR0110BEG GASOLINE- LEV3 E10 0.197		97 0.	.300 *		0.247	0.300	*	0.	01	0.05			
(ORVR / FUI	EL ON	NLY / CA	NISTER	BLEED	EVAP	ORATIVE	EMISSIC	N STANDA	RDS AND	CERTIFIC	TION LE	EVE	LS
								FUEL	ONLY EVA	P & CANIS	STER BLEE	D		
	ORATIVE	ORVR (g/gallon) @ UL		FUE			RIG TEST st) @ UL	100.0000000000000000000000000000000000	RIG TEST t) @ UL	The contraction of the second se				
		FUEI	L TYPE	CERT	STD			CERT	STD	CERT	STD	CERT		STD
LKMXI	R0110BEG	1.71.00000000000000000	DLINE- R3 E10	0.04	0.20	100000000000000000000000000000000000000	OLINE- 73 E10	*	*	*	*	0.004		0.020

CALII AIR RESO	FORNIA urces board		KIA MOTORS CORPORATION		Executive Order: A-314-0323 ssenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4								
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE FAMILY	LEAK FAMILY		CER	Г	STD								
LKMXR0110BEG	LKMXR0110BEG-SE	KA	0.00	0	0.02								
LDT<6000#GVWR,3751-5750 8500#ALVW; MDV: medium-o duty passenger vehicle; HDV: emission limit; GVWR: gross ULEV: ultra LEV; SULEV: sup ADSTWC: adsorbing TWC; H SCRC/SCR-N or SCRC-NH3: continuous/periodic trap oxidiz heated/oxygen sensor; WR-H RDQS: reductant quality sens secondary air injection (belt di direct/indirect fuel injection; TO fines on-board diagnostic; DO suffix: series; CNG/LNG: com F10: "10%" ethanol ("90%"ga	*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751- 8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: medium- duty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-wayloxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$; full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission												

automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL	YEAR:	VEHICLE MODELS INFORMATION
------------	-------	----------------------------

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
KIA	SOUL	PC	2.0	м6	LKMXR0110BEG	1	F