

### KIA MOTORS CORPORATION

Executive Order: A-314-0324

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	TEST GROUP INFORMATION												
MODEL YEAR TEST GROUP				VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2020	2020 LKMXV01.6BC5 PC							DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFUL	LIFE (miles)		VEH	VEHICLE EMISSION CATEGORY				INTERIM / IN	TERM	ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP			FTP S			FTP FTP			SFTP		
15	50000	15000	)	LEV3	3 ULEV70 LEV 3 COMP			MPOSITE	PM		PM		
SPE	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1	1 WU-TWC, TWC, WR-HO2S, HO2S, DFI, TC, CAC							FULL	*				
*	* *						P	ARTIAL	ALL MODELS	1.6			
* *								RTIAL WITH *					
		E	VAP	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	INFORMATIO	N			
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						′		EVAP EMISSION STD VEHICLE CLASS SPECIAL FEATURE				
	LKMXR01	15BCG		LEV 3	OPTION2			. I	PC .	HCT			
				E	MISSION C	REDI	T INFO	RMATION	\$				
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY  NMOG CREDIT FOR NO ZERO-EVAP						ZEV	I KIMOG COLDII LOD DOD			OPTIONAL EXH. STD FOR WORK TRUCKS		
	и							N N					
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	NMOG/NMHC   PC+111 (0-3/F				0-375		V) LDT	a time a second second at 5 sections of a section of the second of the s					
*	*	1.10		* 0.065					0.074		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



#### KIA MOTORS CORPORATION

Executive Order: A-314-0324 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BF IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

day of December 2018.

BE IT FURTHER RESOLVED:

Vehicles certified under this Executive Order shall not be introduced into commerce before January 2, 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division



GASOLINE-

TIER3 E10

0.02

0.20

LKMXR0115BCG

KIA MOTORS CORPORATION

Executive Order: A-314-0324

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.002

0.020

# **ATTACHMENT**

	EXI			AND E													
	F	UEL		CH4: mono adjus ORV 1000	methan oxide; No stment fa R [g HC	e; NMO Ox: oxid actor; 20 /gallon o	G: non-( es of nit )HS/3DH dispense	CH4 orga rogen; H0 IS [g HC/ d]: on-bo	nic ga CHO: f test]: 2 ard ref	s; HC: formalo 2/3 day fueling	hydrocar dehyde; P ys diurnal- vapor red	(FTP, HW) con; NMH M: particu hot-soak; covery; g: ure; SFTP	C: no late n RL [ gram	n-CH4 H natter; R/ g HC/mi] ; mg: mill	C; CO: ca AF: reactive running le igram; mi:	rity oss;	
- 3			N		NMOG+NOx (g/mi)		CO (g/mi)		-	NOx (g/mi)		1	HCHO (mg/mi)		PM (g/mi)		
				CE		STD	CERT		,	CERT	STD	CER		STD	CERT	STD	
FTP@5	0K	*		,	+	*	*	*		*	*	*		*	*	*	
FTP@L	11 1	ASOI IER3		100	050	0.070	0.6	1.7		*	*	*	4		0.001	0.003	
50°F @	121	ASOI 'IER3		1 0 1	048	.140	0.6	1.7		*	*	*		16			
7.5					FU	FUEL TYPE			NMOG+NOx (g/mi)					(g/mi)			
					FOEL TTP		-		С	ERT STD		_	CERT	-	STD		
HWFET @ 50K					*					*	*						
HWFET @ UL GAS				SASOLIN	SOLINE-TIER3 E10			0.032 0.070									
20°F	@ 50K		COL	D CO E				•		\$ - \$ B				0.7		10.0	
				SFTF	EXHA		ISSION JS06	STANDA	RDS	AND (	SC03	ATION LE	VEL		MPOSITE		
	FUEL	FUEL TYPE		N	NMOG+NOx		CO PM (g/mi) (mg/mi			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)			PM (mg/mi	
@ 4K		*		CERT * *			* *		*								
0				STD	*		*				*	*	-				
		GASOLINE- TIER3 E10		CERT	*		*	2			*	*	C	0.054	0.7	*	
@ UL				STD	*		*	6		181	*	*		0.083	4.2	*	
				BIN								Barry Ba		0.070			
			WHC	DLE VEHI	CLE EV							ERTIFICA	OITA	N LEVEL	.S		
EVAPORATIVI FAMILY		FUEL LYPE		WHOLE VEHICLE EVAI  PE 3DHS (g/test) @ UL			LVAF	2DHS (g/test) @ UL			,	RL (g/mi) @ UL					
						CERT STD		FEL	CERT		STD	FEL		CER	т	STD	
LKMXR0115BC		всс		SOLINE- UV3 E10 0.250 0			. 300	* 0.186		86	0.300 *			0.01 0.0		0.05	
	RVR /	/ FUE	L O	NLY / CA	NISTER	BLEE	EVAP	DRATIVE	EMIS	SION	STANDA	RDS AND	CEF	RTIFICAT	ION LEV	ELS	
EVAP	ORATI	IVE	0	RVR (g/ç	gallon) (					JEL ONLY EVAP & CANISTE HS RIG TEST   2DHS RIG							
FAMILY						T ===	FUEL TYPE			(g/test) @ UL					EST (g/test) @ 4K		
			FUEL TYPE C		CERT	STD			CE	OT I	STD	CERT	- 1	STD	CERT	STD	

GASOLINE-

LEV3 E10



### KIA MOTORS CORPORATION

Executive Order: A-314-0324

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)								
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD					
LKMXR0115BCG	LKMXR0115BCG-SKA	0.00	0.02					

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

## 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
r	KIA	SOUL	PC	1.6	AMS7	LKMXR0115BCG	1	P