

Executive Order: A-040-0099-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP IN	IFORI	MATION					
MOD		EST GROUP		VEHIC	LE CLASS(E	S)		FUEL C	ATEGORY		FUEL TYPE		
202	0 Li	FEXV03.9TUR			PC	·4.	1	11	SINGLE FUEL	1	GASOLINE		
	USEFU	L LIFE (miles)		VEH	IICLE EMISS	ION C	ATEC	ORY	INTERIM / IN	TEI	RMEDIATE IN-USE STD		
EX	H/ORVR	EVAP		200	FTP		SF	TP	FTP		SFTP		
1	50000	150000)	LEV3	ULEV125	LEV	3 CC	MPOSITE	*	- /	PM .		
SP	ECIAL F	EATURES & EX	HAL		ON CONTRO	L	3	OBD S	TATUS	-6E87 155	ENGINE DISPLACEMENT (L)		
1	217	WC, 2HO2S(2)	, DI	FI, 2TC, 2	CAC, AIR	000		FULL	SOME MODELS	55			
2	2 2TWC, 2HO2S(2), DFI, 2TC, 2CAC, AIR, 2CGPF PARTIAL SOME MODELS								3.9				
*	* * .						PARTIAL WITH FINES		*				
		E	/AP	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMILY	INFORMATIO	N			
EV	AP / OR\	/R FAMILY	EV	'APORATIVE	STD CATE	GORY			SSION STD E CLASS		SPECIAL FEATURES		
	LFEXR0	175149		L	EV 2			E	PC	T	*		
		:-		E	EMISSION C	REDIT	INFC	RMATION					
	REDIT F	OX FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP		ZEV	NMOG C	REDIT FOR DO	R	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		И		
				NMOG	AND FLEE	T AVE	RAGE	INFORMA	TION				
NMO(FTP NMOG/NMHO RATIO	Н	CHO/NMHC RATIO	NMOG+NO PC+LDT (/) LDT	+NOX FLEET S (3751 LVW-850 R) + MDPV (g/m	0	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.125			0.125		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-040-0099-1

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-040-0099 dated May 21, 2019.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of September 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division



Executive Order: A-040-0099-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/i		C (g/	O mi)	N((g/	Ox mi)	HC (mg		-	M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.048	0.125	0.5	2.1	*	*.	0	4	0.002	0.003
50°F @4K	GASOLINE- TIER3 E10 PREM	0.0881	0.250	0.45	2.1	*	*	0	16		

	FUEL TYPE	NMOG+N	lOx (g/mi)	CO (g/mi)
	FUELTIPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.020	0.125	4. 图题图	ARRITATION
20°F @ 50K	COLD CO E10 PREMIUM GASOLINE (TIER3)			0.8	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		2000年		US06	1 1	SC03	3	CON	IPOSITE	
4975, 42	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*		n mario estre also	a selepholomorphy des
1.		STD	*	* *	1.140	*	*	736	LAA	
,	-	CERT	*	*	3	*	*	0.070	0.82	*
@ UL	GASOLINE- TIER3 E10 PREM	STD	*	*	6	*	*	0.083	4.2	*
	1 × 1	BIN						0.080	real part of	

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE \	@ UL RL (g/mi) @ UL FEL CERT STD					
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) @	D UL	2DI	HS (g/test) (@ UL	RL (g/n	1i) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LFEXR0175149	GASOLINE - TIER 2 UNLEADED	0.22	0.50	*	0.22	0.65	*	0.01	0.05



Executive Order: A-040-0099-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @) UL	FUEL TYPE	3DHS RI (g/test)		2DHS R (g/test	and the state of t	BLEED C TEST (g/t	ANISTER est) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
LFEXR0175149	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	i di ak ng t adi nga kan	391 *- 1	1 11 6 0× 1 2	*	*	*			
	EFFECTIVE I	LEAK D	IAMET	ER STANDAR	D AND CE	RTIFICA	TION LEV	EL (INC	HES)				
EVAPORATIVE	FAMILY	LEA	K FAMIL	_Y	CEF	RT			STD				
*			*		*				*				

t: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FERRARI	488 PISTA	PC	3.9	AMS7	LFEXR0175149	1	F
FERRARI	488 PISTA SPIDER	PC	3.9	AMS7	LFEXR0175149	1	F
FERRARI	F8 TRIBUTO	PC	3.9	AMS7	LFEXR0175149	2	P
FERRARI	GTC4LUSSO T	PC	3.9	AMS7	LFEXR0175149	1	F
FERRARI	PORTOFINO	PC	3.9	AMS7	LFEXR0175149	. 1	···F