

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	FOR	MATION					
MOD YEA		EST GROUP	ST GROUP VEHICLE CLASS(ES)					FUEL C	ATEGORY		FUEL TYPE		
202	20 LRRGV06.7N74 PC								SINGLE FUEL HICLE		GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ATE	MEDIATE IN-USE STD					
EXH/ORVR EVAP FTP					FTP		SFTP FTP				SFTP		
1	150000 150000 LEV3 ULEV125 L						3 C(OMPOSITE	*		РМ		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	E	ENGINE DISPLACEMENT (L)		
1	1 2TWC, 2WR-HO2S, 2HO2S, DFI, 2TC, 2CAC							FULL	*				
*	* *							ARTIAL	*		6.7		
*	* *							RTIAL WITH ALL MODELS					
		E	VAPO	ORATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	(INFORMATIO	N ,			
EV	AP / OR\	R FAMILY	EV	APORATIVE	E STD CATE	GORY		EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	LRRGR0	170RR1	L	EV 3 OPTI	ON2 WITH	FEL			°C		*		
				. 1	EMISSION CI	REDIT	INFO	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ZEV				OPTIONAL EXH. STD FOR WORK TRUCKS		
N N									N	N			
				NMOG	AND FLEET	AVE	RAG	INFORMA	TION				
NMOO RAF					0-375				D	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		*	0	.065		0.074 *					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



ROLLS-ROYCE MOTOR CARS, LTD. Executive Order: A-048-0075 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have four (4) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy-five dollars (\$75) per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to California Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 3/57 day of July 2019.

Allen Eyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

GASOLINE-

TIER3 E10

0.190

0.300

LRRGR0170RR1

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity

monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

	1.0																	
					NMOG+NOx (g/mi)			CO (g/mi)			NOx g/mi)		HCH (mg/			PM (g/mi)		
			Ī	CERT	ST	D	CERT	ST	D	CERT	STD	CEF	RT	STD	CERT	STD		
FTP@5	FTP@50K *			*	. *		*	*		*	*	*		*	*	*		
FTP@l	TP@UL GASOLINE- TIER3 E10			0.046	0.1	25	0.2	2.	1	*	*	* *		4	0.002	0.003		
50°F @4K GASOLINE- TIER3 E10			0.039	0.2	50	0.2	2.	1	*	*	* *		16					
					FUEL	TVDE	_			N	IMOG+N	Dx (g/mi)		(CO (g/mi)		
					FUEL	TYPE				CERT STD				CERT		STD		
HWFET @ 50K				*		2 M			* *				ana maren	an a				
HWFET @ UL				GAS	OLINE-	TIER	3 E10			0.007 0.125								
20°F	@ 50K	co	DLD C	O E10	REGULA	R GAS	SOLIN	E (TIE	R3)	Sector Alter States		0.5 10.0		10.0				
				SFTP E	XHAUST	EMI	SSION	STAND	ARDS	AND C	CERTIFIC	ATION L	EVEL	_S				
			1	US06					SC03			CON	IPOSITE					
	FUEL T	YPE			DG+NOx g/mi)		CO (g/mi)			NMOG+NOx (g/mi)		CO N (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)		
@ 4K	*	*		т	*		*				*	*						
0)	*		*	1.00			*	*						
		GASOLINE- FIER3 E10 BIN		CERT		T *			*		5	· ·	*.	*		0.036	0.2	*
@ UL) *			* 6		6		*	*		0.083	4.2	*		
														0.120				
		WH	OLE	VEHICL	E EVAP	ORAT		MISSION	STA	NDARD	S AND C	ERTIFIC	ATIC	N LEVELS	5			
EVAPORATIVE FAMILY FUEL			WHOLE VEHICLE EVAP					PORATIVE TESTING										
					3DHS (g/test) @ UL				2DH	S (g/test)	@ UL		RL	(g/mi) @	UL			
					CERT	S	TD	FEL	CE	RT	STD	FE	L	CERT		STD		
			California a substantia and				and a second											

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

0.252

0.300

0.400

0.01

0.05

0.400

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	DUL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
LRRGR0170RR1	GASOLINE- TIER3 E10	0.06	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.012	0.020			

CALIFORNIA

ROLLS-ROYCE MOTOR CARS, LTD. Executive Order: A-048-0075 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)								
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD					
LRRGR0170RR1	LRRGR0170RR1-001	0.01	0.02					

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION											
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD				
ROLLS ROYCE	CULLINAN	PC	6.7	SA8	LRRGR0170RR1	1	\$				
ROLLS ROYCE	CULLINAN BLACK BADGE	PC	6.7	SA8	LRRGR0170RR1	1	\$				
ROLLS ROYCE	PHANTOM	PC	6.7	SA8	LRRGR0170RR1	1	\$				
ROLLS ROYCE	PHANTOM EWB	PC	6.7	SA8	LRRGR0170RR1	1	\$				