

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION						
	MODEL TEST GROUP VEHICLE CLAS					S)		FUEL C	ATEGORY		FUEL TYPE			
2020 LJLXJ02.ORTX			L	LDT2, PC			DEDICATED SINGLE FUEL VEHICLE			GASOLINE				
	USEFUL	LIFE (miles)		VEH	IICLE EMISS	ION C	ATEC	GORY	INTERIM / IN	TERM	ERMEDIATE IN-USE STD			
EXH	/ORVR	EVAP			FTP		SF	TP	FTP		SFTP			
15	0000	150000	)	LEV3	SULEV30			SULEV	II PM		PM			
SPE	CIAL FE	ATURES & EX			ON CONTRO	L		OBD S	TATUS	EN	IGINE DISPLACEMENT (L)			
1	TWC	, WR-H02S,	HO2S	(2), DFI,	TC, CAC			FULL	ALL MODELS		2 F			
*			*					ARTIAL	*		2.0			
* *						61	- 27 - 2828 - 2026 - 263	TIAL WITH FINES	*					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORVI	RFAMILY	EVA	PORATIVE	STD CATE	GORY			SSION STD E CLASS	SF	PECIAL FEATURES			
I	JLXR01	40P1Z		LEV 3	OPTION2	PTION2 LDT2			)T2		*			
I	JLXR01	60P1Z		LEV 3	OPTION2	N2 P <sub>c</sub>			*					
				E	EMISSION CI	REDIT	INFC	RMATION						
	EDIT FO	K FLEET AVE. R EXTENDED RANTY			EDIT FOR N ZERO-EVAP	EDIT FOR NON-PZEV			REDIT FOR DO		OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N				N		N			
		-		NMOG	AND FLEET	<b>TAVE</b>	RAGE		TION					
			NMOG+NOX FLEET S PC+LDT (0-3750 LVW (g/mi)											
*	*	1.10		0.02	0	.065			0.074		*			
See the	o Attooh	mont for Vahi		Indela Eu	anorativo Ec	milu	Engi	no Dianlago	mont Emissio	n Cor	atrol Systems Phase			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



JAGUAR LAND ROVER LIMITED

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of February 2019.

Annette Hebert, Chief *H*<sup>2</sup>Emissions Compliance, Automotive Regulations and Science Division



FUEL TYPE

JAGUAR LAND ROVER LIMITED Executive Order: A-409-0063 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 5

## ATTACHMENT

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG+NOx (g/mi)		CO (g/mi)			Ox mi)	HC (mg			
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K		*	*	*	*	*	*	*	*	*	*	*
FTP@UL		OLINE- V3 E10	0.020	0.030	0.6	1.0	*	*	0	4	0.002	0.003
50°F @4K		OLINE- V3 E10	0.017	0.060	0.4	1.0	, <b>*</b>	*	1	8		
	(1. 水市) (風景)				E		N	IOG+N	Ox (g/mi)		CO (g/mi	)
内部同时			3	FUEL TYP	<b>-</b>		CE	RT	STD	CEF	RT	STD
HWFET @	) 50K			*				*	*		新た うち	体的内心
HWFET @	) UL		GASO	LINE-LEV	3 E10		0.0	07	0.030			
20°F @	50K		GASO	LINE-LEV	3 E10				1.11月1日日	1.	2	10.0

### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

15054752	[		4.494			11000				0.00		1	-		
1990年						US06			S	C03			CON	IPOSITE	
	FUEL TY	PE		NM	OG+NOx	co	P	M I	NMOG+N	Ox	CO	NMC	G+NOx	CO	PM
					(g/mi)	(g/mi)	(mg	g/mi)	(g/mi)		(g/mi)	(	g/mi)	(g/mi)	(mg/mi)
@ 4K	*		CERT	2	*	*			*		*		新的 字:		
U			STD		*	*	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		*		*		i and an	***	i Aligheria
			CERT	. (	0.028	1.8		0	0.011		2.1		*	*	*
@ UL	GASOLIN LEV3 E1		STD	C	0.050	9.6		6	0.020		3.2		*	*	*
	·		BIN							1948 - H	waya yaq		*		i instruction
		WH	OLE VE	HICL	E EVAP	ORATIVE E	MISSION	STAN	DARDS AN	ND CE	ERTIFIC	ATIO	LEVELS	;	-
					~	WHOLE \	/EHICLE	EVAPO	RATIVE T	ESTI	NG				
		F	UEL TY	ΡE	3DH	S (g/test) @	DUL		2DHS (g/1	test) (	@ UL		RL	(g/mi) @	UL
	~				CERT	STD	FEL	CER	T ST	D	FEL	-	CERT		STD
LJLXF	R0140P1Z		ASOLIN LEV3 E		0.227	0.400	*	*	0.4	100	*	-	0.00		0.05
LJLXF	R0160P1Z		ASOLIN LEV3 E		0.238	0.300	*	*	0.3	800	*		0.00		0.05

A	CALIF	ORM		JAGU	JAR LA	ND ROVEF	R N		nger Cars, I	er: A-409-0 Light-Duty <sup>-</sup> Medium-Dut	Trucks and ty Vehicles		
											age 4 of 5		
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
	FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS RIG TEST (g/test) @ UL			IG TEST ) @ UL				
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	Page 4 TION LEVELS BLEED CANIS TEST (g/test) CERT S 0.018 0. 0.010 0. ES) STD 0.02 0.0	STD		
LJLXR0140P1Z	GASOLINE TIER 2 UNLEADED	0.01	0.20	GASOL LEV3		*	*	*	*	0.018	0.020		
LJLXR0160P1Z	GASOLINE - Z TIER 2 0.01 0.20 UNLEADED		0.20	GASOLINE- LEV3 E10		*	*	*	*	0.010	0.020		
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE			K FAMII						STD				
LJLXR0140	P1Z	LJLXRO	140P1Z	z-001 *						0.02			
LJLXR0160			160P1Z										
*: not applicable; # LDT<6000#GVWF 8500#ALVW; MDV duty passenger ve emission limit; GV ULEV: ultra LEV; ADSTWC: adsorb SCRC/SCR-N or \$ continuous/period heated/oxygen se RDQS: reductant secondary air inje direct/indirect fuel fines on-board dia suffix: series; CNO E10: "10%" ethan continuously varia automated manua	R,3751-5750 /: medium-du shicle; HDV: I WR: gross ve SULEV: supe ing TWC; HA SCRC-NH3: s ic trap oxidiz nsor; WR-HC quality senso ction (belt dri injection; TC gnostic; DOF S/LNG: comp blo transmis	#LVW; LD uty vehicle neavy-duty ahicle weig ar ULEV; Z Sciective c ar; DPF: d D2S or AFS or; NH3S: a ven)/(elective /SC: turboo R: direct oz orressed/liq oline) fuel; scor: SCV;	T3: LDT ; MDV4: v vehicle ght rating EV: zero sorbing of atalytic r desel par 5: wide r ammonia tric drive /super c cone red uefied na A: autor	6001-850 MDV 850 ; ECS: en g; LVW: lo pernission catalyst; V reduction- ticulate fil ange/line: a sensor; l n); PAIR: harger; C ucing; HC atural gas matic (with	JU#GVVI D1-1000 nission ( paded ve n vehicle VU: war -urea/an lter (acti ar/heate EGR: e) pulsed EGR: cha CT: hydr s; LPG: I h lockup wouslav	VR,3751-57 0#GVWR; I control syst ehicle weigh e; TZEV: tra m-up cataly nmonia; NH ve); GPF: f ad air-fuel ra khaust gas AIR; SFI/M arge air coo ocarbon tra iquefied pe o); M: manu variable tra	MDV5: MD em; CERT: ht; ALVW: a ansitional Z yst; NAC: N I3OC: amm PM filter for atio sensor; recirculatio FI: sequen ler; FFH: fL p; BCAN: t troleum ga: all transmission:	V 10001-1/ c certificatio (EV; TWC// IOx adsorp nonia oxida spark-igni ; NOXS: N/ n; EGRC: tial/multipo Jel fired he Jeled carbo s; E85: "85 ssion; SA: s AM: autom	4000#GVW 4000#GVW hon; STD: sta /W; LEV: Ic OC: 3-way/ tion catalys ted engine; Ox sensor; EGR coolei rt fuel injec ater; F/P/\$: on canister; %" ethanol semi-autom nated manu	/R; MDPV; andard; FEI oxidizing ca st; SCR-U o st; CTOX/P HO2S/O2S PMS: PM s r; AIR/AIRE tion; DFI/IF full/partial/ prefix 2: pa ("15%"gas latic transmis	medium- L: family n vehicle; atalyst; TOX: Sensor; L: partial with arallel; (2) oline) fuel; ission; CV: sion; AMS:		

continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; A automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for
some/select models

	2020 MODEL Y	EAR: VEI	HCLE WIG	JDELS INF	URIVIATION		
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JAGUAR	F-PACE 25T	LDT2	2.0	SA8	LJLXR0140P1Z	1	F
JAGUAR	F-PACE 30T	LDT2	2.0	SA8	LJLXR0140P1Z	1	F
JAGUAR	F-TYPE P300	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XE 25T	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XE 25T AWD	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XE 30T	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XE 30T AWD	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XF 25T	PC	2.0	SAŚ	LJLXR0160P1Z	1	F
JAGUAR	XF 25T AWD	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XF 30T	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XF 30T AWD	PC	2.0	SA8	LJLXR0160P1Z	1	F
JAGUAR	XF 30T AWD SPORTBRAKE	PC	2.0	SA8	LJLXR0160P1Z	1	F
LAND ROVER	RANGE ROVER VELAR P250	LDT2	2.0	SA8	LJLXR0140P1Z	1	F

# 2020 MODEL YEAR: VEHICLE MODELS INFORMATION



JAGUAR LAND ROVER LIMITED

Executive Order: A-409-0063 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 5 of 5

# 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
LAND ROVER	RANGE ROVER VELAR P300	LDT2	2.0	SA8	LJLXR0140P1Z	1	F

