A	CALIFOR AIR RESOURCES	NIA
ALLY	AIR RESOURCES	BOARD

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	NFOR	MATION					
MODEL	- I T	EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2020	2020 LLDRD06.2C10 MDV4						DEDICATED SINGLE FUEL VEHICLE			CO	COMPRESSED NATURAL GAS		
USEFUL LIFE (miles) VEHICLE EMISSION							ATE	GORY	INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXH/	/ORVR	EVAP	FTP SF				FTP FTP			SFTP			
						US0	V3 ULEV (FULL 06, SC03, FTP * TEST CYCLE)				*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TATUS	ENGINE DISPLACEMENT			
1		2TWC, 2WR	H02S	, 2H02S,	SFI			FULL	ALL MODELS				
*			*				F	PARTIAL *		6.2			
*. *							PAR	TIAL WITH	*				
		E	VAPO	RATIVE &	REFUELING	(EVA	P/OR	VR) FAMILY	INFORMATION				
EVAF	P / ORV	RFAMILY	EVA	PORATIVI	E STD CATE	GORY	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
L	LDRF00	00C10			*			*			*		
				I	EMISSION CR	REDIT	INFO	ORMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ON-P2	ZEV NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
N N									N		N		
				NMOG	AND FLEET	AVE	RAG	E INFORMA	<b>FION</b>				
				/W-85	00 G				IOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	*	1.0		*		*			*		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 5774 day of June 2020.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

LANDI RENZO USA

### ATTACHMENT

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

_																		
			Γ		G+NOx (mi)			CO /mi)			Ox 'mi)		HC (mg			Pi (g/r		
				CERT	ST	D	CERT	ST	D	CERT	STE	) CI		STD	CE	RT	STD	
FTP@5	OK	*		*	*		*	*		*	*		*	*		*	*	
FTP@	ULCI	NG-EI	PA	0.175	0.2	00	0.86	4.	2	*	*		0	6	0.0	0032	0.008	
50°F @	4K	*		*	*		*	*		*	*		*	*	1	1		
					FUEL	TVDE				N	IOG+N	Ox (g/m	ni)		CO	(g/mi)		
					TULL					CE	RT	ST	D	CEI	RT		STD	
HWFE	T @ 50K				*	ł				1		*						
HWFE	T @ UL				CNG-	EPA				0.1	.44	0.2	00					
20°F	@ 50K				1									*			*	
			S	FTP EX	HAUST	EMISS	SION S	TAND	ARDS	AND CI	RTIFIC	ATION	LEVE	LS				
						USC	06				SC03			C	OMPO	MPOSITE		
	FUEL T	YPE			NMOG+NOx				M /mi)	NMOG				AOG+NO		CO	PM	
				(9	/mi)		/mi)	(mg	//////	(g/ı		(g/mi		(g/mi)	(9	g/mi)	(mg/mi	
@ 4K	*		CERT		*		*			*		*						
			STD		*		*			*		*						
			CERT		*		*	,	*	*		*		0.311	4	.26	9.2	
@ UL	CNG-E	PA	STD		*		*	,	*	*		*		0.800	22.0		10	
			BIN											*				
		WH	OLE V	EHICLE	EVAP								CATIO	ON LEVE	LS			
		_		-					EVAP	ORATIV					l (alr	ni) @	LIL.	
	EVAPORATIVE FAMILY FUEL TYPE					S (g/tes	st) @ L	JL		2DHS (g/test) @ UL						. (g/mi) @ UL		
					CERT	STD		FEL	CE	RT	STD	F	EL	CE	RT	r std		
	70000C1		*		*	*		*	k		*		*	*			*	
C	DRVR / F	UEL C	ONLY /	CANIST	TER BL	EED E	VAPOR	RATIVE	EMIS	SSION S	TANDA	RDS A	ND CE	RTIFICA	TION	LEVE	LS	
			_											R BLEE				
	ORATIVE		ORVR	(g/gallo	n) @ U	1				HS RIG TEST g/test) @ UL		2DHS RIG (g/test) @				ED CANISTER (g/test) @ 4K		
.,		FU	EL TY	PE CE	RTS	TD				RT	STD					RT	STD	
	*		*	*		*	*			*	*	*		*	*		*	
		EFF	ECTIV	E LEA	K DIAI	NETER	R STA	NDAR	DAN	ID CER	TIFICA	TION	EVEL	(INCH	ES)			
EVAR	ORATIV	EFA	MILY	A LEAK FAMILY CERT ST					STD									

\*

\*

\*

\*

A	RESO	F	O	R	NBO	I A ARD

Executive Order: A-400-0031 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2; DT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister: prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM; automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits. S = credits for some/select models.

## 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
LANDIRENZO USA	FORD F250 2WD BED DELETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F250 4WD BED DELETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F250 PICKUP 2WD	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F250 PICKUP 4WD	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 2WD BED DELETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 2WD INCOMPLETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 4WD BED DELETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 4WD INCOMPLETE	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 PICKUP 2WD	MDV4	6.2	SA6	LLDRF0000C10	1	F
LANDIRENZO USA	FORD F350 PICKUP 4WD	MDV4	6.2	SA6	LLDRF0000C10	1	F