

VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0156

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFORI	MATION					
MODE	I T	EST GROUP		VEHIC	LE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE		
2020	D FA	LVGAV02.0AAB PC					PC DEDICATED SINGLE : VEHICLE			GASOLINE			
	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	ION C	ATE	ORY	INTERIM / IN	TER	MEDIATE IN-USE STD		
EXI	I/ORVR	EVAP			FTP	L.	SF	TP	FTP		SFTP		
1	50000	150000		LEV3	ULEV125	LEV	3 CC	MPOSITE	PM		PM		
SPE	CIAL FE	ATURES & EXI	HAUS TEMS		ON CONTRO	L description		OBD S	TATUS		ENGINE DISPLACEMENT (L)		
1	WU-TWC, TWC, WR-HO2S, HO2S, DFI, TC, CAC							FULL	*	TOTAL STATE OF			
*			*			0.00	Р	ARTIAL	ALL MODELS	2.0			
*	*							TIAL WITH FINES	*				
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EVA	AP / ORV	R FAMILY	EVA	PORATIVE	STD CATE	GORY			SSION STD E CLASS	;	SPECIAL FEATURES		
	LVGAR01	10ACA	LE	V 3 OPTI	3 OPTION2 WITH FEL			PC			*		
				ı	EMISSION CI	REDIT	INFO	RMATION					
1	REDIT FO	X FLEET AVE. OR EXTENDED RRANTY			EDIT FOR N ZERO-EVAP	ON-P	I-PZEV NMOG CREDIT FOR DOR			R	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	MOG/NMHC   HCHO/NMHC   PC+LDT (0-37			0-375							
*	*	1.10	0 0.03 0.06			.065		0.074			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0156

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of October 2019.

J Toures

Emissions Certification and Compliance Division



VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0156

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

# **ATTACHMENT**

## **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

	EXHA	1051	ANL	EVAP	UKAIII	VE EMISS	NON STAI	NDAKL	19 ANI	JUERII	FICATION	LEVELS	)
	-	EXH	AUST	EMISSIO	N STAND	DARDS AN	D CERTIFIC	ATION L	EVELS	(FTP, HW	FET, 50°F, 20	°F)	
	FUE	L TYI	r	nonoxide; djustmen DRVR [g I	NOx: ox it factor; 2 HC/gallor	ides of nitro 2DHS/3DHS dispensed	gen; HCHO: [g HC/test]: ]: on-board re	formalde 2/3 days efueling	ehyde; F s diurnal vapor re	M: particu +hot-soak covery; g:	IC: non-CH4 Fulate matter; R ; RL [g HC/mi] gram; mg: mil e: supplementa	AF: reactive: running le ligram; mi:	vity oss;
					S+NOx mi)		(mi)		Ox mi)	1	HCHO mg/mi)		M mi)
				CERT	STD	CERT	STD	CERT	STD	CER	T STD	CERT	STD
FTP@50	K	*		*	*	*	*	*	*	*	*	*	*
FTP@UL	L TIE	OLIN R3 E PREM	200	0.0446	0.125	0.28	2.1	*	*	0.6	4	0.0000	0.003
50°F @4	K TIE	OLIN R3 E PREM	-	0.0567	0.250	0.24	2.1	*	*	1.1	16		
	(1) <b>在</b> 图			9	FUEL TV	/DE		NI	IOG+N	Ox (g/mi)		CO (g/mi)	)
e de la companya de l					FUEL TY	PE		CE	RT	STD	CER	Т	STD
HWFET	@ 50K		·		*			, , ,	/	*			
HWFET	@ UL			GASOLIN	E-TIER3	B E10 PRE	м	0.0	101	0.125			and the second
20°F @	50K			GASOLIN	E-TIER3	B E10 PRE	м				0.40	,	10.0
		-	1	FTP EXH	HAUST E	MISSION S	TANDARDS	AND C	ERTIFIC	ATION LI	EVELS		
						US06		:-	SC03		CC	MPOSITE	
	FUEL T	YPE		(2)	G+NOx mi)	CO (g/mi)	PM (mg/mi)	(D)(()()()()()()()()()()()()()()()()()(	+NOx mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*		CERT	-	*	*			k .	*			

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*		0.27	
		CERT	*	*	1.0	*	*	0.0303	0.27	*
@ UL	GASOLINE- TIER3 E10 PREM	STD	*	*	6	*	*	0.083	4.2	*
		BIN					14.0 起源	0.110		

-	WHOLE VEHICL	E EVAP	DRATIVE E	MISSION	STANDAR	DS AND CE	RTIFICATIO	N LEVELS	
	FUEL TYPE		WHOLE \						
EVAPORATIVE FAMILY		3DHS (g/test) @ UL			2DHS (g/test) @ UL			RL (g/n	ni) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LVGAR0110ACA	GASOLINE- TIER3 E10	0.2560	0.300	0.300	0.2194	0.300	0.300	0.001	0.05

ORVR / FU	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS R (g/test	IG TEST ) @ UL	2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
LVGAR0110ACA	GASOLINE- TIER3 E10	0.027	0.20	GASOLINE- TIER3 E10	*	*	*	*	0.003	0.020			



VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0156

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)										
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD							
LVGAR0110ACA	LVGAR0110ACA-001	Marian Carlos Ca	0.02							

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1; LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection: DFI/IFI: direct/indirect fuel injection: TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

### 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
AUDI	<b>S3</b>	PC	2.0	AMS7	LVGAR0110ACA	1	P
AUDI	TTS COUPE	PC	2.0	AMS7	LVGAR0110ACA	1	P