

VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0169

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

| | | | | TEST GR | OUP IN | FORMAT | ION | | | | | | |
|---------------|----------------|---------------------------|----------------------------|------------------------|----------------------|--|---|--|--|---------------------|--|--|--|
| MODE | - 1 - 1 | EST GROUP | VEHICL | ES) | FUEL CATEGORY | | | | FUEL TYPE | | | | |
| 2020 | LVGAJ03.0NAP | | PC | | | PLUG-IN HYBRID ELECTRIC VEHICLE | | | GASOLINE | | | | |
| . (| USEFUL | LIFE (miles) | VEHICLE EMISSION CATEGOR | | | | RY INTERIM/INTE | | | RMEDIATE IN-USE STD | | | |
| EXH/ORVR EVAP | | | | FTP SF | | | TP FTP | | SFTP | | | | |
| 15 | 150000 150000 | | LEV3 | ULEV125 | LEV 3 COMPOSI | | SITE | PM | | PM | | | |
| SPE | CIAL FE | ATURES & EXH SYS | IAUST EMISSIC | N CONTRO | OL | | OBD S | STATUS | EN | NGINE DISPLACEMENT | | | |
| 1 | WU-TW | C, TWC, WR-HC | 2S, HO2S, DI | FI, TC, C | AC | FUL | L | ************************************** | | | | | |
| * | * PARTIAL * 3. | | | | | | | | 3.0 | | | | |
| * | | | | | | PARTIAI FINI | | ALL MODELS | | | | | |
| | | EV | | | u Production and the | P/ORVR) | FAMIL | Y INFORMATION | | | | | |
| EVA | P / ORV | R FAMILY | EVAPORATIVE | STD CATE | EGORY | The second secon | Aller of A. J. Bergers Steel | ISSION STD LE CLASS | SI | PECIAL FEATURES | | | |
| I | VGAR01 | .50NCY | LEV 3 OPTI | LEV 3 OPTION2 WITH FEL | | | PC | | | grand weight | | | |
| ,,,,, | - | Caleger acts | | MISSION (| CREDIT | INFORM | ATION | | | | | | |
| ALL | GR | E FOR TEST OUP | FLEET IT FOR ARRANTY | FOR NON-PZEV ZERO | | | | | OPTIONAL EXH. STD FOR WORK TRUCKS | | | | |
| * N | | | | | | N | | N | | N | | | |
| | | | NMOG | AND FLEE | T AVE | RAGE IN | FORMA | TION | | | | | |
| NMOG RAF | CH4 RAF | FTP NMOG/NMHC RATIO | HCHO/NMHC RATIO | NMOG+NO PC+LDT | O LVW) LDT | | IOG+NOX FLEET STD .DT (3751 LVW-8500 VWR) + MDPV (g/mi) | | NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi) | | | | |
| * | * | 1.10 | 0.03 | 0.065 | | | 0.074 | | | * | | | |

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0169

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2020 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 1374

my

Allen Lyons, Chief

Emissions Certification and Compliance Division

day of December 2019.



GASOLINE-

PREM

TIER3 E10 0.034 0.20

LVGAR0150NCY

VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0169 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

| | EXH | AUS | TAN | D EVA | POR | ATIVE | EMIS | SION | ATE | NDAR | DS AND | CERTI | FIC | ATION | LEVELS | } | |
|-----------------------|----------------|-------------|-----------------------|---------------------------|---------------------------|-----------------------------------|--------------------------------|------------------------------------|----------------------------|--|--|--|--------------------------|----------------------------------|--|--------------|--|
| | | EXI | HAUST | EMISS | ION S | TANDA | RDS A | ND CER | TIFICA | ATION | LEVELS | (FTP, HW | FET, | 50°F, 20 |)°F) | | |
| | FU | FUEL TYPE | | monoxi adjustm ORVR | de; NO ent fa g HC/ | 0x: oxide ctor; 2D gallon d | es of nit HS/3DH ispense | rogen; H HS [g HC ed]: on-bo | CHO: /test]: oard re | formal 2/3 da efueling | dehyde; P ys diurnal y vapor re | M: particu +hot-soak | late r ; RL [gram | natter; R g HC/mi ; mg: mi | HC; CO: ca AF: reactiv]: running I Iligram; mi al FTP | vity oss: | |
| | | | | | OG+N (g/mi) | Ох | | CO (g/mi) | | | NOx g/mi) | the state of | HCH mg/n | Den in | | M mi) | |
| | | | | CERT | We History | STD | CERT | STI | 5 | CERT | STD | CER | T | STD | CERT | STD | |
| FTP@5 | K | * | | * | 120 E). | #17875 | A A CALLES | An Aleman | FAR ST | 1.14 | * | * | 17.Z | * | * | * | |
| FTP@L | CAROL THE- | | 1000 | 0.094 | 7 0 | .125 | 0.51 | 2. | pacie Line amari | · ************************************ | * | | 1 | 4 | 0.001 | 0.003 | |
| 50°F @ | IKI | SOLI ER3 | 1 | 0.071 | 8 0 | .250 | 0.16 | 2. | | day. Libert | * | 1.2 | | 16 | | | |
| | | | | | FU | EL TYPI | re alektir Eri | | | | MOG+N | Control of the Contro | | | CO (g/mi | | |
| | | | عنجنست | Samuel Comment | Sed ses | <u> </u> | ed Harling as as a condend | | Jane 1 | C | ERT | STD | | CER | T . | STD | |
| HWFET | @ 50K | - | | | | * | | | - | Description | * | \$ 4.5° ± 4.4° | | | | | |
| HWFE | T@UL | | | GA: | SOLIN | INE-TIER3 E10 | | | 15124 | 0. | 0.0368 0.125 | | | | | | |
| 20°F | @ 50K | | | GASOLINE-TIER3 E10 | | | | | | | | 1.1 | 7 | 10.0 | | | |
| 9.80 | | ì | | SFTP E | XHAU | ST EM | ISSION | STAND | ARDS | AND | CERTIFIC | ATION LE | EVEL | S | Megy | | |
| | FUEL TYPE | | | US06 | | | | | | SC03 | | COMPOSITE | | | | | |
| | | | | NMOG+NOx (g/mi) | | CO PN (g/mi) (mg/s | | | NMOG+NO (g/mi) | | CO (g/mi) | | OG+NO (g/mi) | CO (g/mi) | PM (mg/mi) | | |
| @ 4K | * | - : | CER | CERT * * | | | | * | 42, 24 | | | | | | | | |
| ***** | S | | STE | | * | 8-3-7 1-7-1 | ik * | Vertical | | 120 | *** | 7.47 | * | | | | |
| | | CE | | ₹T * | | * 1.0 | | . 0 | * * | | * | 0.0612 | | 0.60 | * | | |
| @ UL | UL GASOLII | | | | * | | * | (| 6 | | * | * | (| .083 | 4.2 | * | |
| | | В | | | | | | · | | | | | (| 0.110 | | | |
| | | W | HOLE | VEHICL | E EV | APORA | TIVE E | MISSION | STA | NDAR | DS AND | ERTIFIC | ATIO | N LEVE | LS | | |
| | | | | | | WH | OLE V | EHICLE | EVAF | PORAT | IVE TEST | TING | | | | | |
| EVAPORATIVE FAMILY | | FUEL : | TYPE 3DHS (g | | /test) @ UL | | 2DHS (g/test) | | @ UL | | RL (g/mi) @ | | } UL | | | | |
| | - | | | | CER | T S | TD | FEL | CE | RT | STD | FEL | - | CEF | RT | STD | |
| LVGAF | .0150NC | Y | GASOL TIER3 PRI | E10 | 0.30 | 0 0. | 300 | 0.350 | 0.2 | 223 | 0.300 | 0.35 | 50 | 0 | 0 0.05 | | |
| C | RVR / I | FUEL | ONLY | / CANI | STER | BLEED | EVAP | ORATIVI | EMI | SSION | STANDA | RDS AND | CE | RTIFICA | TION LEV | ELS | |
| | | | | | - | | | | F | UEL C | NLY EVA | P & CAN | STE | R BLEE |) | | |
| | ORATIV MILY | E | ORVE | R (g/gal | lon) @ | UL | FUE | L TYPE | | | HS RIG TEST 2DHS Rig/test) @ UL (g/test) | | | | BLEED C TEST (g/t | | |
| | | F | FUEL TYPE | | ERT | | | | CI | CERT S | | CERT | | STD | CERT | STD | |



VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0169

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

| EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES) | | | | | | | |
|---|------------------|---|------|--|--|--|--|
| EVAPORATIVE FAMILY | LEAK FAMILY | CERT | STD | | | | |
| LVGAR0150NCY | LVGAR0150NCY-001 | THE RESERVE OF THE RESERVE OF THE PROPERTY OF | 0.02 | | | | |

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV; medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2020 MODEL YEAR: VEHICLE MODELS INFORMATION

| MODEL NUMBER | MAKE | MODEL | VEH CLASS | ENGINE (L) | TRANS TYPE | EVAPORATIVE FAMILY | EXH ECS | OBD |
|-----------------|------|--------------|--------------|------------|------------|--------------------|------------|-----|
| 1 | AUDI | A8L 60 TFSIE | PC | 3.0 | SA8 | LVGAR0150NCY | 1 | \$ |

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

| MODEL NUMBER | DUEV TVDE | UDDS AER (MILES) | UDDS EAER | US06 AER | HIGHW | /AY (MILES) | ZEV | |
|-----------------|-----------|---------------------|-----------|----------|-------|-------------|-----------|--|
| | PHEV TYPE | | (MILES) | (MILES) | AER | EAER | ALLOWANCE | |
| 1 | * | 25.6 | 25.6 | * | 30.9 | 30.9 | 0.00 | |