

VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0172

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	····				TEST GRO	UP IN	IFOR	MATION					
MODE		EST GROUP	VEHICL	VEHICLE CLASS(ES)				ATEGORY		FUEL TYPE			
202	0 L/	GAV06.0EAR			PC DEI				SINGLE FUEL HICLE	GASOLINE			
	USEFU	_ LIFE (miles)		VEH	HICLE EMISSION CATEGORY				INTERIM / IN	TERM	RMEDIATE IN-USE STD		
EXH/ORVR EVAP			F	FTP			TP	FTP		SFTP			
1	150000 150000			LEV3	ULEV125 LEV 3			COMPOSITE PM		PM			
SPECIAL FEATURES & EXHAUST EMIS SYSTEMS					ON CONTROL			OBD STATUS		EN	GINE DISPLACEMENT (L)		
1	2WU-1	WC, 2TWC, 2W AIR,	02S, 2HO2S	s, SFI+DFI	,		FULL	*					
*	* F								L ALL MODELS		6.0		
*	*							ARTIAL WITH * FINES					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	AP / OR\	/R FAMILY	EV	APORATIVE	STD CATEGODY				SSION STD E CLASS	SP	SPECIAL FEATURES		
	LVGAR0	190ECN	I	LEV 3 OPTI	ON2 WITH FEL			F	PC		*		
~				E	MISSION C	REDIT	rinfo	ORMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED NMOG CREDI						EDIT FOR NON-PZEV ERO-EVAP			REDIT FOR DOI)	OPTIONAL EXH. STD FOR WORK TRUCKS		
			N	N			И		И				
				NMOG	AND FLEE	TAVE	RAGE	INFORMA	TION				
NMOG CH4 RAF NMOG/NMHC RATIO					NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)			V) LDT	+NOX FLEET S (3751 LVW-8500 R) + MDPV (g/m)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		0.03	0.065 0.074 *						*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0172 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seg. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this /474 day of January 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division



GASOLINE-

TIER3 E10

PREM

0.320

0.300

0.500

0.208

0.300

LVGAR0190ECN

VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0172 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

0.500

0.00

0.05

ATTACHMENT

	EX	HAU	ST	AND	EVAF	PORAT	IVE EN	VIISS	ION S	TAN	DARD	S AND	CERTI	FIC	ATION	LEVEL	S		
		E	XHAI	UST E	MISSI	ON STAI	NDARDS	SAND	CERT	IFICA	TION L	EVELS	(FTP, HW	FET	, 50°F, 20	°F)			
		FUEL TYPE			CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP														
							NMOG+N (g/mi)						NOx (g/mi)		HCF (mg/i			-	PM /mi)
					CERT STE		O CI					CERT STD		T	STD	CERT	STD		
FTP@5	0K	*	,		*	*		*	*		* -	*	*		*	*	*		
FTP@L	GASOLINE- UL TIER3 E10 PREM			0.0982	0.12	25 0	.24	2.1		*	*	1.0		4	0.0000	0.003			
50°F @		GASOI TIERS PR			0.0692	0.2	50 0	.34	2.1		*	*	1.0		16				
Alega					FUEL TYPE						NMOG+NOx (g/mi)					CO (g/mi)			
		-					CERT		STD	VAR-64 1-1			STD						
HWFE	Г@5	OK			*						*		*			A 1 226			
HWFE	T @ I	UL		G	GASOLINE-TIER3 E10 PREM						0.0	155	0.125	0.125					
20°F	@ 50	ĸ	COL	D CO	E10	PREMIUM GASOLINE (TIER3)			3)					1.01		10.0			
				S	FTP E	(HAUST	EMISSI	ON S	TANDA	RDS	AND CI	ERTIFIC	ATION LI	EVE					
					US06							SC03				MPOSIT			
	FUE	L TYF	PE)G+NOx g/mi)	(g/r		PN (mg/		NMOG (g/i	i+NOx mi)	CO (g/mi)	NN	IOG+NOx (g/mi)	CO (g/mi	PM) (mg/mi		
@ 4K		*		CERT		* *					+	+	*	*					
0				STD	D *		*	*			*		*						
		GASOLINE-		CERT			*	* 1.0		0	*		*	* 0.		0.0667 0.16			
@ UL	TIE			STD			*						*		0.083	4.2	*		
				BIN							en ye e Sejiraya				0.110				
		,	WHC	DLE VI	EHICLI	E EVAP	DRATIV	E EMI	SSION	STAN	DARD	S AND C	ERTIFIC	ATIC	ON LEVEL	.S			
					WHOLE VEHICLE EVAI					EVAP	ORATI	/E TEST	ING						
	ORAT	ATIVE FUEL		JEL T	TYPE 3DHS (t) @ U	IL		2DHS	(g/test)	@ UL		L RI	RL (g/mi) @ UL			
						CERT	STD	ı	FEL	CEF	RT	STD	FEI		CER	Т	STD		



VOLKSWAGEN GROUP OF AMERICA, INC.

Executive Order: A-413-0172

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
		FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
LVGAR0190ECN	GASOLINE- TIER3 E10 PREM	0.006	0.20	GASOLINE- TIER3 E10 PREM		*	*	*	*	0.007	0.020	
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)												
EVAPORATIVE FAMILY LEAK FAMI			KFAMII	_Y		CERT			STD			
LVGAR0190ECN LVGAR0190ECN				-001 *					0.02			

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW: MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle: ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC: HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater: F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits. Y = credits, S = credits for some/select models

	2020 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD						
BENTLEY	CONTINENTAL GT	PC	6.0	AMS8	LVGAR0190ECN	1	P						
BENTLEY	CONTINENTAL GT CONVERTIBLE	PC	6.0	AMS8	LVGAR0190ECN	1	P						
BENTLEY	FLYING SPUR	PC	6.0	AMS8	LVGAR0190ECN	1	P						