

MERCEDES-BENZ AG

Executive Order: A-003-0705

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	TEST GROUP INFORMATION												
MOD	I T	EST GROUP	VEHIC	LE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE			
202	1 MMBXJ02.0U3B LDT2, PC								SINGLE FUEL HICLE		GASOLINE		
USEFUL LIFE (miles) VEHICLE EMISSION							ATE	GORY	EDIATE IN-USE STD				
EX	H/ORVR	EVAP		FTP		SF	TP	FTP		SFTP			
1	50000	150000		LEV3	ULEV70	LEV	3 CC	MPOSITE	*		PM		
SP	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1	DFI,TC,CAC,WR-HO2S,HO2S,TWC							FULL	*				
*	*							ARTIAL	*		2.0		
*			*				1	RTIAL WITH ALL MODELS					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	MMBXR00	95LNA	L	EV 3 OPTI	ON2 WITH	FEL		F	PC		*		
				I	EMISSION CI	REDIT	INFO	RMATION					
1	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						ZEV	- I NIMICE COEDIT ECO DOD I			PTIONAL EXH. STD OR WORK TRUCKS		
		N			N			N N					
				NMOG	AND FLEET	AVE	RAGE	INFORMA	TION				
NMOG RAF	NIMICOCE/NIMIEIC P(.+1.1) (1)=3/					0-375					MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		0.018	18 0.058				0.065		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



MERCEDES-BENZ AG

Executive Order: A-003-0705

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have five (5) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy five dollars (\$75) per vehicle for the third through the fifth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 10th day of June 2020.

Allen Mons, Chief

Emissions Certification and Compliance Division



PREM

MERCEDES-BENZ AG

Executive Order: A-003-0705

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			105	IAN	DEV	APOR/	ATIVI	EEM	ISSION	ISTA	NDA	RDS	AND	CERT	TIFI	CATION	LE	VELS	3		
-			EXH	IAUST	EMIS	SION ST	ANDA	ARDS	AND CE	RTIFIC	ATIO	N LEV	ELS	(FTP, HV	VFE	T, 50°F, 20)°F)				
		FUE	L TY		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP																
							NMOG+NOx			СО			NOx			нсно			PM		
							(g/mi)			(g/mi)			(g/mi)			(mg/	mi)		(g/mi)		
FTP@	50K		*		CER *	_	ΓD *	CER		TD *	CER	Г	STD					RT	STD		
1110	JUK	GAS		JE-					_	*	*		*	*		*		*	*		
FTP@	UL	GASOLINE- TIER3 E10 PREM		10	0.04	1 0.0	70	0.5	5 1	.7	*		*	0.3		3 4		001	0.003		
50°F @	°F @4K *		*	,	ł	*	,	*	*		*	*		*							
						FUEL	TYPE	F				NMOG	S+NO	x (g/mi)			CO (g/mi) CERT STD				
					. 022		_				CERT		STD			STD					
HWFET @ 50K						*					*		*								
HWFET @ UL GAS				GASOI	LINE-TIER3 E10 PREM 0.025 0.070																
				GASOI	.0 PREMIUM GASOLINE (TIER3) OLINE-TIER3 E10 PREM)									0.5 (0.5)		10.0 (10.0)					
	1				SFTP E	XHAUS			STAND	ARDS	AND	CERT	IFICA	TION LE	VE	S					
						US06						C03				MPO	SITE				
	FU	EL TYPE		JEL ITP				OG+NO: (g/mi)	- 1	CO (g/mi)		PM g/mi)		OG+NO g/mi)		CO		OG+NOx		co	PM
0 414		*		CERT		*		*	(,,,,	9/1111/	(*		(g/mi) *		(g/mi)	(9	/mi)	(mg/mi)		
@ 4K				STD	*		_	*			-	*	*				-				
			CERT INE- E10 STD		*	* *			2	*		+	*	0.039		0	. 7	*			
@ UL	1	SOLIN ER3 E PREM						*		6		*		*	(0.077		.2	*		
		111111		BIN												0.060					
			WH	OLE V	EHICL	E EVAP	ORAT	IVE E	MISSION	AATS I	DAR	DS AN	D CE	RTIFICA	TIO	N LEVELS	3				
									EHICLE												
EVAP	ORA MIL		VE FUEL T		YPE	3DH	S (g/t	(g/test) @ UL			2DHS (g/test) @		@ UL		RL (g/m		ii) @ UL				
						CERT	ST	ΓD	FEL	CEI	RT	STI	D	FEL		CERT		5	TD		
MMBXR0095LNA		1	ASOLI IER3 PREM	E10	0.289	0.3	300	0.300	0.2	32	0.30	00	0.300		0.00			. 05			



MERCEDES-BENZ AG

Executive Order: A-003-0705

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTED BLEED EVADORATIVE ENIGCION												
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
MMBXR0095LNA	GASOLINE- TIER3 E10 PREM	0.02	0.20	GASOLINE- TIER3 E10 PREM	*	*	*	*	0.012	0.020		
E	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCLIES)											

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)											
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD								
MMBXR0095LNA	MMBXR0095LNA-LNA	*	0.02								

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES BENZ	GLA 250	PC	2.0	AM8	MMBXR0095LNA	1	\$
MERCEDES BENZ	GLA 250 4MATIC	LDT2	2.0	AM8	MMBXR0095LNA	1	Ś
MERCEDES BENZ	GLB 250	PC	2.0	AM8	MMBXR0095LNA	1	\$
MERCEDES BENZ	GLB 250 4MATIC	LDT2	2.0	AM8	MMBXR0095LNA	1	\$