

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MOD	DDEL TEST GROUP VEHICLE CLASS(ES)							FUEL C	FUEL CATEGORY FUEL TYP					
202	2021 MGMXT02.8358 LDT2								SINGLE FUEL HICLE		DIESEL			
USEFUL LIFE (miles) VEHICLE EMISS						ION C	ATE	GORY	INTERIM / IN	TE	RMEDIATE IN-USE STD			
EX	H/ORVR	EVAF)	1	FTP SFTP				FTP		SFTP			
1	150000 * LEV3 ULEV					LEV	3 CC	OMPOSITE	*		PM			
SP	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							OBD S	TATUS		ENGINE DISPLACEMENT (L)			
1	1 DFI, TC, CAC, EGR, EGRC, OC, OC+DPF, SCRC, NOXS(2), PMS, RDQS							FULL	LL *					
*	* *							ARTIAL	*	2.8				
*	* *							RTIAL WITH FINES ALL MODELS						
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
	*				*				*		*			
				I	EMISSION CI	REDIT	INFO	ORMATION						
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY						ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N			N N						
				NMOG	AND FLEET	AVE	RAG	E INFORMA	TION					
NMOG	NMOG CH4 NMOG/NMHC HCHO/NMHC PC+LF			NMOG+NO PC+LDT ((g			V) LDT	+NOX FLEET S (3751 LVW-850 R) + MDPV (g/m	D	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	*	*		*	0	.058			0.065 *					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have six (6) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred seventy five dollars (\$175) per vehicle for the third through sixth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 23PP day of June 2020.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

GENERAL MOTORS LLC. Executive Order: A-006-2244 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			in the second seco		/HC+NOx (g/mi)		(CO (g/mi)			NOx (g/mi)		HCH (mg/n			PM (g/mi)		
				CERT	ST	D	CERT	ST	D	CERT	STD	CER	T	STD	CE	RT	STD	
FTP@50K		*	*		*		*	*		*	*	* *		*	1	*	*	
FTP@	FTP@UL DIES		EPA	0.051	0.1	25	0.0	2.	1	*	*	*		4	0.000		0.003	
50°F @	4K	*		*	*		*	*		*	*	*	*		*			
					FUEL	TVD	E			N	MHC+NC	Dx (g/mi)			CO	(g/mi)		
					FUEL	115	6			CE	RT	STD		CEF	RT		STD	
HWFET @ 50K		5			k	•				,	*	*						
HWFE	T @ UL				DIESE	L-EF	PA .			0.0	081	0.125						
20°F	@ 50K				*					1				*			*	
			S	FTP EX	HAUST	EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATION LE	EVEL	S				
	USO						JS06				SC03			C	OMPC	MPOSITE		
	FUEL TY		YPE NN				CO (g/mi)	PM (mg/mi)			r+NOx CO mi) (g/mi)			MHC+NOx (g/mi)		CO g/mi)	PM (mg/mi)	
@ 4K	*	* C		•	*		*			,	k	*						
				1	*	+	*			, ,	k	*			-			
			CERT	•	*		*	0	. 6		*	*	(0.080	0	0.04	*	
@ UL	DIESE	ESEL-EPA			*		*		6	,	k	*	(0.077		4.2	*	
			BIN										().120				
		WH	IOLE V	EHICLE	EVAP	ORA	TIVE EI	MISSION	STAI	NDARD	S AND C	ERTIFIC	ATIO	N LEVE	LS			
						W	HOLE V	EHICLE	EVAP	ORATI	/E TEST	ING						
	ORATIV	F	FUEL TYPE			E 3DHS (g/test) @ UL				2DHS	IS (g/test) @ UL			RL (g/mi) @ UL			UL	
					CERT S		TD FEL		CE	RT STD		FEL CE		CE	ERT		STD	
	*		*		*		*	*	*		*	*		*			*	
(DRVR / I	FUEL	ONLY	CANIST	TER BL	EED	EVAPO	ORATIVE	EEMIS	SSION S	TANDA	RDS AND	CEF	RTIFICA	TION	LEVE	LS	
												P & CANI			-			
EVAPORATIVE		E	ORVR	(g/gallo	n) @ U	L			3D	HS RIG	TEST	2DHS	RIG '	TEST	BLE	ED CA	NISTER	

	1					I Vista V	Title I he V/U	a orano				
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS R (g/test	IG TEST) @ UL		IG TEST	BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
*	*		*	*		*	*	*	*	*	*	
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)												
EVAPORATIVE	LY		CE	RT		STD						
*			*			ł				*		

CALIFORNIA AIR RESOURCES BOARD	GENERAL MOTORS LLC.	Executive Order: A-006-2244 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4
-----------------------------------	------------------------	---

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR.0-3750#LVW: LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic: DOR: direct ozone reducing: HCT: hydrocarbon trap: BCAN: bleed carbon canister: prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS; automated manual-selectable transmission; OT; other transmission; AER; all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits. Y = credits, S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CHEVROLET	COLORADO 2WD	LDT2	2.8	A6	*	1	\$
CHEVROLET	COLORADO 4WD	LDT2	2.8	A6	*	1	\$
CHEVROLET	COLORADO ZR2 4WD	LDT2	2.8	A6	*	1	\$
GMC	CANYON 2WD	LDT2	2.8	A6	*	1	\$
GMC	CANYON 4WD	LDT2	2.8	A6	*	1	\$