

Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 6

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP II	NFOR	MATION					
MODE YEAR		EST GROUP		VEHIC	LE CLASS(E	ES) FUEL CATEGORY				FUEL TYPE			
2021	ММ	BXV04.0U2A			PC				SINGLE FUEL HICLE		GASOLINE		
USEFUL LIFE (miles)					IICLE EMISS	ATE	GORY	Y INTERIM / INTERMEDIATE IN-USE ST					
EXH	/ORVR	EVAP			FTP		SF	TP	FTP		SFTP		
15	0000	150000		LEV3	ULEV125	LEV	3 C	MPOSITE	*		PM		
SPECIAL FEATURES & EXHAUST EMISSI SYSTEMS					ON CONTRO	L		OBD S	TATUS	E	ENGINE DISPLACEMENT		
1	1 DFI,2TC,2CAC,2WR-H02S,2H02S,2TWC(2)							FULL	*				
*			*			\neg	P	ARTIAL	*	* 4.0			
*	* *							TIAL WITH	ALL MODELS	1			
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	EVA	PORATIVI	STD CATE	GORY	ORY EVAP EMISSION STD VEHICLE CLASS			S	SPECIAL FEATURES		
M	MBXR01	.55LNA	LE	V 3 OPT	ON2 WITH	2 WITH FEL PC			С	*			
M	MBXR01	70LNS	LE	V 3 OPT	ON2 WITH	FEL PC			С	*			
				j	EMISSION CI	REDIT	r INFO	ORMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			REDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG C	REDIT FOR DO		OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N		N		
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TION				
NMOG RAF	I NMOG/NMHC DCTI DT /0-3			0-375)-3750 LVW)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)				
*	*	1.10		0.018	018 0.058				0.065		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 6

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicle models, AMG C 63, AMG C 63 (Coupe), AMG C 63 (Convertible), AMG C 63 S, AMG C 63 S (Coupe), AMG C 63 S (Convertible), AMG C 63 S (Coupe), AMG C 63 S (Convertible), AMG GT, AMG GT C and AMG GT R have been determined to have seven (7) deficiencies and vehicle models, AMG E63 S 4MATIC+ and AMG E63 S 4MATIC+ (Station Wagon) have been determined to have six (6) deficiencies. The listed vehicle models, AMG C 63, AMG C 63 (Coupe), AMG C 63 (Convertible), AMG C 63 S, AMG C 63 S (Coupe), AMG C 63 S (Coupe), AMG C 63 S (Convertible) with seven (7) deficiencies are approved subject to the manufacturer paying a fine of one hundred fifty dollars (\$150) per vehicle for the third through seventh deficiencies in the listed test group that is produced and delivered for sale in California. The listed vehicle models, AMG GT, AMG GT C and AMG GT R with seven (7) deficiencies are approved subject to the manufacturer paying a fine of one hundred twenty five dollars (\$125) per vehicle for the third through seventh deficiencies in the listed test group that is produced and delivered for sale in California. The listed vehicle models, AMG E63 S 4MATIC+ and AMG E63 S 4MATIC+ (Station Wagon) with six (6) deficiencies are approved subject to the manufacturer paying a fine of one hundred dollars (\$100) per vehicle for the third through sixth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

BE IT FURTHER RESOLVED:

The listed vehicle models are certified conditionally on Mercedes-Benz AG's completion of Evaporative Emission retesting and submission of test results to CARB no later than February 19, 2021 per Mercedes-Benz's "Conditional Certification Request Letter -

MMBXJ03.0U2A_MMBXT02.0U3B_MMBXT04.0HY1_MMBXD02.0HD1_MMBXV04.0U2A_11242020_final" dated 11-24-2020. Failure to submit the required demonstration data by the specified date, or failure of the submitted demonstration data to show compliance with the test procedures, shall be cause for the Air Resources Board to revoke this Executive Order and vehicles sold under the revoked conditional certification shall be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.



Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 6

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 10th day of December 2020.

Ăllen Lyons, Chief

Emissions Certification and Compliance Division

Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 6

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.080	0.125	0.3	2.1	*	*	0.4	4	0.000	0.003
50°F @4K	*	*	*	*	*	*	*	*	*		

	FUEL TYPE	NMOG+N	lOx (g/mi)	CO (g/mi)		
	FUEL TIPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.031	0.125			
20°F @ 50K	COLD CO E10 PREMIUM GASOLINE (TIER3)			0.8	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			US06			SC0	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	*	*	2	*	*	0.065	0.4	*
@ UL	GASOLINE- TIER3 E10 PREM	STD	*	*	6	*	*	0.077	4.2	*
		BIN						0.080		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		WHOLE \						
EVAPORATIVE FAMILY		3DHS (g/test) @ UL			2DI	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
MMBXR0155LNA	LEV3 E10 PREMIUM GASOLINE	0.351	0.300	0.375	*	0.300	0.375	0.00	0.05
MMBXR0170LNS	GASOLINE- LEV3 E10 PREM	0.240	0.300	0.275	*	0.300	0.275	0.00	0.05

Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 5 of 6

ORVR / FUI	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS											
		FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		3DHS R (g/test		2DHS RIG TEST (g/test) @ UL			BLEED CANISTER TEST (g/test) @ 4K	
	FUEL TYPE	CERT	STD			CERT	STD	CERT	r si	ΓD	CERT	STD
MMBXR0170LNS	GASOLINE- TIER3 E10 PREM	0.01	0.20	GASOLINE- LEV3 E10 PREM		*	*	*	,	ł.	0.017	0.020
MMBXR0155LNA	LEV3 E10 PREMIUM GASOLINE	0.02	0.20	LEV3 E10 PREMIUM GASOLINE		*	*	*	4	ŧ.	0.014	0.020
	FFECTIVE	LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION L	EVEL (I	NCH	IES)	
EVAPORATIVE FAMILY LEAK FAMIL			_Y CERT					STD				
MMBXR0155LNA MMBXR0155LNA			-LNA *				0.02					
MMBXR0170LNS MMBXR0170LNS			-LNS		*	r		0.02				

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC; adsorbing TWC; HAC; HC adsorbing catalyst; WU; warm-up catalyst; NAC; NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst: CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission: CV: continuously variable transmission: SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L) TRANS TYPE		EVAPORATIVE Family	EXH ECS	OBD
MERCEDES BENZ	AMG C 63	PC	4.0	A9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG C 63 (CONVERTIBLE)	PC	4.0	A 9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG C 63 (COUPE)	PC	4.0	A9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG C 63 S	PC	4.0	A 9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG C 63 S (CONVERTIBLE)	PC	4.0	A9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG C 63 S (COUPE)	PC	4.0	A 9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG E 63 S 4MATIC +	PC	4.0	A 9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG E 63 S 4MATIC + (STATION WAGON)	PC	4.0	A 9	MMBXR0155LNA	1	\$
MERCEDES BENZ	AMG GT (COUPE)	PC	4.0	AMS7	MMBXR0170LNS	1	\$
MERCEDES BENZ	AMG GT (ROADSTER)	PC	4.0	AMS7	MMBXR0170LNS	1	\$

Executive Order: A-003-0720

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 6 of 6

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

ı								
	MAKE MODEL		VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
	MERCEDES BENZ	AMG GT C (COUPE)	PC	4.0	AMS7	MMBXR0170LNS	1	\$
	MERCEDES BENZ	AMG GT C (ROADSTER)	PC	4.0	AMS7	MMBXR0170LNS	1	\$
ſ	MERCEDES BENZ	AMG GT R (COUPE)	PC	4.0	AMS7	MMBXR0170LNS	1	\$