

Executive Order: A-009-1528-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 5

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP II	NFOR	MATION						
MODE YEAR				VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE			
2021	. МС	CRXT02.45P1		LDT1, LDT2 DEDICATED SINGLE FUEL VEHICLE					GASOLINE					
	USEFUL	LIFE (miles)		VEI	IICLE EMISS	ION	CATE	GORY		INTERIM / INT	ERM	EDIATE IN-USE STD		
EXH	I/ORVR	EVAF	•		FTP		SF	TP		FTP		SFTP		
15	0000	15000	0	LEV3	ULEV50	LEV	3 C	OMPOSITE		*		PM		
SPE	CIAL FE	ATURES & EX	XHAU STEN		ON CONTRO	L		OBD S	STA	rus	EN	GINE DISPLACEMEN		
1 SFI, TWC, WR-HO2S, HO2S,								FULL		*				
*		(Alternative Control of the Control	*	,			P	ARTIAL	S	OME MODELS		2.4		
*			*				PAR	TIAL WITH	so	OME MODELS				
		E	VAPO	DRATIVE &	REFUELING	(EVA	P/OR	VR) FAMIL	Y IN	FORMATION				
EVA	P / ORV	R FAMILY	EV	APORATIVI	STD CATE	GORY	,	EVAP EMI VEHICL			SP	ECIAL FEATURES		
MCRXR0106PP0 I			EV 3 OPT:	EV 3 OPTION2 WITH FEL				DT1			HCT			
ŀ	MCRXR0106PP1			EV 3 OPT	ON2 WITH	FEL		LI	DT2			HCT		
M	CRXR01	06PP2	L	EV 3 OPT	ON2 WITH	FEL		LI	DT1			*		
N	CRXR01	06PP3	I	EV 3 OPT	ON2 WITH	FEL		LI	DT2			*		
M	CRXR01	10PP2	I	EV 3 OPT	ON2 WITH	FEL		LI	DT1			*		
M	MCRXR0118PP0		I	LEV 3 OPTION2 WITH FEL				LDT2				*		
M	MCRXR0137PK0			LEV 2				LI	DT1			*		
				1	EMISSION CI	REDIT	INFO	RMATION						
	EDIT FO	X FLEET AVE OR EXTENDED RRANTY			EDIT FOR N	ON-P	ZEV	NMOG C	RE	DIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS		
N N							N				N			
				NMOG	AND FLEET	AVE	RAGI	INFORMA	TIO	N				
IMOG RAF	CH4 RAF	FTP NMOG/NMH RATIO	MHC HCHO/NMHC PC+LDT (0-3750 LVW)				V) LDT				NMOG+NOX FLEET ST MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		*	0	.058				0.065		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-009-1528-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 5

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicle models, CHEROKEE, COMPASS, and RENEGADE has been determined to have three (3) deficiencies. The aforementioned vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25) per vehicle for the third deficiency for each vehicle in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-009-1528 dated May 25, 2020.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this Z3PD day of June 2020.

Allen Loons, Chief

Emissions Certification and Compliance Division



Executive Order: A-009-1528-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 5

## **ATTACHMENT**

# **EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS**

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

NMOG+NOx CO NOx HCHO PM (g/mi) (g/mi) (g/mi)

		(g/mi)		(g/mi)		(g/i	(g/mi)		(mg/mi)		mı)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10	0.0417	0.050	1.34	1.7	*	*	*	4	0.002	0.003
50°F @4K	*	*	*	*	*	*	*	*	*		
		FUEL TYPE		NIV	IOG+NOx	(g/mi) C(		CO (g/mi	)		
		1	FUEL TYP	E		CE	RT	STD	CER	T	STD

	FUEL TYPE		/9/		3/
1	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-LEV3 E10	0.0345	0.050		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			1.27	10.0

# SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			1100	US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	*	*	1.2	*	*	0.0383	1.42	*
@ UL	GASOLINE- LEV3 E10	STD	*	*	6	*	*	0.077	4.2	*
		BIN						0.050		



Executive Order: A-009-1528-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 5

	WHOLE V	EHICL	EEV				N STANDAR			TION LEV	/ELS			
				W	HOLE \	/EHICLE	EVAPORA	TIVE TEST	ING					
FAMILY FAMILY	FUEL TYPE		3DHS (g/test) @			UL	2DHS (g/test) @ UL			RL (g/mi) @ UL			IL	
			CEF	₹T	STD	FEL	CERT	STD	FEL	00 0.008 00 0.008 00 0.008 00 0.008 00 0.008 00 0.008 00 0.008 0.001 0 CERTIFICATION LETER BLEED RIG TEST BLEED RIG TEST GU	S	TD		
MCRXR0106PP0	GASOLI LEV3 I		0.25	03 0	.300	0.300	0.2623	0.300	0.30	0 0.	0.008		.05	
MCRXR0106PP1	GASOLI LEV3 E		0.25	03 0	.400	0.300	0.2623	0.400	0.30	0 0.	008	0.05		
MCRXR0106PP2	GASOLI LEV3 E		0.25	03 0	.300	0.300	0.2623	0.300	0.30	0 0.	0.008		. 05	
MCRXR0106PP3	GASOLI LEV3 E		0.25	03 0	.400	0.300	0.2623	0.400	0.30	0.	800	0.	. 05	
MCRXR0110PP2	GASOLI LEV3 E		0.25	03 0	.300	0.300	0.2623	0.300	0.30	0.	800	0.05		
MCRXR0118PP0	GASOLI LEV3 E		0.25	03 0	.400	0.375	0.2623	0.400	0.37	5 0.	800	0.05		
MCRXR0137PK0	GASOLI LEV3 E		0.20	9 0	. 65	*	0.165	0.85	*	0.	001	0.	. 05	
ORVR / FU	EL ONLY /	CANIS	STER	BLEED	EVAP	ORATIVE	EMISSION	N STANDAR	RDS AND	CERTIFIC	ATION L	EVEL	s	
						FUEL (	ONLY EVAP	TER BLE	R BLEED					
EVAPORATIVE FAMILY	ORVR (g/gall		on) @ UL				3DHS RIG TEST (g/test) @ UL		(1)	and the same of th	BLEED CANIS			
	FUEL TYP	TYPE CERT S		STD	FUE	LTYPE	CERT	STD	CERT		-		STD	
MCRXR0106PP1	GASOLINI LEV3 E1	E- 0	106			OLINE- 3 E10	*	*	*				0.020	
MCRXR0106PP0	GASOLINI LEV3 E1	E- 0	106	0.20		LINE- 3 E10	*	*	*	*	0.014	14 0	0.020	
MCRXR0106PP2	GASOLINI LEV3 E1		106	0.20	- Sec. 1997	LINE- 3 E10	*	*	*	*	0.01	14 0	0.020	
MCRXR0106PP3	GASOLINI LEV3 E1	1.0	106	0.20		LINE- 3 E10	*	*	*	*	0.014	14 0	0.020	
MCRXR0110PP2	GASOLINI LEV3 E1	10	106	0.20	3	LINE- 3 E10	*	*	*	*	0.010	07 0	0.020	
MCRXR0118PP0	GASOLINE LEV3 E1	10	026	0.20		LINE- 3 E10	*	*	*	*	0.014	14 0	.020	
MCRXR0137PK0	GASOLINI LEV3 E1	10	025	0.20		*	*	*	*	*	*		*	
-	FFECTIV	E LE	AK D	IAMET	ER ST	ANDAR	D AND CE	RTIFICAT	TION LEV	EL (INCI	HES)			
EVAPORATIVE	FAMILY		LEAP	FAMI	LY		CE	RT			STD			
MCRXR0106	PP1	MC	RXR0	106PP1	-LF1		,		0.02					
MCRXR0106	PPO	MC	RXR0	106PP(	-LF1		*				0.02			
MCRXR0110	PP2	MC	RXR0	110PP2	-LF1		4	+			0.02			
MCRXR0118	PP0	MC	RXR0:	118PP(	-LF1		,			0.02				
MCRXR0106	PP2	МС	RXR0	106PP2	-LF1		,	¥			0.02			
MCRXR0106	PP3	MC	RXR0:	LO6PP3	-LF1		*				0.02			
		100												



Executive Order: A-009-1528-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 5 of 5

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

## 2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD
JEEP	CHEROKEE 4X4	LDT2	2.4	A9	MCRXR0118PP0	1	\$
JEEP	CHEROKEE FWD	LDT2	2.4	A9	MCRXR0118PP0	1	\$
JEEP	COMPASS 4X2	LDT1	2.4	A6	MCRXR0106PP0	1	\$
JEEP	COMPASS 4X2	LDT1	2.4	A6	MCRXR0106PP2	1	\$
JEEP	COMPASS 4X4	LDT2	2.4	A9	MCRXR0106PP1	1	\$
JEEP	COMPASS 4X4	LDT2	2.4	A9	MCRXR0106PP3	1	\$
JEEP	RENEGADE 4X2	LDT1	2.4	A9	MCRXR0110PP2	1	\$
JEEP	RENEGADE 4X4	LDT1	2.4	A9	MCRXR0110PP2	1	\$
RAM	PROMASTER CITY	LDT1	2.4	A9	MCRXR0137PK0	1	P