

CUMMINS INC.

Executive Order: A-021-0730

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MOD		EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
202	1 MC	CEXD06.78VV		MDV4				DEDICATED SINGLE FUEL VEHICLE			DIESEL		
	USEFU	_ LIFE (miles)	VEHICLE EMISSION CATEGOR				GORY	INTERIM / IN	TERN	RMEDIATE IN-USE STD			
EXH/ORVR EVAP					FTP		SF	TP	FTP		SFTP		
150000 *				LEV3	LEV3 ULEV200 US06, \$			V (FULL CO3, FTP CYCLE)	3, FTP NMHC+NOX		*		
SP	ECIAL FI	EATURES & EX SY:		ON CONTRO	L	OBD STATUS			ENGINE DISPLACEMENT (L)				
1	TC, (CAC, DFI, EG NH3OC, RD			'		FULL	LL *					
*						P	PARTIAL *		6.7				
*								RTIAL WITH ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR						VEHICLE CLASS			SI	SPECIAL FEATURES		
	* *							*			*		
					EMISSION CI	REDIT	INFO	ORMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON-I ZERO-EVAP							ZEV	NMOG CREDIT FOR DOR			OPTIONAL EXH. STD FOR WORK TRUCKS		
N N									N		И		
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF						VW-8	500 G	NMOG+NOX FLEET ST GVW) MDV (8501-10000 GVW (g/mi)					
*	*	*		*		*		*			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



CUMMINS INC.

Executive Order: A-021-0730

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have nine deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$325 per vehicle for the third through ninth deficiencies for vehicles in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the California Air Resources Board (CARB) reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall also be subject to enhanced manufacturer in-use verification testing requirements as described in the CARB letter CLC-2020-065.


Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 13th day of November 2020.

Allen Kyons, Chief

Emissions Certification and Compliance Division





ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																				
EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																				
	FL	TYP	m a O	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP																
					NMHC+NOx (g/mi)			CO (g/mi)			NOx (g/mi)			HCF (mg/				M mi)		
				CERT		STD	CER	T ST	D	CERT STD		CE	CERT		CERT		STD			
	11 @301		*		*		*	*	*		*	*		*			t	*		
FTP@l		DIESEL-EPA		PA	0.154	0	.200	0.2	_		*	*	*		6	0.0	800	0.008		
50°F @	4K	*	*		*		*	*	*	·	*	*			*					
FUEL TYPE										NMHC+NOx (g/mi) CERT STD			CO (g/mi							
												ST *	STD CEI		₹1°		STD			
HWFE	Г @ 50	K_			*						*									
HWFE	T @ UL	니			DIESEL-EPA						0.0048 0.2			00						
20°F	@ 50K						*								*			*		
				S	FTP E	XHAU	ST EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATION	LEVE	LS					
			П		US06					SC03					COMPOSITE					
	FUEL TYP		PE			HC+NO	Ох	co	·	PM		IHC+NOx			NHC+NO		CO	PM		
					(g/mi)		(g/mi) (mg		g/mi)	(g/mi)		(g/mi)		(g/mi)		J/mi)	(mg/mi)			
@ 4K	,	* ST		CERT			*				*									
				STD		*		*				*	*							
		IESEL-EPA STI		CERT		*		*				*		_	0.0746		.10	1.7		
@ UL	DIESE					*		*		*	,	*	*	-	0.800	22.0		10		
			NA/1.16	BIN		\/A	DOD A	TI\/C C	MISSIO	LCTA	NDARD	SANDO	COTIC	CATIC	ATION LEVELS					
			44 LJ (JLE VI	EUICE	CCVA						/E TEST		CATIC	JN LEVE	LO				
	EVAPORATIVI FAMILY		FITEL		PE	3DHS (g/test) @ l						(g/test)			RL (g/mi) @ UL			UL		
'^					ŀ	CERT S		STD	FEL	CE	RT STD		FEL		CERT			STD		
*			*			*			*	,				* *						
	RVR /	FUE	L O	NLY /	CANIS	TER	BLEED) EVAP	ORATIV	E EMI	SSION S	TANDA	RDS AI	ND CE	RTIFICA	TION	LEVE	ELS		
										F	UEL ON	LY EVA	P & CA	NISTE	R BLEE	D				
EVAPORATIVE FAMILY		VE	ORVR		R (g/gallon) @ UL		UL	FUE	L TYPE			HS RIG TEST g/test) @ UL		2DHS RIG (g/test) @			ED CANISTER T (g/test) @ 4K			
		F		EL TYF	PE CI	ERT	RT STD			CE	ERT	STD	CERT				₹T	STD		
*			*			* *		*			*			*	*		*			
EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)																				
EVAPORATIVE FAMILY LEAK FAMILY								CERT					STD							
*					*					*					*					



CUMMINS INC.

Executive Order: A-021-0730

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW: MDV: medium-duty vehicle: MDV4: MDV 8501-10000#GVWR: MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; JLEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission: CV: continuously variable transmission: SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD						
RAM	RAM 2500 4X2	MDV4	6.7	A 6	*	1	ts						
RAM	RAM 2500 4X4	MDV4	6.7	A6	*	1	\$						