

Executive Order: A-314-0368

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION						
MODE YEAR	- I TI	EST GROUP		VEHIC	LE CLASS(E	S)		FUEL CATEGORY				FUEL TYPE		
2021	MK	MXV01.6AB6			PC					SINGLE FUEL	GASOLINE			
	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	ION C	ATE	GORY	T	INTERIM / INT	ERI	MEDIATE IN-USE STD		
EXH	EXH/ORVR EVAP FTP						SF	TP	Ī	FTP		SFTP		
15	0000	150000		LEV3	ULEV125	LEV	3 C	OMPOSITE	Ì	*		PM		
SPE	CIAL FE	EATURES & EXI	IAUS TEMS		ON CONTRO	<u>-</u>		OBD S	ST	ATUS	EI	NGINE DISPLACEMENT (L)		
1	SFI, W	R-HO2S, HO2S	, wu-	-TWC, TW	C, EGR, EG	RC		FULL	T	ALL MODELS				
*	* *							ARTIAL	Ť	*	* 1.6			
*			*					TIAL WITH	T	*				
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORV	R FAMILY	EVA	PORATIVI	STD CATE	GORY	RY EVAP EMISSION STD VEHICLE CLASS				s	PECIAL FEATURES		
N	KMXR01	10ABG		LEV 3	OPTION2		PC			C	HCT			
N	KMXR01	20ABG		LEV 3	OPTION2			1	P	С		HCT		
				J	EMISSION CI	REDIT	INF	ORMATION						
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			REDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG C	R	REDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N					N		N		
				NMOG	AND FLEET	AVE	RAG	INFORMA	ΛT	ION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		IO/NMHC RATIO	NMOG+NO PC+LDT (V) LDT	(;	NOX FLEET ST 3751 LVW-8500 () + MDPV (g/mi)		MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.058				0.065		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-314-0368

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>19th</u> day of November 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Executive Order: A-314-0368

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)				CO (g/mi)		NOx (g/mi)		HO /mi)		
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*	*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- TIER3 E10	0.062	0.125	0.2	2.1	*	*	*	4	0.000	0.003	
50°F @4K	GASOLINE- TIER3 E10	0.102	0.250	0.1	2.1	*	*	*	16			

		FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	HWFET @ 50k	FOEL TIPE	CERT	STD	CERT	STD	
HWFE	T @ 50K	*	*	*			
HWFE	T@UL	GASOLINE-TIER3 E10	0.032	0.125			
20°F	@ 50K	COLD CO E10 REGULAR GASOLINE (TIER3)			0.3	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx	co	PM	NMOG+NOx	co	NMOG+NOx	CO	PM
			(g/mi)	(g/mi)	(mg/mi)	(g/mi)	(g/mi)	(g/mi)	(g/mi)	(mg/mi)
@ 4K	4K *	CERT	*	*		*	*			
@ + IX		STD	*	*		*	*			
		CERT	*	*	2	*	*	0.067	0.2	*
@ UL	GASOLINE- TIER3 E10	STD	*	*	6	*	*	0.077	4.2	*
		BIN						0.130		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE \							
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) @) UL	2DHS (g/test) @ UL			RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
MKMXR0110ABG	GASOLINE- LEV3 E10	0.230	0.300	*	0.255	0.300	*	0.01	0.05	
MKMXR0120ABG	GASOLINE- LEV3 E10	0.230	0.300	*	0.255	0.300	*	0.01	0.05	



Executive Order: A-314-0368

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUI	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
			FUEL ONLY EVAP & CANISTER BLEED											
EVAPORATIVE FAMILY	ORVR	FUEL TYPE		3DHS R (g/test		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K						
	FUEL TYP	PE CERT	STD]		CERT	STD	CER.	Т	STD	CERT	STD		
MKMXR0110ABG	GASOLINI TIER3 E:	1 0 01	0.20	GASOLINE- LEV3 E10		*	*	*		*	0.003	0.020		
MKMXR0120ABG	GASOLINE- TIER3 E10 0.01 0.20		GASOLINE- LEV3 E10		*	*	*		*	0.003	0.020			
	EFFECTIV	E LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION L	ΕVI	EL (INCH	ES)			
EVAPORATIVE FAMILY LEAK FAMIL			LY CERT					STD						
MKMXR0120ABG MKMXR0120ABG			-sc1 0.00				0.02							
MKMXR0110ABG MKMXR0110ABG-				G-SC1 0.00					0.02					

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor: NH3S: ammonia sensor: EGR: exhaust gas recirculation: HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler: AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR: SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits. S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
KIA	RIO	PC	1.6	M6,SCV1	MKMXR0110ABG	1	F
KIA	RIO	PC	1.6	M6,SCV1	MKMXR0120ABG	1	F