

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODE YEAI		TEST GROUP	VEHICLE CLASS(ES)					FUEL CATEGORY			FUEL TYPE			
2022	2 N	MBXV03.0HY3	PC					HYBRID ELECTRIC VEHICLE			GASOLINE			
USEFUL LIFE (miles) VEHICLE EMISSION							CATE	GORY INTERIM / INTERMEDIATE IN-USE						
EXH	I/ORVR	R EVAP			FTP SF			TP FTP			SFTP			
19	50000	15000)	LEV3	ULEV50	LEV 3 COMPOSI			*		PM			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD STATUS			ENGINE DISPLACEMENT (L)			
1	L DFI, TC, SCE, CAC, WR-HO2S, HO2S, TWC (2)							FULL	*					
*	* *							ARTIAL	*	3.0				
*	* *							TIAL WITH	ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR								SSION STD E CLASS	S	SPECIAL FEATURES			
1	NMBXR0	170LND	LE	V 3 OPTI	CON2 WITH	FEL		E	2v		*			
				I	EMISSION CI	REDIT	r info	RMATION						
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY							NMOG C	REDIT FOR DO	OPTIONAL EXH. STD FOR WORK TRUCKS				
	N N							N N						
				NMOG	AND FLEET	AVE	RAGE		TION					
NMOG RAF	CH4 RAF	FTP NMOG/NMHO RATIO		IO/NMHC RATIO	C NMOG+NOX FLE PC+LDT (0-3750 (g/mi)						NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10	(0.018	0	.051			0.056		*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have fourteen (14) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of three hundred dollars (\$300) per vehicle for the third through fourteenth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2022 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>28th</u> day of September 2021.

Allen Kyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NM			MOG+NOx CO			NOx			НСНО			РМ			
					(g/mi)			(g/mi)		(9	(g/mi)		(mg/n			(g/mi)		
			Γ	CE	RT 🛛	STD	CER	т ѕт	D	CERT	STD	CER	т	· STD		RT	STD	
FTP@5	0K	*		*	·	*	*	*		*	*	*		*	ł	۲	*	
FTP@l	GASOLINE- P@UL TIER3 E10 PREM		E10	0.0	25 (0.050	0.4	1.	7	*	*	0.3	0.3		0.0	001	0.003	
50°F @4K		*		*	,	*	*	*		*	*	*	*					
							<u>.</u>	_			NMOG+NOx (g/mi)			CO ((g/mi)	
					FU	EL TY	Έ			С	CERT STD			CERT		STD		
HWFE	т @ 50	к				*					*		*					
HWFE	T @ UI	L		GAS	OLINE-	TIER3	E10 PREM			0	. 007	0.050	0.050					
20°F	@ 50K	c	OLD C	0 E1	0 PREM	IUM G	ASOLIN	LINE (TIER3)						0.6		10.0		
				SFTP	EXHAU	JST EN	ISSION		ARDS		CERTIFIC	ATION LI	EVEI	S				
					US06 SC03						3		CC	OMPO	SITE			
	FUEL	EL TYPE		N	MOG+N (g/mi)		CO (g/mi)		'M J/mi)		G+NOx g/mi)			NMOG+NOx (g/mi)		CO ı/mi)	PM (mg/mi)	
@ 4K		* CEI		т	*		*	*			* *							
W I N			STE	, –	*		*	*			*	*						
		CEF		T	*		*		1		*	*	* 0.016).5	*	
@ UL	@ UL GASOLII PREM		E10 STD		*	*		* 6			*			0.070		1.2	*	
			BIN											0.050				
		W	HOLE	VEHI	CLE EV	APOR/	ATIVE E	MISSION	I STA	NDARI	DS AND	CERTIFIC	ATIC	N LEVE	LS			
						W	HOLE \	/EHICLE	EVAF	PORAT	IVE TES	TING						
	ORATI	IVE FUEL TYPE 3			3DHS (g/test) @ UL					2DHS (g/test) @ UL			RL (g/mi)) @ UL		
					CEF	RT 🔤	STD	FEL	CE	RT	STD	FEL	-	CEF	रा		STD	
NMBXR0170LND			GASOL TIER3 PRE	E10			.300	0.350	0.350 0.2		0.300	0.35	0.350		0.00		0.05	
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS										LS								
FUEL ONI								JEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY		VE	E ORVR (g/gall			n) @ UL FUEL TYP				3DHS RIG TEST (g/test) @ UL		2DHS RIG (g/test) @				LEED CANISTER ST (g/test) @ 4K		
			UEL T	/PE	CERT	STD			C	ERT	STD	CERT		STD	CEF	RT	STD	
NMBXR0170LND			ASOLI IER3 PREN	E10	0.02	0.20	TIE	OLINE- R3 E10 PREM	3 E10		*	*	* *		0.0	08	0.020	



EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
NMBXR0170LND	NMBXR0170LND-LND	*	0.02						

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission: SA: semi automatic transmission: CV: continuously variable transmission: SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MERCEDES-BENZ	S 500	PC	3.0	A9	NMBXR0170LND	1	\$
MERCEDES-BENZ	S 500 4MATIC	PC	3.0	A9	NMBXR0170LND	1	\$