

FORD MOTOR COMPANY

Executive Order: A-010-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MODEL YEAR TEST GROUP				VEHIC	HICLE CLASS(ES)			FUEL C	ATEGORY		FUEL TYPE		
2022 NFMXT02.72JQ LD					LDT2	DEDICATED SINGLE FUEL VEHICLE				GASOLINE			
	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	SSION CATEGORY INTERIM / INT					ERMEDIATE IN-USE STD		
EXH	I/ORVR	EVAP		FTP SFTP			TP	FTP		SFTP			
150000 150000 LEV3 ULEV						LEV	3 C	MPOSITE	OSITE * PM				
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	GINE DISPLACEMENT (L)				
1 DFI,2TWC,2WR-HO2S,2HO2S,2TC,CAC								FULL	*				
*	* *						Р	PARTIAL *		2.7			
* *							PAR	RTIAL WITH ALL MODELS					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							,		AP EMISSION STD EHICLE CLASS SPECIAL FEATU				
NFMXR0135NDF LEV 3 OPTION2 WITH FEL						FEL		LI)T2		*		
				ı	EMISSION CI	REDIT	INFO	ORMATION					
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY NMOG CREDIT FOR NON- ZERO-EVAP						ON-P	ZEV	I NMOG CREDILEOR DOR I			OPTIONAL EXH. STD FOR WORK TRUCKS		
N N								N N					
NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF					0-375		V) LDT						
*	*	1.10		*	0.051				0.056		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



FORD MOTOR COMPANY

Executive Order: A-010-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty-five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2022 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this //th day of August 2021.

Allen Lyons, Chief

Emissions Certification and Compliance Division

GASOLINE-

TIER3 E10

NFMXR0135NDF

0.01

0.20

FORD MOTOR COMPANY

Executive Order: A-010-2348 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.020

0.014

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																		
	EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																	
	FU	EL TY		mono adjus ORV	oxide; N stment fa R [g HC	Ox: oxion actor; 2 /gallon	des of ni DHS/3D dispens	itrogen; H HS [g HC ed]: on-bo	CHO: /test]: pard re	formal 2/3 day fueling	dehyde; P ys diurnal j vapor red	bon; NMH M: particu +hot-soak covery; g: ure; SFTP	llate ; RL gran	matter; R [g HC/mi] n; mg: mil	AF: re : runr ligran	eactivi ning lo n; mi:	ity oss;	
				NMOG+NOx (g/mi)				CO (g/mi)		NOx (g/mi)			HCH (mg/n			PM (g/mi)		
CERT			RT	STD	CER	T ST	D	CERT	STD	CER	Т	STD	CE	RT	STD			
FTP@50K * *			t .	*	*	*		*	*	*		*	*	r	*			
FTP@L	GASOLINE- TIER3 E10 0.		0.0	036	0.070	0.6	1.	7	*	*	1		4	0.000		0.003		
50°F @4K *			4	t	*	*	*		*	*	*		*					
FUEL TYPE							PΕ			NMOG+NOx (g/mi)				CO (g/mi)				
										CERT		STD	STD		CERT		STD	
HWFE	T @ 50K					*					* *							
HWFE	T@UL			G	SASOLII	NE-TIE	R3 E10			0.	.010	0.070						
20°F @ 50K COLD CO E10 REGULAR GASOLINE					E (TIEF	R3)					0.6		1	12.5				
				SFTF	EXHA			STAND	ARDS	AND (CERTIFIC	ATION LE	VEL					
	US06								SC03			COMPOSITE						
	FUEL	TYPE NMOG+NOx (g/mi)			CO (g/mi)				G+NOx J/mi)	CO (g/mi)		NMOG+NOx (g/mi)		CO /mi)	PM (mg/mi)			
@ 4K	*	* CE		kT *		*			*		*							
	S		STE)	*		*				* *							
			CER	Т	*		*	=	l.		*	*	(0.059	C	0.6	*	
@ UL		GASOLINE- TIER3 E10 BII			*		*	•	6		*	*	Ū	0.070	4	1.2	*	
														0.090				
		W	HOLE	VEHI	CLE EV							ERTIFICA	OITA	N LEVEL	.s			
EVA D		_	_			WHOLE VEHICLE EVAP					ORATIVE TESTING				 RL (g/mi) @ UL			
	ORATIV MILY	-	FUEL TYPE					/test) @ UL		2DHS (g		, <u> </u>				, ,		
		CAC				STD FEL		CE	RT	STD	FEL		CERT			STD		
NFMXR0135NDF GASOLIN TIER3 E					101	57 0	.400	400 0.400 0.1		48 0.400 0.400		0	0.00 0.05			0.05		
-	RVR / I	UEL	ONLY	/ CA	NISTER	BLEE	D EVAP	ORATIVE				RDS AND				LEVE	LS	
		_	FUEL ONLY EVAP & CANISTER BLEED ORVR (g/gallon) @ UL 3DHS RIG TEST 2DHS RIG TEST BLEED CA															
	ORATIV MILY	E	ORVI	⊀ (g/g			FUE	FUEL TYPE		OHS RIG TEST g/test) @ UL						EED CANISTER ST (g/test) @ 4K		
		FUEL T		YPE	CERT	STD			CE	RT	STD	CERT		STD	CER	tT	STD	

GASOLINE-

TIER3 E10



FORD MOTOR COMPANY

Executive Order: A-010-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTI\	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD							
NFMXR0135NDF NFMXR0135NDF-001		*	0.02							

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF): CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE MODEL		VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
FORD	EDGE AWD	LDT2	2.7	SA8	NFMXR0135NDF	1	\$
LINCOLN	NAUTILUS AWD	LDT2	2.7	SA8	NFMXR0135NDF	1	\$