

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR		١FO	RMATION						
MODE YEAR		TEST GROUP			VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2022	NB	мхт03.0н05		LDT4					PLUG-IN HYBRID ELECTRIC VEHICLE			GASOLINE		
l	USEFUL	. LIFE (miles)		VEHICLE EMISSION CATEGOR				EGORY		INTERIM / IN	TE	ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP		FTP				FTP FTP				SFTP		
15	0000	150000		LEV3	SULEV30 LEV 3 CO			COMPOSITE	2	*		PM		
SPE	CIAL FE	ATURES & EXI SYS	IAUST TEMS		ON CONTRO	DL		OBD	OBD STATUS			ENGINE DISPLACEMENT		
1	DFI,	TC, CAC, WU-	rwc,	TWC, WR	-HO2S, HO	2S		FULL		*				
*			*			PARTIAL		ALL MODELS		3.0				
*		PA	RTIAL WIT FINES	Н	*									
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR									SSION STD E CLASS	SPECIAL FEATURES			
N	BMXR01	70н05	LEV	EV 3 OPTION2 WITH FEL				LDT4			*			
					EMISSION C	REDIT		ORMATIO	N					
ALL	GR	E FOR TEST OUP EV				DG CREDIT FOR N-PZEV ZERO- EVAP		NMOG CREDIT FOR DOR			R OPTIONAL EXH. STD FOR WORK TRUCKS			
	ALL M	ODELS	N]	N N		N					
				NMOG	AND FLEE	T AVE	RAG	GE INFORM	/A1	TION		I		
NMOG RAF	CH4 RAF					/W) LC								
*	*	1.10		*	(0.051			0.056			*		
See the	- Attach	ment for Vehic		dels Eva	norative Ea	amily	Enc	ine Displa	CO	ment Emission		ontr	ol Systems Phase-	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>17th</u> day of May 2021.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG+NOx (g/mi)		CO (g/mi)			NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER	T STD	
FTP@50K	i0K *		*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- TIER3 E10		0.011	0.030	0.5	1.0	*	*	*	4	0.00	2 0.003	
50°F @4K		SOLINE- R3 E10	0.015	0.060	0.6	1.0	*	*	*	8			
				FUEL TYP	E		NN	NMOG+NOx (g/mi)			CO (g/mi)		
				FUEL ITP	E		CE	RT	STD	CER	Т	STD	
HWFET @ 50K				*			*	•	*				
HWFET @ UL			GASOI	INE-TIEF		0.0	09	0.030					
20°F @ 50K		COLD (CO E10 RE	GULAR G	ASOLINE	(TIER3)				1.6	5	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			361			122101	ISTANDA	ARD2 A		CERTIFIC	ATION LE	VELS					
					I	JS06				SC03		COMPOSITE					
	FUEL TY	PE	1	NMOG+N		со	PI			DG+NOx		NMOG+NC		0	PM		
				(g/mi)		(g/mi)	(mg/	/mi)	()	g/mi)	(g/mi)	(g/mi)	(g/	mi)	(mg/mi)		
@ 4K	*	C	CERT	*		*			*		*						
-			STD			*				*	*						
		C	CERT	*		* 4		l	*		*	0.012	1	. 0	*		
@ UL	@ UL GASOLINI TIER3 E:		STD	*	*		* 6		*		*	0.070	070 4.2		*		
			BIN									0.050					
WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																	
					W	HOLE \	/EHICLE	EVAPO	ORAT	TIVE TEST	ING						
	EVAPORATIVE FAMILY		VE FUEL TYP		FUEL TYPE		3DHS (g/		DUL	2DHS (g/test)		@ UL	1	RL (g/mi) @) UL	
				CEF	CERT ST		FEL	CER	T	STD	FEL	CE	RT	RT STD			
NBMXR0170H05		-	SOLINE ER3 E1	0 1	0.167 0.		0.500	0.11	12 0.500 0		0.500	0.	00	0 0.05			
C) DRVR / FUB		NLY / CA	NISTER	BLEED	EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CERTIFIC	ATION L	EVE	LS		
								FU	EL C	NLY EVA	P & CANIS	TER BLEE	D				
	EVAPORATIVE FAMILY		ORVR (g/gallon) @ UL			FUE	3 FUEL TYPE		3DHS RIG TEST (g/test) @ UL		_	IG TEST) @ UL	-		CANISTER test) @ 4K		
		FUE	L TYPE	CERT	STD			CEF	RT	STD	CERT	STD	CER	_	STD		
NBMXF	R0170H05		OLINE- R3 E10	0.01	0.20		*	*		*	*	*	*		*		



EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)									
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD						
NBMXR0170H05	NBMXR0170H05-001	0.00	0.02						

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD			
1	BMW	X5 XDRIVE45E	LDT4	3.0	SA8	NBMXR0170H05	1	P			
ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION											

MODEL	PHEV TYPE	UDDS AER	UDDS EAER	US06 AER	HIGHW	ZEV		
NUMBER		(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE	
1	TZEV	41.07	41.85	*	44.05	44.19	0.72	