

Executive Order: A-008-0541

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	IFOR	MATION				
MODE YEAR		EST GROUP		VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE	
2022	NB	MXV01.5B36			PC				SINGLE FUE	L	GASOLINE	
	USEFUL	. LIFE (miles)		VEH	IICLE EMISS	ION C	ATE	GORY	INTERIM / I	NTE	RMEDIATE IN-USE STD	
EXH	I/ORVR	EVAP			FTP		SF	TP	FTP		SFTP	
15	0000	150000		LEV3	SULEV30	LEV	3 C	OMPOSITE	*		PM	
SPE	CIAL FE	EATURES & EXI	HAUS TEMS		ON CONTRO	L		OBD S	TATUS		ENGINE DISPLACEMENT (L)	
1	WU-TW	C, TWC, WR-H	02s,	HO2S, D	FI, TC, CA	.c		FULL	*			
*			*			П	F	PARTIAL	ALL MODEL	5	1.5	
*			*				PAR	TIAL WITH FINES	*			
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION											
EVA	P / ORV	R FAMILY	EVA	PORATIVE	STD CATE	GORY	,		SSION STD E CLASS		SPECIAL FEATURES	
N	NBMXR01	00F5X	LE	LEV 3 OPTION2 WITH FEL			PC				*	
N	NBMXR01	30F60	LE	LEV 3 OPTION2 WITH FEL				PC			*	
		·			EMISSION CI	REDIT	INF	ORMATION				
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY			REDIT FOR N ZERO-EVAP	ON-P	ZEV	NMOG C	REDIT FOR D	DR	OPTIONAL EXH. STD FOR WORK TRUCKS	
		N			N				N		N	
				NMOG	AND FLEET	AVE	RAG	E INFORMA	TION			
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		HCHO/NMHC RATIO NMOG+NOX FLEE PC+LDT (0-3750 (g/mi)			V) LDT	+NOX FLEET (3751 LVW-85 R) + MDPV (g/	00	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10		*	0	.051			0.056		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-008-0541

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED: Vehicles certified under this Executive Order shall not be introduced into commerce before January 2, 2021.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 28th day of December 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Executive Order: A-008-0541

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)				NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10	0.018	0.030	0.4	1.0	*	*	*	4	0.001	0.003
50°F @4K	GASOLINE- TIER3 E10	0.013	0.060	0.2	1.0	*	*	*	8		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUEL TIPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-TIER3 E10	0.012	0.030			
20°F @ 50K	COLD CO E10 REGULAR GASOLINE (TIER3)			0.6	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx	CO	PM	NMOG+NOx	co	NMOG+NOx	co	PM
			(g/mi)	(g/mi)	(mg/mi)	(g/mi)	(g/mi)	(g/mi)	(g/mi)	(mg/mi)
@ 4K	4K *	CERT	*	*		*	*			
• • • • • • • • • • • • • • • • • • •		STD	*	*		*	*			
		CERT	*	*	2	*	*	0.014	0.6	*
@ UL	GASOLINE- TIER3 E10	STD	*	*	6	*	*	0.070	4.2	*
		BIN						0.050		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE \						
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) (@ UL	2DI	HS (g/test) (RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
NBMXR0100F5X	GASOLINE- LEV3 E10 PREM	0.273	0.300	0.300	0.236	0.300	0.300	0.04	0.05
NBMXR0130F60	GASOLINE- TIER3 E10	0.161	0.300	0.300	0.140	0.300	0.300	0.01	0.05



Executive Order: A-008-0541

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
		FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g	FUEL TYPE		3DHS R (g/test	2DHS RIG TEST (g/test) @ UL			BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE CERT ST		STD			CERT	STD	CER	Г	STD	CERT	STD
NBMXR0100F5X	GASOLINE- TIER3 E10	0.04	0.20	GASOLINE- LEV3 E10 PREM		*	*	*		*	0.009	0.020
NBMXR0130F60	GASOLINE- TIER3 E10	0.04	0.20	GASOLINE- TIER3 E10		*	*	*		*	0.005	0.020
	EFFECTIVE	LEAK D	IAMET	ER STA	NDAR	D AND CE	RTIFICA	TION L	EVE	L (INCH	ES)	
EVAPORATIVE FAMILY LEAK FAMIL			LY CERT				STD					
NBMXR0100F5X NBMXR0100F5X			-001 0.00				0.02					
NBMXR0130F60 NBMXR0130F60-				-001		0.	01			0.02		

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission: AER: all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
MINI	MINI COOPER CLUBMAN ALL4	PC	1.5	SA8	NBMXR0130F60	1	P
MINI	MINI COOPER CONVERTIBLE	PC	1.5	AMS7,M6	NBMXR0100F5X	1	P
MINI	MINI COOPER COUNTRYMAN	PC	1.5	AMS7	NBMXR0130F60	1	P
MINI	MINI COOPER COUNTRYMAN ALL4	PC	1.5	SA8	NBMXR0130F60	1	P
MINI	MINI COOPER HARDTOP 2 DOOR	PC	1.5	AMS7,M6	NBMXR0100F5X	1	P
MINI	MINI COOPER HARDTOP 4 DOOR	PC	1.5	AMS7,M6	NBMXR0100F5X	1	P