

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFOR	MATION					
MODE YEA		TEST GROUP			VEHIC	VEHICLE CLASS(ES) FUEL CATEGORY				ATEGORY	FUEL TYPE			
202:	2 N	NSXT02.0AV	3		LDT2 DEDICATED SING							GASOLINE		
	USEFL	JL LIFE (miles		VEH	IICLE EMISS	ION (CATE	TEGORY INTERIM / INTERMEDIATE IN-USE						
EXH/ORVR EVAP						FTP		SF	тр	FTP		SFTP		
150000 150000					LEV3	ULEV50	LEV	3 COMPOSITE *				PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							L		OBD S	TATUS	E	NGINE DISPLACEMENT (L)		
1	TWC(2), HO2S, WR-HO2S, SFI, DFI, CAC, TC								FULL	*				
*	*								PARTIAL	SOME MODELS		2.0		
*	* *								RTIAL WITH SOME MODELS					
			EVA	POR	ATIVE &	REFUELING	(EVA	AP/OF	RVR) FAMIL	Y INFORMATIO	N			
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							Y	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
	NNSXRO)140PEA		LEV	7 3 OPTI	ON2 WITH	FEL	EL LDT2				*		
					E	EMISSION CI	REDI	T INF	ORMATION					
	NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY							ZEV	NMOG CREDIT FOR DOF			OPTIONAL EXH. STD FOR WORK TRUCKS		
		N				N			N N					
					NMOG	AND FLEET	AVE	RAG	E INFORMA	TION				
NMOG RAF	CH4 RAF						0-375		V) LDT	+NOX FLEET S (3751 LVW-850(R) + MDPV (g/m)	NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10			*	0	.051			0.056		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles produced before October 8, 2021 has been determined to have three (3) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2022 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby cancels and supersedes Executive Order A-015-0893 dated January 12, 2021.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>22nd</u> day of March 2022.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

GASOLINE-

TIER3 E10

PREM

0.09

0.20

NNSXR0140PEA

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)				O mi)		Ox mi)		:HO g/mi)		M mi)		
	CERT STD CERT STD CE		CERT	STD	CERT	STD	CERT	STD						
FTP@50K	*		*	*	*	*	*	*	*	*	*	*		
FTP@UL	GASOLINE- LEV3 E10 PREM		0.029	0.050	0.2	1.7	*	*	*	4	0.001	0.003		
50°F @4K		*	*	*	*	*	*	*	*	*				
							NN	NMOG+NOx (g/mi)			CO (g/mi)			
				FUEL TYP	E		CE	RT	STD	CER	T	STD		
HWFET @) 50K			*			*	,	*					
HWFET @ UL			GASOLIN	IE-LEV3 I	E10 PREM		0.0	07	0.050					
20°F @ 50K		COLD	CO E10 PF	REMIUM GA	ASOLINE	(TIER3)				1.2	2	12.5		
			SFTP EXH	IAUST EM	ISSION S	TANDARD	S AND CE	RTIFIC	ATION LEVI	ELS				
US06								SC03		COMPOSITE				

					US06				SC03			COMPOSITE					
	FUEL TYPE			NMOG+N (g/mi)		CO (g/mi)	Pl (mg			DG+NOx g/mi)	CO (g/mi)		OG+NO: (g/mi)	-	C (mi)	PM (mg/mi)	
@ 4K	*	C	CERT	*		*	*		*		*						
0			STD			*			*		*						
			CERT	*		*	2	2		*	*	0.024		0.4		*	
@ UL	GASOLIN LEV3 E1 PREM			*		*	* 6		*		*	0.070		4.2		*	
			BIN									C	0.090				
	WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																
WHOLE VEHICLE EVAPORATIVE TESTING																	
	EVAPORATIVE FAMILY		IEL TYP			g/test) (2Dł	IS (g/test)	@ UL		RL (g/mi) @ UI		UL			
						STD	FEL	CEF	RT	STD	FEL	FEL		CERT		STD	
NNSXR0140PEA		-	SOLINE EV3 E1(PREM		72	0.400	0.400	0.2	67	0.400	0.40	0	0.0)2 0.		0.05	
C	DRVR / FUE	el oi	NLY / CA	NISTER	BLEE	D EVAP	ORATIVE	EMIS	SION	STANDA	RDS AND	CEF	RTIFICA	TION I	.EVE	LS	
								FU	EL C	ONLY EVA	P & CANIS	STEF	R BLEE	כ			
	ORATIVE MILY	0	RVR (g/	gallon) @	DL 🧕	FUE	FUEL TYPE		3DHS RIG TEST (g/test) @ UL		2DHS RIG (g/test) @					CANISTER /test) @ 4K	
		FUE	L TYPE	CERT	STD	1			RT	STD	CERT		STD	CER	т	STD	

*

*

*

*

0.015

0.020

GASOLINE-

LEV3 E10

PREM



EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)										
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD							
NNSXR0140PEA	NNSXR0140PEA-001	*	0.02							

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG; compressed/liguefied natural gas; LPG; liguefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
INFINITI	QX55 AWD	LDT2	2.0	SCV8	NNSXR0140PEA	1	\$
INFINITI	QX55 AWD	LDT2	2.0	SCV8	NNSXR0140PEA	1	Ρ