

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

| | | | | | TEST GR | | NFC | ORMATION | | | | | | |
|---|--|----------------|-------|---------------|-------------------|------------------------------------|----------|------------------------------------|------------------------------------|---------------|--------------------------------------|----------------------|--|--|
| MODE YEAR | | TEST GROUP | | | VEHICLE CLASS(ES) | | | FUEL | FUEL CATEGORY | | | FUEL TYPE | | |
| 2022 | NI | PRXT03.0CH6 | | LDT4 | | | | | PLUG-IN HYBRID ELECTRIC VEHICLE | | | GASOLINE | | |
| l | USEFUI | LIFE (miles) | | VEF | IICLE EMIS | LE EMISSION CATEGORY INTERIM / INT | | | | | ΓE | ERMEDIATE IN-USE STD | | |
| EXH | /ORVR | EVAP | | | FTP | | 5 | SFTP | TP FTP | | | SFTP | | |
| 15 | 0000 | 150000 | | LEV3 | ULEV70 | LEV | 3 | COMPOSITE | | * | | PM | | |
| SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS | | | | | OL | | OBD | S | TATUS | | ENGINE DISPLACEMENT (L) | | | |
| 1 | V | WU-TWC,DFI,WF | -но28 | 5, HO2S, 1 | C,2CAC | | | FULL | | * | | | | |
| * | * | | | | | | F | PARTIAL | | * | | 3.0 | | |
| * | * | | | | | | | ARTIAL WIT | н | ALL MODELS | | | | |
| | EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION | | | | | | | | | | | | | |
| EVA | P / ORV | R FAMILY | EVAP | ORATIVE | E STD CATI | EGORY | , | EVAP EMISSION STD VEHICLE CLASS | | | SPECIAL FEATURES | | | |
| N | IPRXR01 | 45REH | | LEV 3 OPTION2 | | | | LDT4 | | | * | | | |
| | | | | I | EMISSION | CREDIT | r in | FORMATIO | N | | | | | |
| ALLOWANCE FOR TEST GROUP TZEV AVE. CREDIT FOR EXTENDED WARRANTY | | | | | | NON-PZEV ZERO- | | | NMOG CREDIT FOR DOR | | OPTIONAL EXH. STD FOR WORK TRUCKS | | | |
| * N | | | | | | | N N | | | | N | | | |
| | NMOG AND FLEET AVERAGE INFORMATION | | | | | | | | | | | | | |
| NMOG RAF | CH4 RAF | | | | (0-375 | | VW) LD | | | | | | | |
| * | * | 1.10 | C | 0.01 | | 0.051 | | | 0.056 | | | * | | |
| Soo th | | mont for Vahia | | dala Eve | norativa F | ر اندور م | — | nina Dianla | | mont Emission | 0 | ontrol Systems Phase | | |

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have six (6) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of one hundred dollars (\$100) per vehicle for the third through sixth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2022 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 10th day of August 2021.

Allen Zyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

| | | | | | _ | - | | | | | - | - | M /mi) | |
|--------------------|-----------------------------------|---|---|---|--|--|---|--|--|---|--|--|--|--|
| | | | CERT | STD | CERT | STD | CERT | STD | CER | Т | STD | CERT | STD | |
| к | * | | * | * | * | * | * | * | * | | * | * | * | |
| L TIE | GASOLINI TIER3 E | | 0.043 | 0.070 | 0.4 | 1.7 | * | * | * 0 | | 4 | 0.001 | 0.003 | |
| ĸ | * | | * | * | * | * | * | * | * | | * | | | |
| | | | | | | 1 1 | N | /OG+N | Ox (g/mi) | | | CO (g/mi |) | |
| | | | | FUEL IYPE | | | | RT | STD | | CERT | - | STD | |
| HWFET @ 50K | | | | * | | t. | * * | | | | | | | |
| HWFET @ UL | | G | GASOLINE-TIER3 E10 PREM | | | | | 006 | 0.070 | | | | | |
| 20°F @ 50K COLD CO | | | E10 P | 10 PREMIUM GASOLINE (TIER3) | | | | | | | 0.8 | | 12.5 | |
| <u>.</u> | | S | FTP EX | HAUST E | MISSION S | TANDARD | S AND CI | ERTIFIC | ATION L | EVEL | S | | | |
| | | | | | US06 | | | SC03 | 3 | | CO | MPOSITE | | |
| FUEL T | YPE | | | • | CO (g/mi) | PM (mg/mi) | | | CO (g/mi) | | | CO (g/mi) | PM (mg/mi) | |
| * | * CERT STD | | | * | * | * | | * | | | | | | |
| | | | | * | * | | | ۲ | * | * | | | | |
| | | CERT | | * | * | 3 | Ŀ | 4 | * | | 0.036 | 0.4 | * | |
| TIER3 | | | | * | * | 6 | ł | * | | * (| | 4.2 | * | |
| | | BIN | | | | | | | | | 0.080 | | | |
| | WH | OLE V | EHICLE | EVAPOR | RATIVE EMI | SSION STA | NDARD | S AND (| CERTIFIC | ATIC | N LEVEL | S | | |
| | | | | V | | HICLE EVA | PORATI | /E TES | TING | | | | | |
| | GASSOLI TIE GASOLI TIER3 | GASOLINE- TIER3 E10 PREM K * C@ 50K FUEL TYPE * | K * GASOLINE- TIER3 E10 PREM I K * I GO FUEL COLD FUEL TYPE STD GASOLINE- TIER3 E10 PREM STD GASOLINE- TIER3 E10 PREM STD BIN | Image: constraint of the second state of the seco | K * * * GASOLINE- TIER3 E10 PREM 0.043 0.070 K * * * K * * * C@ 50K * * * T @ UL GASOLINE-TIER3 GASOLINE-TIER3 D 50K COLD CO E10 PREMIUM FUEL TYPE Image: Cold (g/mi) FUEL TYPE Image: Cold (g/mi) FUEL TYPE CERT STD * GASOLINE-TIER3 E10 PREM STD PREM BIN WHOLE VEHICLE EVAPOR | Image: constraint of the constrated of the constraint of the constraint of the constraint of the | Image: constraint of the second sec | Image: constraint of the state of | Image: constraint of the state of | Image: constraint of the second sec | Image: constraint of the state of | image: second | Image: state Image: state <tate< td=""> Image: state</tate<> | |

| EVAPORATIVE FAMILY | FUEL TYPE | TYPE 3DHS (g/t | | | DUL | 2DHS (g/test) @ UL | | | | RL (g/mi) @ UL | | |
|-----------------------|---|----------------|-------------|-----------|-----|--------------------------------|-------|--------------------------------|-----|--------------------------------------|------|--|
| | | CER | T S | TD | FEL | CERT | STD | FEL | CE | RT | STD | |
| NPRXR0145REH | GASOLINE- TIER3 E10 PREM | 0.24 | 0.246 0.500 | | * | 0.215 | 0.500 | * 0 | | 00 | 0.05 | |
| ORVR / FUI | ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS | | | | | | | | | | | |
| | FUEL ONLY EVAP & CANISTER BLEED | | | | | | | | | | | |
| EVAPORATIVE FAMILY | ORVR (g/ga | allon) @ |) UL | FUEL TYPE | | 3DHS RIG TEST (g/test) @ UL | | 2DHS RIG TEST (g/test) @ UL | | BLEED CANISTER TEST (g/test) @ 4K | | |
| | FUEL TYPE | CERT | STD | | | CERT | STD | CERT | STD | CERT | STD | |
| NPRXR0145REH | GASOLINE- TIER3 E10 PREM | 0.01 | 0.20 | | * | * | * | * | * | * | * | |



| EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES) | | | | | | | | |
|---|------------------|------|------|--|--|--|--|--|
| EVAPORATIVE FAMILY | LEAK FAMILY | CERT | STD | | | | | |
| NPRXR0145REH | NPRXR0145REH-001 | * | 0.02 | | | | | |

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

| MODEL NUMBER | MAKE | MODEL | VEH CLASS | ENGINE (L) | TRANS TYPE | EVAPORATIVE FAMILY | EXH ECS | OBD |
|-----------------|---------|---------------------------|--------------|------------|------------|-----------------------|------------|-----|
| 1 | PORSCHE | CAYENNE COUPE E-HYBRID | LDT4 | 3.0 | SA8 | NPRXR0145REH | 1 | \$ |
| 2 | PORSCHE | CAYENNE E- HYBRID | LDT4 | 3.0 | SA8 | NPRXR0145REH | 1 | \$ |

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

| MODEL | PHEV TYPE | UDDS AER | UDDS EAER | US06 AER | HIGHW | ZEV | | |
|--------|-----------|----------|-----------|----------|-------|------|-----------|--|
| NUMBER | | (MILES) | (MILES) | (MILES) | AER | EAER | ALLOWANCE | |
| 1 | * | 22.5 | 23.2 | * | 24.1 | 24.0 | 0.00 | |
| 2 | * | 22.5 | 23.2 | * | 24.1 | 24.0 | 0.00 | |