

Executive Order: A-019-0297

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION														
MODE YEAR	- т	TEST COULD			VEHICLE CLASS(ES)			FUE	FUEL CATEGORY			FUEL TYPE		
2022	2 NPRXT04.0CH8			LDT4					PLUG-IN HYBRID ELECTRIC VEHICLE			GASOLINE		
	USEFUL	LIFE (miles)		VEH	IICLE EMIS	SION C	ATE	GORY	Y INTERIM / INTERMEDIATE IN-USE STD					
EXH	I/ORVR	EVAP			FTP		S	FTP		FTP		SFTP		
15	0000	150000		LEV3	ULEV125	LEV	3 (	COMPOSIT	ГE	*		PM		
SPE	CIAL FE	EATURES & EXI SYS	IAUST	EMISSIC	ON CONTR	OL		ОВ	BD S	TATUS	EN	ENGINE DISPLACEMENT (L)		
1	2 <b>W</b> U	J-TWC,DFI,2WR	-но28	S,2HO2S,	2TC,2CAC			FULL		*				
*	*							PARTIAL	_	*	4.0			
*	* PARTIAL WITH FINES ALL MODELS													
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION														
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD VEHICLE CLASS SPECIAL FEATURES									PECIAL FEATURES				
N	IPRXR01	45REH		LEV 3 OPTION2				LDT4				*		
		•		I	EMISSION	CREDIT	INF	ORMATIC	ON					
GROUP				OG+NOX E. CRED NDED W	NMOG CREDIT NON-PZEV ZE EVAP		V ZERO-	· · · · NIMICAGE CELLILIE		FOR	OPTIONAL EXH. STD FOR WORK TRUCKS			
*							N	1		N		N		
	NMOG AND FLEET AVERAGE INFORMATION													
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO		O/NMHC ATIO	PC+LDT	NOX FLEET STD OT (0-3750 LVW) (g/mi)					0	MOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	C	0.01		0.051		0.056			*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-019-0297

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the vehicles has been determined to have five (5) deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of seventy-five dollars (\$75) per vehicle for the third through fifth deficiencies in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2022 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this //th day of August 2021.

Allen Lyons, Chief

**Emissions Certification and Compliance Division** 



Executive Order: A-019-0297

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

### **ATTACHMENT**

	EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS																
	EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS  EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)																
			EXT/	1 3	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP												
						NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)			HCH (mg/r		PM (g/mi)		
					CERI	ST	D CER	T ST	D	CERT	STD	CER	Т	STD	CE	RT	STD
FTP@5	0K		*		*	*	*	*		*	*	*		*	*		*
FTP@l	GASOLINE- FTP@UL TIER3 E10 PREM			0.05	6 0.1	25 0.7	2.	1	*	*	1		4		01	0.003	
50°F @	4K		*		*	*	*	*		*	*	*		*			
						FUEL TYPE				NMOG+NOx (g/mi)				CO (g/mi)			
										CI	CERT ST		CERT		RT STD		STD
HWFE	Т @	50K				*					* *						
HWFE	HWFET @ UL GAS				GASOLINE-TIER3 E10 PREM					0.	0.033 0.125		, [				
20°F	20°F @ 50K COLD CO			D E10 PREMIUM GASOLINE (TIER3)									1.3		12.5		
					SFTP E	XHAUST	EMISSION	STAND	ARDS	AND C	ERTIFIC	ATION LE	VEL	.S			
							US06			SC03 COMPOSITE							
	FUEL TYPE			NMOG+NOx (g/mi)		CO (g/mi)	_	PM (mg/mi)		NMOG+NOx (g/mi)		NMOG+NOx (g/mi)			CO /mi)	PM (mg/mi)	
@ 4K		*		CER	г	*	*				*	*					
				STD		*	*				*	*					
		ASOLINE-		CER	Г	*	*		3	*		*		0.044	C	. 7	*
@ UL				STD		*	*		6	*		*	(	0.070	4	. 2	*
				BIN									(	0.100			
			WH	OLE \	/EHICL	E EVAP	DRATIVE E	MISSIO	N STA	NDAR	S AND C	ERTIFICA	ATIO	N LEVEL	S		
WHOLE VEHICLE EVAPORATIVE TESTING																	
EVAP FA	OR/ AMIL		F	UEL T	YPE		S (g/test) (			2DHS (g/test)		<del>-</del>				mi) @ UL	
						CERT	STD	FEL	CE	RT	STD	FEL	-	CERT			STD
NPRXR0145REH TIE		ASOLI IER3 PRE	E10	0.246	0.500	*	0.2	215	0.500	*		0.00		0.05			

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST ) @ UL		IG TEST ) @ UL	BLEED CANISTER TEST (g/test) @ 4K			
	<b>FUEL TYPE</b>	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
NPRXR0145REH	GASOLINE- TIER3 E10 PREM	0.01	0.20	*	*	*	*	*	*	*		



Executive Order: A-019-0297

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)								
EVAPORATIVE FAMILY	LEAK FAMILY	CERT	STD					
NPRXR0145REH	NPRXR0145REH-001	*	0.02					

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

#### 2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
1	PORSCHE	CAYENNE TURBO S COUPE E- HYBRID	LDT4	4.0	SA8	NPRXR0145REH	1	\$
2	PORSCHE	CAYENNE TURBO S E-HYBRID	LDT4	4.0	SA8	NPRXR0145REH	1	\$

### **ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION**

MODEL	PHEV TYPE	UDDS AER	UDDS EAER	US06 AER	HIGHW	ZEV		
NUMBER	PHEVITPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE	
1	*	18.9	19.9	*	20.9	20.8	0.00	
2	*	18.9	19.9	*	20.9	20.8	0.00	