

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	FOR	MATION					
MODE	- I TI	EST GROUP		VEHIC	HICLE CLASS(ES) FUEL CATEGORY						FUEL TYPE		
2022	NJ	LXJ02.0RTX		L	DT2, PC		-	SINGLE FUEL		GASOLINE			
	USEFUL	LIFE (miles)		VEF	ICLE EMISS	ION C	ATE	GORY	INTERIM / IN	TERN	ERMEDIATE IN-USE STD		
EXH	/ORVR	EVAP			FTP		SF	FTP FTP			SFTP		
15	0000	150000		LEV3	SIILEV30			SULEV ALONE	*		РМ		
SPECIAL FEATURES & EXHAUST EMISSION CONTRO SYSTEMS						L		OBD S	TATUS	EN	ENGINE DISPLACEMENT		
1	WR-	HO2S, TWC, H	102S (2	2), DFI,	TC, CAC			FULL	*				
*	*							ARTIAL	ALL MODELS		2.0		
*	*							TIAL WITH FINES	*				
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
N	IJLXR01	40P1Z		LEV 3	OPTION2	N2 LDT2			DT2	*			
N	NJLXR0160P1Z LI				V 3 OPTION2			PC			*		
				I	EMISSION CI	REDIT	INFC	ORMATION					
	EDIT FO	X FLEET AVE. R EXTENDED RANTY	1		EDIT FOR N ZERO-EVAP	ON-P	ZEV				R OPTIONAL EXH. STD FOR WORK TRUCKS		
		N			N				N	N			
				NMOG	AND FLEET	AVE	RAGE		TION				
NMOG RAF	NMOG/NMHC			-	NMOG+NOX FLEET ST PC+LDT (0-3750 LVW) (g/mi)								
*	*	1.10	(0.02	0	.051			0.056		*		
Soo th	o Attoob	mont for Vahi			porotivo Eo	mily	Engin	no Dianlago	mont Emission	Con	trol Systems Phase-		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this <u>2/st</u> day of October 2021.

Allen Lyons, Chief Emissions Certification and Compliance Division



FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG+NOx (g/mi)			CO (g/mi)		NOx (g/mi)		HO /mi)	PM (g/mi)		
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	*		*	*	*	*	*	*	*	*	*	*	
FTP@UL	GASOLINE- LEV3 E10		0.026	0.030	0.3	1.0	*	*	0	4	0.002	0.003	
50°F @4K		OLINE- V3 E10	0.045	0.060	0.4	1.0	*	*	0	8			
					-		NN	NMOG+NOx (g/mi)			CO (g/mi)		
				FUEL TYP	E		CE	RT	STD	CER	Т	STD	
HWFET @ 50K				*			*	,	*				
HWFET @ UL			GASO	LINE-LEV	3 E10		0.0	001	0.030				
20°F @ 50K			GASO	LINE-LEV	3 E10					0.7		10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

						US06			SC03			COMPOSITE					
	FUEL TYPE			NMOG+NOx		CO	P	M	NMOG+NOx	со	NMOG+NOx		СО		РМ		
				((g/mi)	(g/mi)	(៣ថ្	g/mi)	(g/mi)	(g/mi)	((g/mi)	(g/m	ii)	(mg/mi)		
@ 4K	۲ *		CERT		*	*			*	*							
_			STD		*	*			*	*							
		C		0.016		5.4	5.4 5.		0.009	0.6	*		*		*		
@ UL	GASOLINE- LEV3 E10		STD	0.050		9.6		6	0.020	3.2	*		*		*		
												*					
		WН	OLE VE	HICL	E EVAP	ORATIVE E	MISSION		DARDS AND	CERTIFIC	ATIO	N LEVELS	;				
						WHOLE \	/EHICLE	EVAPO	RATIVE TES	TING							
	EVAPORATIVE FAMILY		FUEL TYP		UEL TYPE		3DH	S (g/test) @	DUL		2DHS (g/test) @ UL			RL (g/mi) @ U			JL
					CERT	STD	FEL	CER	T STD	FEI	EL CERT		S		STD		
NJLXF	NJLXR0140P1Z		ASOLIN LEV3 E		0.227	0.400	*	*	0.400	*	*			0	.05		
NJLXR0160P1Z			ASOLIN LEV3 E		0.238	0.300	*	*	0.300	*	0.00			0.05			



JAGUAR LAND ROVER LIMITED

ORVR / FUI	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
		FUEL ONLY EVAP & CANISTER BLEED												
EVAPORATIVE FAMILY	ORVR (g/g	FUEL TYPE		3DHS R (g/test	IG TEST) @ UL		RIG TEST st) @ UL	BLEED CANISTER TEST (g/test) @ 4K						
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD			
NJLXR0140P1Z	GASOLINE- LEV3 E10	0.01	0.20	GASOLINE- LEV3 E10		*	*	*	*	0.018	0.020			
NJLXR0160P1Z	GASOLINE- LEV3 E10 0.01 0.20		GASOLINE- LEV3 E10		*	*	*	*	0.010	0.020				
E	EFFECTIVE LEAK DIAMETER STANDARD AND CERTIFICATION LEVEL (INCHES)													
EVAPORATIVE	FAMILY	Y CERT					STD							
NJLXR0160P1Z NJLXR0160P1Z			-001	-001 *					0.02					
NJLXR0140	P1Z	NJLXRO	140P1z	-001	-001 *					0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxvgen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

2022 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
JAGUAR	F-PACE 25T	LDT2	2.0	SA8	NJLXR0140P1Z	1	P
JAGUAR	XF 25T	PC	2.0	SA8	NJLXR0160P1Z	1	P
JAGUAR	XF 25T AWD	PC	2.0	SA8	NJLXR0160P1Z	1	P
JAGUAR	XF 30T AWD	PC	2.0	SA8	NJLXR0160P1Z	1	P
LAND ROVER	RANGE ROVER VELAR P250	LDT2	2.0	SA8	NJLXR0140P1Z	1	P