

### GENERAL MOTORS LLC.

Executive Order: A-006-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR     TEST GROUP     VEHICLE CLASS(ES)     FUEL CATEGORY       2023     PGMXT03.0353     LDT4     DEDICATED SINGLE FUEL VEHICLE       USEFUL LIFE (miles)     VEHICLE EMISSION CATEGORY     INTERIM / INTERI	FUEL TYPE  DIESEL  ERMEDIATE IN-USE STD  SFTP  PM  ENGINE DISPLACEMENT (L)										
2023   PGMXT03.0353   LDT4   VEHICLE	SFTP PM ENGINE DISPLACEMENT										
EXH/ORVR EVAP FTP SFTP FTP  150000 * LEV3 ULEV125 LEV 3 COMPOSITE *  SPECIAL FEATURES & EXHAUST EMISSION CONTROL ORD STATUS	SFTP PM ENGINE DISPLACEMENT										
150000 * LEV3 ULEV125 LEV 3 COMPOSITE *  SPECIAL FEATURES & EXHAUST EMISSION CONTROL ORD STATUS	PM ENGINE DISPLACEMENT										
SPECIAL FEATURES & EXHAUST EMISSION CONTROL ORD STATUS	ENGINE DISPLACEMENT										
ORD STATIS											
1 OC+DPF-SCRC, SCRC+NH3OC, DFI, CAC, TC, HP-EGR, LP-EGR, EGRC, NOXS(3), PMS, RDQS FULL *	3.0										
* * PARTIAL ALL MODELS											
* * PARTIAL WITH * FINES											
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION											
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD VEHICLE CLASS	SPECIAL FEATURES										
* * *	*										
EMISSION CREDIT INFORMATION											
NMOG+NOX FLEET AVE. CREDIT FOR EXTENDED WARRANTY  NMOG CREDIT FOR NON-PZEV ZERO-EVAP  NMOG CREDIT FOR DOR	OPTIONAL EXH. STD FOR WORK TRUCKS										
N N N	N										
NMOG AND FLEET AVERAGE INFORMATION											
NMOG RAF RAF RATIO    NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)   NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)										
* * * * 0.044 0.047	*										

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



GENERAL MOTORS LLC. Executive Order: A-006-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 7th day of June 2022.

Allen Lyons, Chief

Gobna Sahi for

**Emissions Certification and Compliance Division** 



GENERAL MOTORS LLC.

Executive Order: A-006-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

## **ATTACHMENT**

	EXHA	UST	ΓΑΝΟ	EVA	POR	ATIV	E EMIS	SION	STAN	NDARI	OS AN	D CER	TIFIC	ATION	LEV	'ELS	}	
	FUE	EXH.	0 n a 0	CH4: menoxid djustme DRVR [g	ethan le; N0 ent fa g HC/	e; NMC Ox: oxio ctor; 2I gallon	DG: non- des of nit DHS/3DH dispense	CH4 org rogen; H IS [g H( d]: on-b	janic ga HCHO: C/test]:	as; HC: I formald 2/3 days	hydroca ehyde; f s diurna vapor re	rbon; NN PM: part I+hot-so covery;	//HC: r iculate ak; RL g: grar	non-CH4 matter; F [g HC/mi m; mg: mi pplement	HC; C RAF: re ]: runr lligran	eactiv ning lon; m; mi:	rity oss;	
					łC+N g/mi)	Ox	CO (g/mi)			N (g		HCH (mg/n			PM (g/mi)			
				CERT ST		STD	CERT STD		D.	CERT STD		CE	RT	STD CEI		RT STD		
FTP@5	0K	*				*	*	*		*	* *		*	*	*		*	
FTP@l	JL DIE	SEL-1	EPA	0.098	0	.125	0.4	2.	1	*	*		*	4	0.0	000	0.003	
50°F @	4K	*		*		*	*	*	•	*	*		*	*				
					Ein		)E			NI	MHC+N	Ox (g/m	i)		CO (	g/mi)		
					FUI	EL TYF				CE	RT	ST	D	CER	Т		STD	
HWFE	T @ 50K					*				,	*	*						
HWFE	T @ UL				DIE	SEL-E	PA	?A			.019		0.125					
20°F	@ 50K					*							*		*		*	
			S	FTP E	KHAL	JST EN	IISSION	STAND	ARDS	AND C	ERTIFIC	CATION	LEVE	LS		•		
							US06				SC03	3		COMPOSITE				
	FUEL T	YPE			NMHC+NOx (g/mi)		CO (g/mi)	PM (mg/mi)			C+NOx mi)	CO (g/mi)		NMHC+NOx (g/mi)		CO J/mi)	PM (mg/mi)	
@ 4K	*	* CER			*		*			,	* *							
		ST		*		*				*								
		CEF		*		*	0			*	*	0.111		1.4		*		
@ UL	DIESEL			*		*		6		*		* 0.063		4.2		*		
			BIN											0.180	).180			
		WH	IOLE V	EHICL	E EV								CATIC	N LEVE	LS			
	ORATIVE	<u> </u>	UEL T	YPE	WHOLE VEHICLE EV 3DHS (g/test) @ UL				EVAF	2DHS (g/test) @ UL				RL (g/mi) @ UL				
FAMILY				ŀ	CER	T	STD	FEL	CE	ERT STD		F	FEL		CERT		STD	
	*		*		*		*	*	+	·	*		*	*			*	
(	ORVR / F	UEL (	ONLY /	CANIS	TER	BLEE	D EVAPO	RATIV	E EMIS	SSION S	STANDA	RDS A	ND CE	RTIFICA	TION	LEVE	LS	
														R BLEE				
EVAPORATIVE FAMILY		ORVE		(g/gall	on) @	UL	FUEL TYPE		_	HS RIG TEST g/test) @ UL			2DHS RIG (g/test) @				ANISTER est) @ 4K	
		FUEL TY		PE CERT		STD			CE	RT	STD	CER	Т			RT	STD	
*			*	* *			*			* * *			* *		*			
		EFF	ECTIV	/E LE	AK D	IAME	TER ST	ANDA	RD AN	ID CER	TIFICA	TION	EVEL	(INCHE	ES)			
EVAF	PORATIV	E FA	MILY		LEAI	K FAM	ILY			CER	Γ				STD			
*				*				*				*						



# GENERAL MOTORS

Executive Order: A-006-2348

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV; medium-duty vehicle; MDV4; MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission: AMS: automated manual-selectable transmission: OT: other transmission: AER: all-electric range: EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

### 2023 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
CADILLAC	ESCALADE 2WD	LDT4	3.0	A10	*	1	P
CADILLAC	ESCALADE 4WD	LDT4	3.0	A10	*	1	P
CHEVROLET	SUBURBAN 2WD	LDT4	3.0	A10	*	1	P
CHEVROLET	SUBURBAN 4WD	LDT4	3.0	A10	*	1	P
CHEVROLET	TAHOE 2WD	LDT4	3.0	A10	*	1	P
CHEVROLET	TAHOE 4WD	LDT4	3.0	A10	*	1	P
GMC	YUKON 2WD	LDT4	3.0	A10	*	1	P
GMC	YUKON 4WD	LDT4	3.0	A10	*	1	P
GMC	YUKON XL 2WD	LDT4	3.0	A10	*	1	P
GMC	YUKON XL 4WD	LDT4	3.0	A10	*	1	P